立法會

Legislative Council

立法會 CB(3)730/02-03 號文件

檔 號 : CB(3)/M/OR

電 話: 2869 9205

日期: 2003年6月13日

發文者 : 立法會秘書

受文者 : 立法會全體議員

2003 年 7 月 2 日 立法會會議

根據《藥劑業及毒藥條例》 動議的決議案

衞生福利及食物局局長會在 2003 年 7 月 2 日舉行的立法會會議上,根據《藥劑業及毒藥條例》就:

- (a) 《 2003 年藥劑業及毒藥(修訂)(第2號)規例》;
- (b) 《 2003 年毒藥表(修訂)(第 2 號)規例》;
- (c) 《2003 年藥劑業及毒藥(修訂)(第3號)規例》;及
- (d) 《2003年毒藥表(修訂)(第3號)規例》

動議一項決議案。現謹附上有關決議案,供議員考慮。立法會主席已指示應"按所交來的原有措辭印載"在立法會議程上。

2. 局長在動議上述決議案時將會發表的演辭的中英文本,以及 局長提交的補充資料,亦一併附上。

立法會秘書

(陳欽茂代行)

連附件

《藥劑業及毒藥條例》

決議

(根據《藥劑業及毒藥條例》(第138章)第29條)

議決批准藥劑業及毒藥管理局於2003年6月11日訂立的 一

- (a) 《2003年藥劑業及毒藥(修訂)(第2號)規例》;
- (b) 《2003年毒藥表(修訂)(第2號)規例》;
- (c) 《2003年藥劑業及毒藥(修訂)(第3號)規例》;及
- (d) 《2003年毒藥表(修訂)(第3號)規例》。

《2003年藥劑業及毒藥(修訂)(第2號)規例》

(由藥劑業及毒藥管理局根據《藥劑業及毒藥條例》(第 138 章) 第 29 條在須經立法會批准的規限下訂立)

1. 生效日期

本規例自2003年7月4日起實施。

2. 特別限制根據第 3 及 5 條適用在 毒藥表範圍內的物質

《藥劑業及毒藥規例》(第 138 章,附屬法例 A)附表 1 的 A 部分現予修訂 —

(a) 在由"前列腺素類如下及它們的衍生物 —"起至 "它們的鹽類;它們的酯類"止的一項中,在"前列 地爾"之下加入 —

"Bimatoprost";

(b) 加入 —

"依托考昔;其鹽類

依折麥布

阿德福韋; 其鹽類

噻萘普汀;其鹽類;其酯類;它們的鹽類

Pimecrolimus

Sevelamer;其鹽類 Tadalafil;其鹽類

Valganciclovir;其鹽類 Voriconazole;其鹽類"。

3. 第 9 條規定僅可按照註冊醫生、註冊 牙醫或註冊獸醫開出的處方而以 零售方式銷售的物質

附表 3 的 A 部分現予修訂 一

(a) 在由"前列腺素類如下及它們的衍生物 —"起至 "它們的鹽類;它們的酯類"止的一項中,在"前列 地爾"之下加入 —

"Bimatoprost";

(b) 加入 —

"依托考昔;其鹽類

依折麥布

阿德福韋; 其鹽類

噻萘普汀; 其鹽類; 其酯類; 它們的鹽類

Pimecrolimus

Sevelamer;其鹽類 Tadalafil;其鹽類

Valganciclovir;其鹽類 Voriconazole;其鹽類"。

> (陳馮富珍醫生) 藥劑業及毒藥管理局 主席

2003年6月11日

註釋

本規例修訂《藥劑業及毒藥規例》(第 138 章,附屬法例 A)附表 1 及 3,在每個附表中加入 10 種物質。

《2003年毒藥表(修訂)(第2號)規例》

(由藥劑業及毒藥管理局根據《藥劑業及毒藥條例》(第 138 章) 第 29 條在須經立法會批准的規限下訂立)

1. 生效日期

本規例自2003年7月4日起實施。

2. 毒藥表

《毒藥表規例》(第 138 章,附屬法例 B)的附表現予修訂,在第 I 部的 A 部分中 一

> (a) 在由"前列腺素類如下及它們的衍生物 —"起至 "它們的鹽類;它們的酯類"止的一項中,在"前列 地爾"之下加入 —

> > "Bimatoprost";

(b) 加入 —

"依托考昔;其鹽類

依折麥布

阿德福韋;其鹽類

噻萘普汀;其鹽類;其酯類;它們的鹽類

Pimecrolimus

Sevelamer;其鹽類 Tadalafil;其鹽類

Valganciclovir;其鹽類 Voriconazole;其鹽類"。

(陳馮富珍醫生) 藥劑業及毒藥管理局 主席

2003年6月11日

註釋

本規例修訂《毒藥表規例》(第 138 章,附屬法例 B)的附表,在毒藥表的第 I 部的 A 部分中加入 10 種物質。

《2003年藥劑業及毒藥(修訂)(第3號)規例》

(由藥劑業及毒藥管理局根據《藥劑業及毒藥條例》(第 138 章) 第 29 條在須經立法會批准的規限下訂立)

1. 生效日期

本規例自2003年8月4日起實施。

2. 特別限制根據第 3 及 5 條適用在 毒藥表範圍內的物質

《藥劑業及毒藥規例》(第 138 章,附屬法例 A)附表 1 的 A 部分現予修訂,加入 一

"乙琥胺;其鹽類

乙酰唑胺;其鹽類

二甲弗林; 其鹽類

戈那瑞林; 其鹽類

去鐵胺;其鹽類

米多君;其鹽類

利巴韋林;其鹽類

依替福林; 其鹽類

亞葉酸;其鹽類

阿糖腺苷; 其鹽類

香草二乙胺;其鹽類

美替拉酮; 其鹽類

高血糖素;其鹽類

氯法齊明; 其鹽類

絨促性素

嗎啉胍;其鹽類

黃酮哌酯; 其鹽類

Antilymphocyte Immunoglobulins

Inosine pranobex °

3. 第 9 條規定僅可按照註冊醫生、註冊 牙醫或註冊獸醫開出的處方而以 零售方式銷售的物質

附表 3 的 A 部分現予修訂,加入 一

"乙琥胺;其鹽類

乙酰唑胺;其鹽類

二甲弗林; 其鹽類

戈那瑞林;其鹽類

去鐵胺;其鹽類

米多君;其鹽類

利巴韋林;其鹽類

依替福林;其鹽類

亞葉酸;其鹽類

阿糖腺苷; 其鹽類

香草二乙胺; 其鹽類

美替拉酮;其鹽類

高血糖素;其鹽類

氯法齊明;其鹽類

絨促性素

嗎啉胍;其鹽類

黄酮哌酯; 其鹽類

Antilymphocyte Immunoglobulins

Inosine pranobex •

(陳馮富珍醫生) 藥劑業及毒藥管理局 主席

2003年6月11日

註釋

本規例修訂《藥劑業及毒藥規例》(第 138 章,附屬法例 A)附表 1 及 3,在每個附表中加入 19 種物質。

《2003年毒藥表(修訂)(第3號)規例》

(由藥劑業及毒藥管理局根據《藥劑業及毒藥條例》(第 138 章) 第 29 條在須經立法會批准的規限下訂立)

1. 生效日期

本規例自2003年8月4日起實施。

2. 毒藥表

《毒藥表規例》(第 138 章,附屬法例 B)的附表現予修訂,在第 I 部的 A 部分中加入 一

"乙琥胺;其鹽類

乙酰唑胺;其鹽類

二甲弗林; 其鹽類

戈那瑞林; 其鹽類

去鐵胺;其鹽類

米多君;其鹽類

利巴韋林;其鹽類

依替福林; 其鹽類

亞葉酸;其鹽類

阿糖腺苷; 其鹽類

香草二乙胺; 其鹽類

美替拉酮; 其鹽類

高血糖素;其鹽類

氯法齊明; 其鹽類

絨促性素

嗎啉胍;其鹽類

黃酮哌酯; 其鹽類

Antilymphocyte Immunoglobulins

Inosine pranobex •

(陳馮富珍醫生) 藥劑業及毒藥管理局 主席

2003年6月11日

註釋

本規例修訂《毒藥表規例》(第 138 章,附屬法例 B)的附表,在毒藥表的第 I 部的 A 部分中加入 19 種物質。

Pharmacy and Poisons (Amendment)(No. 2) Regulation 2003

Poisons List (Amendment) (No. 2) Regulation 2003

Supplementary Information to the Legislative Council

《2003年藥劑業及毒藥(修訂)(第2號)規例》

《2003年毒藥表(修訂)(第2號)規例》

提交立法會的補充資料

Drug Name 藥名	Proposed Classification 建議類別	Reason 原因
Adefovir; its salts (阿德福韋; 其鹽類)	Part I, First and Third Schedules poison 第一部附表一及附表三 毒藥	This drug is used for the treatment of chronic hepatitis B. This drug should only be used when the need is established by a medical diagnosis and under careful monitoring. 此藥用於治療慢性乙型肝炎。此藥應經醫生清楚診斷時,才能使用。而使用時亦需小心觀察。
Bimatoprost, under the entry beginning with "Prostaglandins, the following and their derivatives-"	Part I, First and Third Schedules poison 第一部附表一及附表三 毒藥	This drug is used to reduce intraocular pressure in patients with glaucoma or ocular hypertension. A doctor's decision is required for whether or not to use this medicine. 此藥用於降低青光眼或高眼壓病人的眼壓。選用此藥需經醫生決定。

Drug Name 藥名	Proposed Classification 建議類別	Reason 原因
Etoricoxib; its salts (依托考昔; 其鹽類)	Part I, First and Third Schedules poison 第一部附表一及附表三 毒藥	This drug is used for the relief of arthritis and acute pain. Use of this medicine requires medical monitoring. 此藥用於舒緩關節炎及急性痛症。用此藥時,醫護人員需要小心觀察病人。
Ezetimibe (依折麥 布)	Part I, First and Third Schedules poison 第一部附表一及附表三 毒藥	This drug is used to treat patients with high blood cholesterol and homozygous sitosterolemia. A medical decision is required for the use of this medicine. 此藥用於治療高胆固醇及純合高麥胚脂醇之病人。選用此藥需經醫生決定。
Pimecrolimus	Part I, First and Third Schedules poison 第一部附表一及附表三 毒藥	This drug is used to treat mild to moderate atopic dermatitis as a second line therapy. It should only be used when the need is established by a medical diagnosis. 此藥用於治療其他藥物不適用之輕微至中度特應性皮膚炎。此藥應經醫生診斷有需要時才用。
Sevelamer; its salts	Part I, First and Third Schedules poison 第一部附表一及附表三 毒藥	This drug is used to reduce blood phosphorus level in patients with end-stage renal disease. Use of this drug requires careful monitoring. 此藥用於降低末期腎病病人之血含 膦量。用此藥時需小心觀察病人。

Drug Name 藥名	Proposed Classification 建議類別	Reason 原因
Tadalafil; its salts	Part I, First and Third Schedules poison 第一部附表一及附表三 毒藥	This drug is used to treat erectile dysfunction. Use of this drug requires careful monitoring. 此藥用於治療勃起障礙。用此藥時需小心觀察病人。
Tianeptine; its salts; its esters; their salts (噻萘普汀;其 鹽類; 其酯類;它們的鹽類)	Part I, First and Third Schedules poison 第一部附表一及附表三 毒藥	This drug is used to treat major depression. This drug should only be used when a positive diagnosis of depression has been established by a doctor. 此藥用於治療嚴重抑鬱症。需經醫生清楚診斷病人有需要時才可選用。
Valganciclovir; its salts	Part I, First and Third Schedules poison	This drug is used to treat inflammation of the retina caused by cytomegalovirus in patients with AIDS. It should be used after confirmed medical diagnosis and under careful monitoring. 此藥用於治療愛滋病人由巨細胞病毒引致之視網膜炎。需經醫生確定診症後才用藥而病人需被小心觀察。

Drug Name	Proposed Classification	Reason
藥名	建議類別	原因
TVOITCOHAZOIC, IIS	Part I, First and Third Schedules poison 第一部附表一及附表三 毒藥	This drug is used to treat serious fungal infections. Use of this drug requires medical decision and monitoring. 此藥用於治療嚴重真菌感染。選用此藥需經醫生決定及觀察。

Pharmacy and Poisons (Amendment) (No. 3) Regulation 2003

Poisons List (Amendment) (No. 3) Regulation 2003

Supplementary Information to the Legislative Council

《2003年藥劑業及毒藥(修訂)(第3號)規例》

《2003年毒藥表(修訂)(第3號)規例》

提交立法會的補充資料

Drug Name 藥名	Proposed Classification 建議類別	Reason 原因
Acetazolamide; its salts 乙酰唑胺; 其鹽類	Part I, First and Third Schedules poison 第一部附表一及附表三毒藥	This drug is used for glaucoma, oedema and some forms of epilepsy. A medical decision is required to diagnose the disease and to establish the need for this drug. Proper medical supervision is also required during administration. 此藥用於青光眼,水腫,和某些癲癇症。選用此藥需經醫生斷症及確定有需要才用。 用藥時需要適當的醫護監督。

Drug Name 藥名	Proposed Classification 建議類別	Reason 原因
Antilymphocyte Immunoglobulins	Part I, First and Third Schedules poison 第一部附表一及附表三毒藥	This drug is used to suppress the immune system in an acute rejection episode or as preventive treatment during organ/tissue transplants. It is also used in aplastic anaemia. Medical decision is required on the use of this drug and medical supervision is required during administration. 此藥用於在器官/組織移植過程中出現急性排斥現象時抑制免疫系統,以及作預防性治療。此藥亦可用於治療成形不全性貧血。需經醫生決定才使用此藥而用藥時需由醫生監督。
Chorionic Gonadotrophin 絨促性素	Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used to induce ovulation in infertile women and treat prepubertal males with cryptorchidism (testes failing to descend). A medical decision is required on whether or not this drug should be used. 此藥用作不育婦女引導排卵用及治療青春期前少男之隱睪病。 需經醫生決定才可使用此藥 。
Clofazimine; its salts 氯法齊明; 其鹽類	Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used to treat multibacillary leprosy and severe mycobacterial infections. This drug should only be used when a proper medical diagnosis has been made. 此藥用於治療多種細菌感染之麻瘋及嚴重分支桿菌感染。此藥應經適當的診斷後才用。

Drug Name	Proposed Classification	Reason
藥名	建議類別	原因
Desferrioxamine; its salts 去鐵胺; 其鹽類	Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used to treat chronic iron overload and acute iron poisoning. The need to use this drug should be established by a medical diagnosis. Medical monitoring of the side effects is also required.
		此藥用於治療慢性鐵質過高及急性 鐵質中毒。選用此藥需經醫生斷症 及確定有需要才用。用此藥時,醫 護人員需要小心觀察病人副作用反 應。
Dimefline; its salts 二甲弗林; 其鹽類	Part I, First and Third Schedules poison 第一部附表一及附表三毒藥	This drug is used to treat acute respiratory failure and postoperative respiratory depression. Medical decision is required on the use of this drug and medical supervision is required during administration. 此藥用於治療急性呼吸衰歇及手術後呼吸抑制。 選用此藥需經醫生決定而用藥時醫護人員需要小心觀察病人。
E	D (I D' (1/D' 1	
Etamivan; its salts 香草二乙胺; 其	Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used in treatment of acute respiratory failure. The need to use this drug should be established by a medical diagnosis.
鹽類		此藥用於治療急性呼吸衰歇。選用此 藥需經醫生斷症適用。

Drug Name	Proposed Classification	Reason
藥名 Ethosuximide; its salts 乙琥胺; 其鹽類	建議類別 Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	原因 This drug is used to treat seizures. The need to use this drug should be established by a medical diagnosis. Close medical supervision is also required during use. 此藥用於治療癲癇發作。選用此藥需經醫生斷症及確定有需要才用。用藥時醫護人員需要緊密觀察病人。
Etilefrine; its salts 依替福林; 其鹽	Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used to treat hypotensive states. Medical decision and monitoring are required for the use of this drug. 此藥用於治療血壓過低狀態。用此藥時需經醫生決定及觀察。
Flavoxate; its salts 黃酮哌酯; 其鹽 類	Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used to relieve pain, urinary frequency and incontinence associated with inflammatory disorders of the urinary tract. A medical decision is required on whether or not to use this drug. 此藥用於舒緩因尿道發炎引致之痛楚,尿頻及失禁。需經醫生決定才用此藥。

Drug Name 藥名	Proposed Classification 建議類別	Reason 原因
Folinic acid; its salts 亞葉酸; 其鹽類	Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used to reduce the toxicity of methotrexate, a chemotherapy agent. It is also used to enhance the effect of another chemotherapeutic agent, fluouracil. Folinic acid is also used to treat folate-deficient megaloblastic anaemia. A medical decision and close supervision are required for the administration of this drug.
		毒性及增進另一抗癌藥「氟尿口密 啶」之藥效。亞葉酸亦用於治療因缺 乏葉酸而致的幼巨紅細胞式貧血 病。選用此藥需經醫生決定才用而用 藥時醫護人員需要緊密觀察病人。
Glucagon; its salts 高血糖素; 其鹽類	Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used to treat severe hypoglycaemic reactions and as a diagnostic aid in gastrointestinal examinations. A medical decision and close monitoring are required on using this drug.
		此藥用於治療嚴重低血糖反應症及 胃腸道檢查之症工具。選用此藥需經 醫生決定才用而用藥時醫護人員需 要緊密觀察病人。

Proposed Classification 建議類別	Reason 原因
Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used in the diagnosis of hypothalamic-pituitary-gonadal dysfunction. It is also used in the treatment of amenorrhoea and infertility. The drug should be used only when the need is established by a medical diagnosis. 此藥用作診斷丘腦下部-垂體-性腺功效失調,也用於治療閉經及不育。選用此藥需經醫生斷症適用。
Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used to treat various viral infections. A doctor's diagnosis is required before drug use. Close medical supervision during use. 此藥用於治療各種病毒感染。選用此藥需經醫生決定才用而用藥時醫護人員需要緊密觀察病人。
Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used in the diagnosis and management of Cushing's syndrome. It has also been used to treat some resistant oedema. Medical diagnosis is required before use of this drug. 此藥用作診斷及控制庫興氏綜合症,亦曾用作治療某些抗藥水腫。選用此藥需經醫生斷症適用。
	建議類別 Part I, First and Third Schedules poison 第一部附表一及附表三毒藥 Part I, First and Third Schedules poison 第一部附表一及附表三毒藥 Part I, First and Third Schedules poison 第一部附表一及附表三毒藥

Drug Name 藥名	Proposed Classification 建議類別	Reason 原因
Midodrine; its salts 米多君; 其鹽類	Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used to treat hypotensive states such as orthostatic hypotension. It is also used as an adjunct in the management of urinary incontinence. The need to use this drug should be established by a medical diagnosis. 此藥用於治療血壓過低狀態,例如直立性低血壓。也用作控制失禁之佐藥。選用此藥需經醫生斷症適用。
Moroxydine; its salts 嗎口林胍; 其鹽類	Part I, First and Third Schedules poison 第一部附表一及附表三毒藥	This drug is used in the treatment of herpes simplex and varicella-zoster infections. It is also used as an ingredient in medicines for the treatment of cold and flu symptoms. A medical diagnosis and supervision is needed for the use of the drug. 此藥用於治療單純疱疹及水痘-帶狀疱疹感染。它亦是某些傷風感冒藥品的成份。選用此藥需經醫生斷症適用而用藥時需要觀察病人。

Drug Name 藥名	Proposed Classification 建議類別	Reason 原因
Ribavirin; its salts 利巴韋林; 其鹽類	Part I, First and Third Schedules poison 第一部附表一及附表三毒 藥	This drug is used to treat respiratory syncytial virus infections and treatment of chronic hepatitis C. It has also been tried in haemorrhagic fevers and recently, in the management of Severe Acute Respiratory Syndrome. This drug should only be used when the need is established by a medical diagnosis. Proper medical supervision is required during administration. 此藥用於治療呼吸道融合細胞病毒感染及慢性丙形肝炎,亦試用於出血性發熱和近來的嚴重急性呼吸系統綜合症。選用此藥需經醫生斷症適用而用藥時需要觀察病人。
Vidarabine; its salts 阿糖腺苷; 其鹽類	Part I, First and Third Schedules poison 第一部附表一及附表三毒藥	This drug is used in treatment of severe and disseminated herpes simplex infections and herpes zoster. Topically, it is used in treatment of herpes simplex keratitis and keratoconjunctivitis. This drug should only be used when the need is established by a medical diagnosis. 此藥用於治療嚴重及播散性單純疱疹及帶狀疱疹感染。外用時用於單純疱疹引致之角膜炎和角膜結膜炎。選用此藥需經醫生斷症適用。