

The College of Ophthalmologists of Hong Kong

(Incorporated in Hong Kong with limited liabilities) a Constituent College of the Hong Kong Academy of Medicine

<u>2003-2004</u> President	:	Prof. Dennis S. C. Lam 林順潮教授
Vice President (Professional Affairs)		Dr. Clement W. N. Chan 陳偉能醫生
Vice President (General Affairs)	:	Dr. C. K. Ho 何誌健醫生
Hon. Secretary	:	Dr. C. C. Chi 池中齊醫生
Hon. Treasurer	:	Dr. Donald C. F. Woo 賀澤烽醫生
Editor	:	Dr. Jimmy S. M. Lai 黎少明醫生
Councillors	:	Dr. P. C. Chow 周伯展醫生
		Dr. S. P. Hui 許少萍醫生
		Dr. Philip T. H. Lam 林子顥醫生
		Dr. Walton W. T. Li 李維達醫生
		Dr. Raymond K. K. Tse 謝國璣醫生
		Dr. Agnes T. Y. Tse 謝道欣醫生
Immediate Past President	:	Dr. Patrick P. C. Tong 唐柏泉醫生
Hon. Auditor	:	Mr. Clement Y. K. Choi 蔡仁傑先生
Legal Advisor	:	Miss Priscilla K. L. Choy 蔡家玲律師

Mar 19, 2004

Dear The Honorable Michael Mak Kwok-fung Health Panel, Hong Kong Legislative Council HKSAR

Dear the Honorable Mak,

Regulation of Medical Devices in Hong Kong (Consultation Document July 2003)

The College of Ophthalmologists of Hong Kong (the "College") shows a great concern about the safe use of laser systems or machines on human subjects in Hong Kong. We are glad to see that the Department of Health has put forward a consultation paper on this area and in collecting the opinions from the public.

The College recognizes that:

- 1. Laser surgery, treatments or similar kinds are just like other surgical or medical procedures which could cause serious body damages or complications. Some of the adverse events may not be reversed by further treatments, such as loss of vision, deep skin burns.
- 2. Wrong application of laser treatment may disturb the original pathology of the disease which might affect the subsequent exact diagnosis and management.
- 3. Non-health care providers are not in the right position to operate a laser machine or to execute laser treatment in view of their lack of training and knowledge on human structure, anatomy and pathology. Moreover, they are generally not regulated by statutory governing bodies, like the Medical Council, and their standard or code of practice are very variable which will make the public less protected from the misuse or overuse of laser treatments or applications.

The College strongly believes that:

- 1. All laser machines or similar kinds should be categorized as medical devices of Class IV because of their powerful energy delivery in design and potential, irreversible damages on human bodies.
- 2. The practice of laser machines or similar kinds on human bodies must remain or be restricted in the domain of the registered medical and dental practitioners. The medical and dental practitioners should take full liability for the correct operation of the medical laser machines and to protect the patients' interest to the greatest extent.

We judge a responsible and accountable Government should share our viewpoints and will take necessary and appropriate legislation to safeguard the health affair of the public.

Thank you for your attention.

Yours sincerely,

Professor Dennis SC Lam President The College of Ophthalmologists of Hong Kong