

## **LEGISLATIVE COUNCIL BRIEF**

### **Public Health and Municipal Services Ordinance (Cap. 132)**

#### **PESTICIDE RESIDUES IN FOOD REGULATION**

##### **INTRODUCTION**

On 26 April 2012, the Director of Food and Environmental Hygiene (DFEH), in exercise of the power under section 55(1) of the Public Health and Municipal Services Ordinance (Cap. 132), made the Pesticide Residues in Food Regulation (“the Regulation”) at **Annex A**.

A

##### **JUSTIFICATIONS**

###### **Background**

2. At present, the import, manufacture, sale and supply of pesticides in Hong Kong are regulated by the Pesticides Ordinance (Cap. 133). The Agriculture, Fisheries and Conservation Department (AFCD) is responsible for enforcing the relevant provisions. All pesticides intended for sale in Hong Kong must be registered with the Director of Agriculture, Fisheries and Conservation (DAFC). Except with a licence issued by DAFC, no person shall import, manufacture, sell or supply registered pesticides. While there are general provisions under Cap. 132 that all food on sale for human consumption must be wholesome, unadulterated and fit for human consumption, there is currently no specific legal provision that regulates the level of pesticide residues in food.

3. The Centre for Food Safety (CFS) operates a food surveillance programme and regularly takes food samples to test, among others, for

pesticide residues following the testing methods and standards recommended by the Codex Alimentarius Commission (Codex)<sup>1</sup>. However, the lack of a specific legal provision governing pesticide residues in food means that a case-by-case assessment would need to be made in order to substantiate that the concerned food sample is unfit for human consumption (section 54 of Cap. 132) before CFS can prosecute the food trader concerned. This also deviates from the general principle that pesticide use should be kept at a minimum possible level as recognized by Codex and developed countries. The introduction of specific regulation on pesticide residues in food is therefore considered necessary.

4. The Administration consulted the Legislative Council (LegCo) Panel on Food Safety and Environmental Hygiene on a “Refined Regulatory Framework for Pesticide Residues in Food in Hong Kong” on 12 July 2011, followed by a public consultation from 13 July to 19 September 2011. The proposal was generally welcomed. Details of the public consultation are set out in paragraphs 26 to 30.

### **Key Features of the Regulation**

5. The Regulation aims to achieve the following objectives -
- (a) better protect public health;
  - (b) facilitate effective regulation of pesticide residues in food; and
  - (c) promote harmonisation between local and international standards.

In striving to achieve the above objectives, the Administration is mindful of the need to maintain a stable supply of food in Hong Kong.

---

<sup>1</sup> Codex was established by the Food and Agriculture Organisation and the World Health Organisation of the United Nations in 1960s and has been the single most important international reference point for consumers, food producers, processors, national food control agencies and the international food trade in developing food associated standards.

***To adopt Codex's definition of "pesticides" and other related terms***

6. The main structure of the Regulation has taken reference from that of Codex. It defines terms such as "pesticide" and "pesticide residue" in a way consistent with Codex. This will promote harmonisation of local and international standards.

***To regulate pesticide residues by a list of maximum residue limits (MRLs) / extraneous maximum residue limits (EMRLs)***

7. The Regulation specifies in Schedule 1 a list of MRLs/EMRLs for certain pesticide-food pairs (i.e. the maximum concentration of specified pesticide residues permitted in specified food commodities). The presence of any of these pesticide residues in food at levels exceeding the MRLs/EMRLs is not permitted under the Regulation.

8. The formulation of the list of MRLs/EMRLs is based primarily on the available standards recommended by Codex, supplemented by standards of the Mainland and other major food exporting countries to Hong Kong (including the United States and Thailand), while taking into account comments received during public consultation. These standards have been scrutinised by conducting risk assessment to ensure that the proposed standards are adequate to protect public health in Hong Kong, taking into account the heavy reliance of Hong Kong on imported food. Such an approach will strike a balance between protecting public health and maintaining a stable supply of food in Hong Kong.

***To adopt Codex's classification of foods***

9. As Codex standards form the backbone of the local set of standards for pesticide residues in food, we have also adopted Codex's food classification system for consistency. This has the benefit of adopting the uniform nomenclature used in international markets.

***Pesticide residues with no specified MRL/EMRL in the Regulation***

10. The general principle is that except for exempted pesticides,

import and sale of food containing pesticide residues with no MRLs/EMRLs in Schedule 1 is only allowed if the consumption of the food concerned is not dangerous or prejudicial to health. In deciding whether the consumption of the food concerned is dangerous or prejudicial to health, DFEH will conduct risk assessment.

***To establish a list of exempted pesticides***

11. To facilitate the use of pesticides by the trade that are natural and the residues of which are identical to or indistinguishable from natural food components, a list of exempted pesticides has been specified in Schedule 2 to the Regulation. In determining whether a pesticide should be included in Schedule 2, DFEH will take into account relevant factors including the following -

- (a) whether the use of the pesticide will result in residues occurring in food;
- (b) whether the residues of the pesticide are identical to or indistinguishable from natural food components; and
- (c) whether the residues of the pesticide have any toxicological significance or will be dangerous or prejudicial to human health.

12. Such a list of exempted pesticides is not available from Codex, but we have made reference to the lists adopted by major food exporting countries to Hong Kong in drawing up our own.

***To update the lists of MRLs/EMRLs and exempted pesticides regularly***

13. As new pesticides and new applications on crops keep emerging, Schedules 1 and 2 to the Regulation will be updated by DFEH regularly.

14. Members of the trade had expressed concern on whether there is a channel for them to comment on the existing MRLs/EMRLs, and to propose new MRLs/EMRLs and exempted pesticides for inclusion in Schedules 1 and 2 by DFEH. To this end, traders are welcomed to make proposals accompanied by sufficient supporting information to DFEH for



consideration. DFEH would suitably incorporate the proposals received in the next updating exercise of Schedules 1 and 2, taking into account the latest international developments, consistency with the existing list, availability of relevant supporting information and reference materials for testing, and whether the limits concerned could pass risk assessment.

***To dovetail with registration of pesticides for use on local food crops***

15. There is a need to introduce suitable measures to ensure that a newly registered pesticide for use on local food crops under Cap. 133 would be properly regulated under the Regulation. At present, Cap. 133 requires that all pesticides for use in Hong Kong, including those for local food crops, should be registered by DAFC. Upon the commencement of the Regulation, when a person submits an application for registration of a pesticide under section 5 of Cap. 133 and indicates in the application form that the pesticide is intended for use on local food crops, DAFC would require the applicant to provide information about the MRL(s) of the pesticide concerned in Schedule 1 to the Regulation or whether the pesticide concerned is an exempted pesticide in Schedule 2 to the Regulation. If no MRL(s) related to the pesticide concerned could be found in Schedule 1 to the Regulation and it is not an exempted pesticide in Schedule 2 to the Regulation, the application under Cap. 133 would not be accepted. The applicant may make a proposal to DFEH for including the relevant MRL(s) in Schedule 1 or including the pesticide in Schedule 2 to the Regulation in the next updating exercise, and wait for the same to become effective before he could submit the application to DAFC under section 5 of Cap. 133.

16. DAFC would amend the application form for registration of pesticides under regulation 3 of the Pesticides Regulations (Cap. 133A) to reflect the above mechanism before the commencement of the Regulation.

***Penalty***

17. It would be an offence to import, manufacture or sell for human consumption any food which contains any pesticide residues unless –

- (a) the food and the pesticide residues concerned are specified in Schedule 1 to the Regulation and the amount of the residues does not exceed the limit specified in the Schedule;
- (b) section 5 or 6 of the Regulation applies to the food and the amount of the residues does not exceed the limit applicable to the food;
- (c) the pesticide residues concerned are residues of an exempted pesticide set out in Schedule 2 to the Regulation; or
- (d) the consumption of the food concerned is not dangerous or prejudicial to health.

18. The maximum penalty for committing the offence will be a fine at level 5 (\$50,000) and imprisonment for six months. This is in line with the penalty for selling food which is unfit for human consumption under section 54 of Cap. 132.

### ***Statutory defences***

19. Statutory defences are available for the offence referred to in paragraph 17 above. At present, section 71 of Cap. 132 stipulates conditions under which warranty may be pleaded by the defendant as defence in any proceedings for an offence under the relevant part of the Ordinance. This would also be applicable to the offences under the Regulation. For example, a vendor charged under the Regulation may produce evidence such as invoices to demonstrate that the food concerned is in the original state as obtained from the supplier without any further treatment and the supplier's earlier confirmation of safe food supply.

20. In addition, section 70 of Cap. 132 provides that if the defendant could prove that the contravention was due to the act or default of some other person, and that he has exercised all due diligence to secure that the provisions in question were complied with, he may plead this as a defence. Again, this is applicable to offences under the Regulation.

### *Grace period*

21. To allow sufficient time for the trade to comply with the Regulation, there would be a grace period of about two years prior to the commencement of the Regulation. The Regulation will commence on 1 August 2014. During the grace period, CFS will provide briefings, training and guidelines for different sectors to prepare them for the commencement of the Regulation.

### **THE REGULATION**

22. The provisions of the Regulation are as follows -

- (a) Section 1 provides for the commencement of the Regulation.
- (b) Section 2 defines certain terms used in the Regulation.
- (c) Section 3 defines the scope of application of the Regulation.
- (d) Section 4 stipulates that a person may import, manufacture or sell for human consumption a food which contains pesticide residues only if — (i) the food and the pesticide residues concerned are specified in Schedule 1 and the amount of the residues does not exceed the limit specified in the Schedule; (ii) the pesticide residues concerned are residues of an exempted pesticide set out in Schedule 2; (iii) section 5 or 6 applies to the food and the amount of the residues does not exceed the limit applicable to the food; or (iv) the consumption of the food is not dangerous or prejudicial to health. Contravention of the requirement is an offence with a maximum penalty of a fine at level 5 and imprisonment for 6 months.
- (e) Sections 5 and 6 set out the principles for determining the maximum pesticide residues limits for certain kinds of food.
- (f) Section 7 sets out the factors for determining whether the consumption of a food containing pesticide residues is dangerous or prejudicial to health.

- (g) Section 8 provides that a prosecution of an offence under the Regulation may be brought in the name of DFEH.
- (h) Schedule 1 sets out the maximum limits of certain pesticide residues that are allowed in certain food and the interpretation provisions for that Schedule.
- (i) Schedule 2 sets out the exempted pesticides.

## **LEGISLATIVE TIMETABLE**

23. The legislative timetable is as follows –

Publication in gazette	4 May 2012
Tabling at the Legislative Council	9 May 2012

## **IMPLICATIONS OF THE PROPOSAL**

24. The Regulation is in conformity with the Basic Law, including the provisions concerning human rights. It will not affect the binding effect of Cap. 132.

25. The Regulation has financial, civil service, economic, environmental and sustainability implications as set out in **Annex B**. The Regulation has no productivity implications.

**B**

## **PUBLIC CONSULTATION**

26. Since January 2011, we have conducted a total of 25 briefings and consultation sessions for the stakeholders and general public based on the refined regulatory framework on pesticide residues in food. Participants include trade associations, food manufacturers, food importers, food distributors, retailers, Consulate Generals, local farmers, private laboratories, pesticide suppliers and food safety experts. The proposal was generally welcomed. The Advisory Council on Food and

Environmental Hygiene and the Expert Committee on Food Safety supported the proposal at their meetings on 25 May and 2 June 2011 respectively. The LegCo Panel on Food Safety and Environmental Hygiene supported the proposal at the meeting on 12 July 2011.

27. We have also conducted a public consultation on the Refined Regulatory Framework for Pesticide Residues in Food in Hong Kong from 13 July to 19 September 2011. All parties consulted supported the introduction of the Regulation to strengthen protection of food safety. In supporting the proposals, they urged the Government to provide guidelines on the detailed operation of the framework, such as how pesticide residues in processed food would be calculated. In response to the request of the trade, CFS would issue technical guidelines on issues such as food classification and handling of compounded and processed food etc.

28. In addition, the food trade was concerned about the cost incurred in carrying out laboratory tests in order to comply with the Regulation. We have advised food traders to deal with reputable food suppliers who can provide documentary proof on compliance with the Regulation and keep the relevant transaction documents for record in order to minimise additional cost in carrying out laboratory tests by themselves. Although 360 pesticides are included in Schedule 1 to the Regulation, the number of residue limits applicable to individual food would be much smaller. It is because normally only a few pesticides would be applied to individual food crops. As a result, we do not anticipate an undue increase in cost incurred by food traders.

29. The majority of views received during the public consultation commented on specific limits in the preliminary MRLs/EMRLs list. These comments have been suitably incorporated into Schedule 1 to the Regulation, taking into account consistency with the existing list, availability of relevant supporting information and reference materials for testing, and whether the limits concerned could pass the risk assessment.

30. We have uploaded a summary of opinions received during the public consultation period onto the websites of the Food and Health Bureau and CFS. As there were requests for clarification on operational

details of the regulatory framework during the public consultation period, CFS has made available on its website a set of frequently asked questions.

## **PUBLICITY**

31. A press release will be issued. A spokesman will be available to answer media enquiries.

## **ENQUIRIES**

32. Any enquiry on this brief can be addressed to Mr Clement Chan, Principal Assistant Secretary for Food and Health (Food)3, at 3509 8927.

**Food and Health Bureau**  
**Food and Environmental Hygiene Department**  
**May 2012**

## Pesticide Residues in Food Regulation

### Contents

Section	Page
1. Commencement.....	1
2. Interpretation.....	1
3. Application.....	3
4. Import, sale etc. of food containing pesticide residues.....	3
5. Principles for determining MRL and EMRL for certain food (other than compounded food).....	4
6. Principles for determining MRL and EMRL for compounded food.....	5
7. Factors for determining safety of food with pesticide residues.....	6
8. Name in which proceedings may be brought.....	7
Schedule 1.....	8
Schedule 2 Exempted Pesticide.....	1115

## Pesticide Residues in Food Regulation

(Made by the Director of Food and Environmental Hygiene under section 55(1) of the Public Health and Municipal Services Ordinance (Cap. 132))

### 1. Commencement

This Regulation comes into operation on 1 August 2014.

### 2. Interpretation

In this Regulation—

**air transhipment cargo** (航空轉運貨物) has the meaning given by section 2 of the Import and Export Ordinance (Cap. 60);

**compounded food** (合成食物) means food containing 2 or more ingredients;

**Director** (署長) means the Director of Food and Environmental Hygiene;

**exempted pesticide** (獲豁免除害劑) means any pesticide that is set out in Schedule 2;

**extraneous maximum residue limit** and **EMRL** (最高再殘餘限量), in relation to the residue definition specified in column 3 of Part 2 of Schedule 1 of a pesticide specified in column 2 of that Part, mean the extraneous maximum residue limit for that residue definition specified, in column 5 of that Part (as read with Part 3 of that Schedule), opposite to the pesticide;

**maximum residue limit** and **MRL** (最高殘餘限量), in relation to the residue definition specified in column 3 of Part 1 of Schedule 1 of a pesticide specified in column 2 of that Part, mean the maximum residue limit for that residue definition specified, in column 5 of that Part (as read with Part 3 of that Schedule), opposite to the pesticide;

**pesticide** (除害劑) means—

- (a) any substance intended for preventing, destroying, attracting, repelling or controlling any pest (including

any unwanted species of plants, animals, birds or aquatic products) during the production, storage, transport, distribution or processing of—

- (i) food or agricultural commodities; or
- (ii) fodder, or feeding stuffs, for animals, birds or aquatic products;
- (b) any substance which may be administered to animals, birds or aquatic products for the control of ectoparasites;
- (c) any substance intended for use as a plant growth regulator, defoliant, desiccant, fruit thinning agent or sprouting inhibitor; and
- (d) any substance applied to crops before or after harvest to protect them from deterioration during storage or transport,

but does not include—

- (e) fertilizers;
- (f) nutrients for plants, animals, birds or aquatic products;
- (g) food additives; or
- (h) drugs for animals, birds or aquatic products;

**pesticide residues** (除害劑殘餘) means any substance present in food resulting from the use of pesticide, and includes any derivatives and impurities of toxicological significance;

**primary food commodity** (原食品) means a product in, or nearly in, its natural state that—

- (a) is intended for processing into food for sale; or
- (b) can serve as food without further processing;

**residue definition** (殘餘物定義), in relation to a pesticide, means the combination of the pesticide and its derivatives or related compounds.

### 3. Application

This Regulation does not apply to food which is imported solely for the purpose of export if the food—

- (a) is air transshipment cargo; or
- (b) during the period between its import and export, remains in the vessel, vehicle or aircraft in which it was imported.

### 4. Import, sale etc. of food containing pesticide residues

- (1) A person may import, consign, deliver, manufacture or sell for human consumption a food which contains pesticide residues only if—
  - (a) the food is of a description specified in column 4 of Part 1 of Schedule 1 and—
    - (i) the pesticide residues are the pesticide residues of a pesticide specified, in column 2 of that Part, opposite to the food; and
    - (ii) the concentration of the pesticide residues in the food does not exceed the MRL for the residue definition of the pesticide specified, in column 3 of that Part, opposite to the food;
  - (b) the food is of a description specified in column 4 of Part 2 of Schedule 1 and—
    - (i) the pesticide residues are the pesticide residues of a pesticide specified, in column 2 of that Part, opposite to the food; and
    - (ii) the concentration of the pesticide residues in the food does not exceed the EMRL for the residue definition of the pesticide specified, in column 3 of that Part, opposite to the food;
  - (c) the pesticide residues are the pesticide residues of an exempted pesticide;



- (d) section 5 applies to the food and the concentration of the pesticide residues in the food does not exceed the MRL or EMRL applicable to the food by virtue of that section;
  - (e) section 6 applies to the food and the concentration of the pesticide residues in the food does not exceed the aggregated MRL or EMRL applicable to the food by virtue of that section; or
  - (f) any of the conditions set out in subsection (2) is met (except for cases that also fall within paragraph (d) or (e)) and, having regard to the factors set out in section 7, consumption of the food is not dangerous or prejudicial to health.
- (2) The conditions referred to in subsection (1)(f) are—
- (a) the food is not of a description specified in column 4 of Part 1 of Schedule 1 or column 4 of Part 2 of that Schedule; or
  - (b) the food—
    - (i) is of a description specified in column 4 of Part 1 of Schedule 1 but the pesticide residues are not the pesticide residues of any pesticide specified, in column 2 of that Part, opposite to the food; or
    - (ii) is of a description specified in column 4 of Part 2 of that Schedule but the pesticide residues are not the pesticide residues of any pesticide specified, in column 2 of that Part, opposite to the food.
- (3) A person who contravenes subsection (1) commits an offence and is liable to a fine at level 5 and to imprisonment for 6 months.

**5. Principles for determining MRL and EMRL for certain food (other than compounded food)**

- (1) If—

- (a) a food (other than compounded food) contains pesticide residues of a pesticide listed in Schedule 1 but the food is not specified in that Schedule opposite to the pesticide; and
  - (b) a MRL or EMRL is specified for the residue definition of the pesticide in respect of a food that is the primary food commodity from which the food described in paragraph (a) is derived,
- subject to subsection (2), that MRL or EMRL is to apply to the food described in paragraph (a).
- (2) If a food is in a dried, dehydrated or concentrated form, the MRL or EMRL is to be adjusted proportionately by reference to the ratio between the following—
- (a) the weight of the food in such form; and
  - (b) the weight of the food after dilution or reconstitution (as the case requires).

**6. Principles for determining MRL and EMRL for compounded food**

- (1) If—
- (a) a compounded food contains pesticide residues of a pesticide listed in Schedule 1; and
  - (b) any of the conditions set out in subsection (2) is met in respect of each of the ingredients of the compounded food,
- then, in relation to the compounded food, the MRL or EMRL for the residue definition of the pesticide is the aggregated sum of the pro-rata MRL or EMRL for the residue definition of the pesticide in respect of each of the ingredients of the compounded food (*aggregated MRL or EMRL*).
- (2) The conditions referred to in subsection (1)(b) are—

- (a) the ingredient is a food in respect of which a MRL or EMRL is specified for the residue definition of the pesticide; or
- (b) by virtue of section 5, a MRL or EMRL for the residue definition of the pesticide is applicable to the ingredient.

(3) In this section—

**ingredient** (配料) means a food that is used as an ingredient of a compounded food;

**pro-rata MRL or EMRL** (按比例最高殘餘限量或最高再殘餘限量) means the percentage of the MRL or EMRL for the residue definition of the pesticide in respect of an ingredient that equals the percentage of the ingredient in the compounded food.

#### 7. Factors for determining safety of food with pesticide residues

- (1) For the purpose of section 4(1)(f), in determining whether the consumption of a food is dangerous or prejudicial to health, the probability of known or potential adverse public health effects which may occur from dietary exposure of the general public to the pesticide residues concerned must be evaluated.
- (2) Without limiting subsection (1), all factors relevant to the circumstances of the case may be taken into account, including—
  - (a) the toxicological profile and safety reference values of the pesticide concerned;
  - (b) the characteristics of the pesticide and the level of the pesticide residues in the food concerned;
  - (c) the consumption pattern of the food, and the long-term and short-term dietary exposure data of the general public and vulnerable groups to the pesticide residues;
  - (d) any statutory requirement relating to the food;
  - (e) information provided by an importer or supplier of the food;

- (f) information, reports or testing results provided by a public analyst;
- (g) information (including reports, warnings and decision documents) provided by an international food or health authority or the food or health authority of any place outside Hong Kong; and
- (h) information on the source and extent of any hazard incurred by the presence of the pesticide residues in any food, in particular information on whether the hazard—
  - (i) exists throughout or in any part of the manufacture or supply chain; or
  - (ii) is limited to a particular batch of food.

#### 8. Name in which proceedings may be brought

Without prejudice to any Ordinance relating to the prosecution of criminal offences or the powers of the Secretary for Justice relating to the prosecution of criminal offences, the prosecution of an offence under this Regulation may be brought in the name of the Director.

**Schedule 1**  
**Part 1**  
**Maximum Residue Limit (MRL)**

[ss. 2, 4, 5 &amp; 6]

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
1.1	1-Naphthaleneacetic acid	Sum of 1-naphthaleneacetic acid and its conjugates, expressed as 1-naphthaleneacetic acid	Orange, Sweet	0.1
1.2	1-Naphthaleneacetic acid	Sum of 1-naphthaleneacetic acid and its conjugates, expressed as 1-naphthaleneacetic acid	Tangerine	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
1.3	1-Naphthaleneacetic acid	Sum of 1-naphthaleneacetic acid and its conjugates, expressed as 1-naphthaleneacetic acid	Pome fruits	0.15
1.4	1-Naphthaleneacetic acid	Sum of 1-naphthaleneacetic acid and its conjugates, expressed as 1-naphthaleneacetic acid	Cherry, Sweet	0.1
1.5	1-Naphthaleneacetic acid	Sum of 1-naphthaleneacetic acid and its conjugates, expressed as 1-naphthaleneacetic acid	Olives	0.7
2.1	2-(Thiocyanomethylthio)benzothiazole (TCMTB)	TCMTB	Barley	0.1
2.2	2-(Thiocyanomethylthio)benzothiazole (TCMTB)	TCMTB	Maize	0.1
2.3	2-(Thiocyanomethylthio)benzothiazole (TCMTB)	TCMTB	Oats	0.1

## Pesticide Residues in Food Regulation

10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
2.4	2-(Thiocyanomethylthio)benzothiazole (TCMTB)	TCMTB	Rice	0.1
2.5	2-(Thiocyanomethylthio)benzothiazole (TCMTB)	TCMTB	Sorghum	0.1
2.6	2-(Thiocyanomethylthio)benzothiazole (TCMTB)	TCMTB	Wheat	0.1
2.7	2-(Thiocyanomethylthio)benzothiazole (TCMTB)	TCMTB	Popcorn	0.1
2.8	2-(Thiocyanomethylthio)benzothiazole (TCMTB)	TCMTB	Cotton seed	0.1
2.9	2-(Thiocyanomethylthio)benzothiazole (TCMTB)	TCMTB	Safflower seed	0.1
2.10	2-(Thiocyanomethylthio)benzothiazole (TCMTB)	TCMTB	Sugar beet	0.1
3.1	2,4-D	2,4-D	Rice, husked	0.1
3.2	2,4-D	2,4-D	Rice, polished	0.1
3.3	2,4-D	2,4-D	Rice hulls	2

## Pesticide Residues in Food Regulation

11

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
3.4	2,4-D	2,4-D	Hops, dry	0.2
3.5	2,4-D	2,4-D	Sugar cane molasses	0.2
3.6	2,4-D	2,4-D	Berries and other small fruits	0.1
3.7	2,4-D	2,4-D	Citrus fruits	1
3.8	2,4-D	2,4-D	Pineapple	0.05
3.9	2,4-D	2,4-D	Pome fruits	0.01
3.10	2,4-D	2,4-D	Stone fruits	0.05
3.11	2,4-D	2,4-D	Barley	2
3.12	2,4-D	2,4-D	Maize	0.05
3.13	2,4-D	2,4-D	Millet	2
3.14	2,4-D	2,4-D	Oats	2
3.15	2,4-D	2,4-D	Rice	0.5
3.16	2,4-D	2,4-D	Rye	2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
3.17	2,4-D	2,4-D	Sorghum	0.01
3.18	2,4-D	2,4-D	Wheat	2
3.19	2,4-D	2,4-D	Wild rice	0.05
3.20	2,4-D	2,4-D	Popcorn	0.05
3.21	2,4-D	2,4-D	Sugar cane	0.05
3.22	2,4-D	2,4-D	Cattle fat	0.3
3.23	2,4-D	2,4-D	Sheep fat	0.3
3.24	2,4-D	2,4-D	Milks	0.01
3.25	2,4-D	2,4-D	Meat (from mammals other than marine mammals)	0.2
3.26	2,4-D	2,4-D	Edible offal (Mammalian)	5
3.27	2,4-D	2,4-D	Eggs	0.01
3.28	2,4-D	2,4-D	Poultry meat	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
3.29	2,4-D	2,4-D	Edible offal of poultry	0.05
3.30	2,4-D	2,4-D	Tree nuts	0.2
3.31	2,4-D	2,4-D	Spring onion	0.05
3.32	2,4-D	2,4-D	Chinese cabbage (type Pe-tsai)	0.2
3.33	2,4-D	2,4-D	Fruiting vegetables, other than Cucurbits	0.1
3.34	2,4-D	2,4-D	Soya bean (succulent seeds)	0.01
3.35	2,4-D	2,4-D	Root and tuber vegetables, except potato	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
3.36	2,4-D	2,4-D	Potato	0.2
3.37	2,4-D	2,4-D	Asparagus	5
4.1	2,4-DB acid	2,4-DB, both free and conjugated, determined as the acid	Peppermint	0.2
4.2	2,4-DB acid	2,4-DB, both free and conjugated, determined as the acid	Spearmint	0.2
4.3	2,4-DB acid	2,4-DB, both free and conjugated, determined as the acid	Edible offal of cattle	0.05
4.4	2,4-DB acid	2,4-DB, both free and conjugated, determined as the acid	Edible offal of goat	0.05
4.5	2,4-DB acid	2,4-DB, both free and conjugated, determined as the acid	Edible offal of horse	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
4.6	2,4-DB acid	2,4-DB, both free and conjugated, determined as the acid	Edible offal of pig	0.05
4.7	2,4-DB acid	2,4-DB, both free and conjugated, determined as the acid	Edible offal of sheep	0.05
4.8	2,4-DB acid	2,4-DB, both free and conjugated, determined as the acid	Peanut	0.2
4.9	2,4-DB acid	2,4-DB, both free and conjugated, determined as the acid	Soya bean (succulent seeds)	0.5
5.1	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA, both free and conjugated	Barley	1
5.2	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA, both free and conjugated	Oats	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
5.3	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA, both free and conjugated	Rye	1
5.4	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA, both free and conjugated	Wheat	1
5.5	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Cattle fat	0.1
5.6	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Goat fat	0.1
5.7	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Horse fat	0.1
5.8	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Pig fat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
5.9	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Sheep fat	0.1
5.10	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Milks	0.1
5.11	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Cattle meat	0.1
5.12	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Goat meat	0.1
5.13	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Horse meat	0.1
5.14	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Pig meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
5.15	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Sheep meat	0.1
5.16	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Edible offal of cattle	0.1
5.17	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Edible offal of goat	0.1
5.18	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Edible offal of horse	0.1
5.19	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Edible offal of pig	0.1
5.20	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA	Edible offal of sheep	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
5.21	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA, both free and conjugated	Flaxseed	0.1
5.22	2-methyl-4-chlorophenoxyacetic acid (MCPA)	MCPA, both free and conjugated	Peas (dry)	0.1
6.1	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Citrus fruits	12
6.2	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Pineapple	10
6.3	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Apple	25



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
6.4	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Pear	25
6.5	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Cherries	5
6.6	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Plums (including Prunes)	20
6.7	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Nectarine	5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
6.8	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Peach	20
6.9	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Orange juice	0.5
6.10	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Cucumber	10
6.11	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Cantaloupe	125

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
6.12	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Tomato	10
6.13	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Sweet potato	15
6.14	2-Phenylphenol	Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol	Carrot	20
7.1	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Dried herbs, except dried hops	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
7.2	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Hops, dry	0.1
7.3	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Grapes	0.02
7.4	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Strawberry	0.02
7.5	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Citrus fruits	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
7.6	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Avocado	0.02
7.7	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Apple	0.02
7.8	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Pear	0.02
7.9	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Stone fruits, except plums (including prunes)	0.09

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
7.10	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Plums (including Prunes)	0.025
7.11	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Herbs, except chives, peppermint and spearmint	0.03
7.12	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Peppermint	0.01
7.13	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Spearmint	0.01

## Pesticide Residues in Food Regulation

26

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
7.14	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Peppers, Chili (dry)	0.2
7.15	Abamectin	Sum of avermectin B1a and 8,9-Z-avermectin B1a	Cattle fat	0.1
7.16	Abamectin	Sum of avermectin B1a and 8,9-Z-avermectin B1a	Cattle milk	0.005
7.17	Abamectin	Sum of avermectin B1a and 8,9-Z-avermectin B1a	Goat milk	0.005
7.18	Abamectin	Sum of avermectin B1a and 8,9-Z-avermectin B1a	Cattle meat	0.01
7.19	Abamectin	Sum of avermectin B1a and 8,9-Z-avermectin B1a	Goat meat	0.01
7.20	Abamectin	Sum of avermectin B1a and 8,9-Z-avermectin B1a	Edible offal of goat	0.1

## Pesticide Residues in Food Regulation

27

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
7.21	Abamectin	Sum of avermectin B1a and 8,9-Z-avermectin B1a	Cattle kidney	0.05
7.22	Abamectin	Sum of avermectin B1a and 8,9-Z-avermectin B1a	Cattle liver	0.1
7.23	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Citrus oil	0.1
7.24	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Cotton seed	0.01
7.25	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Tree nuts	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
7.26	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Broccoli, Chinese	0.1
7.27	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	"Fruiting vegetables, Cucurbits", except cucumber, "melons other than watermelon", summer squash and watermelon	0.005
7.28	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Melons, except watermelon	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
7.29	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Cucumber	0.01
7.30	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Summer squash	0.01
7.31	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Watermelon	0.01
7.32	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Leafy vegetables, except brassica leafy vegetables and leaf lettuce	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
7.33	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Pak-choi	0.1
7.34	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Lettuce, Leaf	0.05
7.35	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Fruiting vegetables, other than Cucurbits	0.02
7.36	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Root and tuber vegetables, except celeriac	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
7.37	Abamectin	Sum of avermectin B1a, avermectin B1b, 8,9-Z-avermectin B1a and 8,9-Z-avermectin B1b	Celeriac	0.05
8.1	Acephate	Acephate	Rice, husked	1
8.2	Acephate	Acephate	Tea, Green, Black	0.1
8.3	Acephate	Acephate	Berries and other small fruits	0.5
8.4	Acephate	Acephate	Citrus fruits	0.5
8.5	Acephate	Acephate	Assorted tropical and sub-tropical fruits—inedible peel	0.5
8.6	Acephate	Acephate	Pome fruits	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
8.7	Acephate	Acephate	Stone fruits	0.5
8.8	Acephate	Acephate	Assorted tropical and sub-tropical fruits—edible peel	0.5
8.9	Acephate	Acephate	Maize	0.2
8.10	Acephate	Acephate	Wheat	0.2
8.11	Acephate	Acephate	Peppermint	27
8.12	Acephate	Acephate	Spearmint	27
8.13	Acephate	Acephate	Spices	0.2
8.14	Acephate	Acephate	Peppers, Chili (dry)	50
8.15	Acephate	Acephate	Cattle fat	0.1
8.16	Acephate	Acephate	Goat fat	0.1
8.17	Acephate	Acephate	Horse fat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
8.18	Acephate	Acephate	Pig fat	0.1
8.19	Acephate	Acephate	Sheep fat	0.1
8.20	Acephate	Acephate	Milks	0.02
8.21	Acephate	Acephate	Meat (from mammals other than marine mammals)	0.05
8.22	Acephate	Acephate	Edible offal (Mammalian)	0.05
8.23	Acephate	Acephate	Eggs	0.01
8.24	Acephate	Acephate	Poultry fats	0.1
8.25	Acephate	Acephate	Poultry meat	0.01
8.26	Acephate	Acephate	Edible offal of poultry	0.01
8.27	Acephate	Acephate	Cotton seed	2
8.28	Acephate	Acephate	Peanut	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
8.29	Acephate	Acephate	Macadamia nuts	0.05
8.30	Acephate	Acephate	Bulb vegetables	1
8.31	Acephate	Acephate	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except head cabbages	1
8.32	Acephate	Acephate	Cabbages, Head	2
8.33	Acephate	Acephate	Fruiting vegetables, Cucurbits	1
8.34	Acephate	Acephate	Beans (dry)	3
8.35	Acephate	Acephate	Soya bean (dry)	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
8.36	Acephate	Acephate	Leafy vegetables	1
8.37	Acephate	Acephate	Fruiting vegetables, other than Cucurbits	1
8.38	Acephate	Acephate	Legume vegetables, except "beans other than broad bean and soya bean"	1
8.39	Acephate	Acephate	Beans, except broad bean and soya bean	5
8.40	Acephate	Acephate	Root and tuber vegetables	1



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
8.41	Acephate	Acephate	Stalk and stem vegetables	1
9.1	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Hops, dry	4
9.2	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Grapes	1.6
9.3	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Strawberry	0.4
9.4	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Citrus fruits	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
9.5	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Pome fruits	0.4
9.6	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Cattle fat	0.02
9.7	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Goat fat	0.02
9.8	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Horse fat	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
9.9	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Sheep fat	0.02
9.10	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Cattle liver	0.02
9.11	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Sheep liver	0.02
9.12	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Horse liver	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
9.13	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Citrus oil	30
9.14	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Tree nuts	0.02
9.15	Acequinocyl	Sum of acequinocyl and 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl	Fruiting vegetables, other than Cucurbits	0.7
10.1	Acetamiprid	Acetamiprid	Prunes	0.4
10.2	Acetamiprid	Acetamiprid	Tea, Green, Black	30
10.3	Acetamiprid	Acetamiprid	Cranberry	0.6
10.4	Acetamiprid	Acetamiprid	Strawberry	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
10.5	Acetamiprid	Acetamiprid	Citrus fruits	0.5
10.6	Acetamiprid	Acetamiprid	Pome fruits	1
10.7	Acetamiprid	Acetamiprid	Stone fruits, except plums (including prunes)	1.2
10.8	Acetamiprid	Acetamiprid	Plums (including Prunes)	0.2
10.9	Acetamiprid	Acetamiprid	Persimmon, Japanese	1
10.10	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Cattle fat	0.1
10.11	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Goat fat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
10.12	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Horse fat	0.1
10.13	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Pig fat	0.1
10.14	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Sheep fat	0.1
10.15	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Milks	0.1
10.16	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Cattle meat	0.1
10.17	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Goat meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
10.18	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Horse meat	0.1
10.19	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Pig meat	0.1
10.20	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Sheep meat	0.1
10.21	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Edible offal of cattle	0.2
10.22	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Edible offal of goat	0.2
10.23	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Edible offal of horse	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
10.24	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Edible offal of pig	0.2
10.25	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Edible offal of sheep	0.2
10.26	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Eggs	0.01
10.27	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Poultry fats	0.01
10.28	Acetamiprid	Acetamiprid and N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-acetamidine	Poultry meat	0.01
10.29	Acetamiprid	Acetamiprid	Mustard seed	0.01
10.30	Acetamiprid	Acetamiprid	Cotton seed	0.6

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
10.31	Acetamiprid	Acetamiprid	Tree nuts	0.1
10.32	Acetamiprid	Acetamiprid	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except head cabbages	1.2
10.33	Acetamiprid	Acetamiprid	Cabbages, Head	3
10.34	Acetamiprid	Acetamiprid	Fruiting vegetables, Cucurbits	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
10.35	Acetamiprid	Acetamiprid	Leafy vegetables, except brassica leafy vegetables, cos lettuce, head lettuce and leaf lettuce	3
10.36	Acetamiprid	Acetamiprid	Brassica leafy vegetables	1.2
10.37	Acetamiprid	Acetamiprid	Lettuce, Head	5
10.38	Acetamiprid	Acetamiprid	Lettuce, Leaf	5
10.39	Acetamiprid	Acetamiprid	Cos lettuce	5
10.40	Acetamiprid	Acetamiprid	Fruiting vegetables, other than Cucurbits	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
10.41	Acetamiprid	Acetamiprid	Root and tuber vegetables	0.01
10.42	Acetamiprid	Acetamiprid	Tomato paste	0.4
11.1	Acibenzolar-S-methyl	Acibenzolar-S-methyl	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	1
11.2	Acibenzolar-S-methyl	Acibenzolar-S-methyl	Leafy vegetables, except brassica leafy vegetables and spinach	0.25
11.3	Acibenzolar-S-methyl	Acibenzolar-S-methyl	Brassica leafy vegetables	1
11.4	Acibenzolar-S-methyl	Acibenzolar-S-methyl	Spinach	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
11.5	Acibenzolar-S-methyl	Acibenzolar-S-methyl	Fruiting vegetables, other than Cucurbits	1
11.6	Acibenzolar-S-methyl	Acibenzolar-S-methyl	Tomato paste	3
12.1	Acifluorfen	Acifluorfen	Soya bean (dry)	0.1
13.1	Alachlor	Alachlor	Maize	0.02
13.2	Alachlor	Alachlor	Peanut	0.5
13.3	Alachlor	Alachlor	Soya bean (dry)	0.2
14.1	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Grapes	0.2
14.2	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Citrus fruits	0.2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
14.3	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Barley	0.02
14.4	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Maize	0.05
14.5	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Sorghum	0.1
14.6	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Wheat	0.02
14.7	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Sugar cane	0.1
14.8	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Spices, Fruits and Berries	0.07

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
14.9	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Spices, Roots and Rhizomes	0.02
14.10	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Milks	0.01
14.11	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Meat (from mammals other than marine mammals)	0.01
14.12	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Cotton seed oil, edible	0.01
14.13	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Peanut oil, edible	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
14.14	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Coffee beans	0.1
14.15	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Cotton seed	0.1
14.16	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Peanut	0.02
14.17	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Sunflower seed	0.05
14.18	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Pecan	1
14.19	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Onion, Bulb	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
14.20	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Brussels sprouts	0.1
14.21	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Beans (dry)	0.1
14.22	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Soya bean (dry)	0.02
14.23	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Sweet potato	0.1
14.24	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Potato	1
14.25	Aldicarb	Sum of aldicarb and its sulphoxide and sulphone, expressed as aldicarb	Sugar beet	0.05



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
15.1	Ametryn	Ametryn	Tea, Green, Black	0.05
15.2	Ametryn	Ametryn	Pineapple	0.05
15.3	Ametryn	Ametryn	Maize	0.05
15.4	Ametryn	Ametryn	Popcorn	0.05
15.5	Ametryn	Ametryn	Sugar cane	0.05
15.6	Ametryn	Ametryn	Coffee beans	0.05
16.1	Aminoethoxyvinylglycine hydrochloride (Aviglycine HCl)	Aminoethoxyvinylglycine hydrochloride (Aviglycine HCl)	Apple	0.08
16.2	Aminoethoxyvinylglycine hydrochloride (Aviglycine HCl)	Aminoethoxyvinylglycine hydrochloride (Aviglycine HCl)	Pear	0.08
16.3	Aminoethoxyvinylglycine hydrochloride (Aviglycine HCl)	Aminoethoxyvinylglycine hydrochloride (Aviglycine HCl)	Stone fruits, except cherries	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
17.1	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Wheat bran, unprocessed	0.3
17.2	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Barley	0.1
17.3	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Oats	0.1
17.4	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Triticale	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
17.5	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Wheat	0.1
17.6	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Milks	0.02
17.7	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Meat (from mammals other than marine mammals)	0.1
17.8	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Kidney of cattle, goats, pigs and sheep	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
17.9	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Edible offal (Mammalian), except kidney	0.05
17.10	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Eggs	0.01
17.11	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Poultry meat	0.01
17.12	Aminopyralid	Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid	Edible offal of poultry	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
18.1	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Citrus fruits	0.5
18.2	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Pome fruits	0.5
18.3	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Cherries	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
18.4	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Peach	0.5
18.5	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Ginger root	0.1
18.6	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Milks	0.1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
18.7	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Cattle meat	0.05
18.8	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Pig meat	0.05
18.9	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Sheep meat	0.1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
18.10	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Edible offal of cattle, pigs and sheep	0.2
18.11	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Cotton seed oil, crude	0.05
18.12	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Cotton seed oil, edible	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
18.13	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Cotton seed	0.5
18.14	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Bulb vegetables	0.05
18.15	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	"Fruiting vegetables, Cucurbits", except cucumber	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
18.16	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Cucumber	0.5
18.17	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Leafy vegetables	0.05
18.18	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide	Fruiting vegetables, other than Cucurbits	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
18.19	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine	Legume vegetables	0.05
18.20	Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine	Root and tuber vegetables	0.05
19.1	Amitrole	Amitrole	Grapes	0.05
19.2	Amitrole	Amitrole	Pome fruits	0.05
19.3	Amitrole	Amitrole	Stone fruits	0.05
20.1	Anilazine	Anilazine	Rice	0.2
20.2	Anilazine	Anilazine	Cucumber	10
20.3	Anilazine	Anilazine	Tomato	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
21.1	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Sugar cane molasses	30
21.2	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Sugar cane	1
21.3	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Cattle fat	0.05
21.4	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Goat fat	0.05

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

64

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
21.5	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Horse fat	0.05
21.6	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Pig fat	0.05
21.7	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Sheep fat	0.05
21.8	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Milks	0.05

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

65

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
21.9	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Cattle meat	0.05
21.10	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Goat meat	0.05
21.11	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Horse meat	0.05
21.12	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Pig meat	0.05

## Pesticide Residues in Food Regulation

66

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
21.13	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Sheep meat	0.05
21.14	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Edible offal of cattle	0.2
21.15	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Edible offal of goat	0.2
21.16	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Edible offal of horse	0.2

## Pesticide Residues in Food Regulation

67

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
21.17	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Edible offal of pig	0.2
21.18	Asulam	Sum of asulam (methyl sulfanilylcarbamate) and its sulfanilamide containing metabolites	Edible offal of sheep	0.2
22.1	Atrazine	Atrazine	Pineapple	0.1
22.2	Atrazine	Atrazine	Maize	0.05
22.3	Atrazine	Atrazine	Sugar cane	0.05
22.4	Atrazine	Atrazine	Sweet corn (corn-on-the-cob)	0.1



## Pesticide Residues in Food Regulation

68

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
23.1	Azinphos methyl	Azinphos methyl	Berries and other small fruits, except blueberries and cranberry	1
23.2	Azinphos methyl	Azinphos methyl	Blueberries	5
23.3	Azinphos methyl	Azinphos methyl	Cranberry	0.1
23.4	Azinphos methyl	Azinphos methyl	Citrus fruits	1
23.5	Azinphos methyl	Azinphos methyl	"Assorted tropical and sub-tropical fruits—inedible peel", except litchi	1
23.6	Azinphos methyl	Azinphos methyl	Litchi	2
23.7	Azinphos methyl	Azinphos methyl	Pome fruits, except apple and pear	1

## Pesticide Residues in Food Regulation

69

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
23.8	Azinphos methyl	Azinphos methyl	Apple	0.05
23.9	Azinphos methyl	Azinphos methyl	Pear	2
23.10	Azinphos methyl	Azinphos methyl	Stone fruits	2
23.11	Azinphos methyl	Azinphos methyl	Assorted tropical and sub-tropical fruits—edible peel	1
23.12	Azinphos methyl	Azinphos methyl	Sugar cane	0.2
23.13	Azinphos methyl	Azinphos methyl	Spices	0.5
23.14	Azinphos methyl	Azinphos methyl	Peppers, Chili (dry)	10
23.15	Azinphos methyl	Azinphos methyl	Cotton seed	0.2
23.16	Azinphos methyl	Azinphos methyl	Almonds	0.05
23.17	Azinphos methyl	Azinphos methyl	Pecan	0.3
23.18	Azinphos methyl	Azinphos methyl	Walnuts	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
23.19	Azinphos methyl	Azinphos methyl	Bulb vegetables	0.5
23.20	Azinphos methyl	Azinphos methyl	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli	0.5
23.21	Azinphos methyl	Azinphos methyl	Broccoli	1
23.22	Azinphos methyl	Azinphos methyl	"Fruiting vegetables, Cucurbits", except cucumber, "melons other than watermelon" and watermelon	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
23.23	Azinphos methyl	Azinphos methyl	Melons, except watermelon	0.2
23.24	Azinphos methyl	Azinphos methyl	Cucumber	0.2
23.25	Azinphos methyl	Azinphos methyl	Watermelon	0.2
23.26	Azinphos methyl	Azinphos methyl	Pulses, except dried soya bean	0.5
23.27	Azinphos methyl	Azinphos methyl	Soya bean (dry)	0.05
23.28	Azinphos methyl	Azinphos methyl	Leafy vegetables	0.5
23.29	Azinphos methyl	Azinphos methyl	"Fruiting vegetables, other than Cucurbits", except sweet peppers and tomato	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
23.30	Azinphos methyl	Azinphos methyl	Peppers, Sweet (including pimiento or pimienta)	1
23.31	Azinphos methyl	Azinphos methyl	Tomato	1
23.32	Azinphos methyl	Azinphos methyl	Legume vegetables	0.5
23.33	Azinphos methyl	Azinphos methyl	Root and tuber vegetables, except potato	0.5
23.34	Azinphos methyl	Azinphos methyl	Potato	0.05
23.35	Azinphos methyl	Azinphos methyl	Stalk and stem vegetables	0.5
24.1	Azocyclotin	Cyhexatin	Currants, Black, Red, White	0.1
24.2	Azocyclotin	Cyhexatin	Grapes	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
24.3	Azocyclotin	Cyhexatin	Mandarins (including Mandarin-like hybrids)	2
24.4	Azocyclotin	Cyhexatin	Oranges, Sweet, Sour	0.2
24.5	Azocyclotin	Cyhexatin	Shaddocks or Pomelos	0.2
24.6	Azocyclotin	Cyhexatin	Lemon	0.2
24.7	Azocyclotin	Cyhexatin	Apple	0.5
24.8	Azocyclotin	Cyhexatin	Pear	0.2
25.1	Azoxystrobin	Azoxystrobin	Dried herbs, except dried hops	300
25.2	Azoxystrobin	Azoxystrobin	Hops, dry	30
25.3	Azoxystrobin	Azoxystrobin	Tea, Green, Black	10

## Pesticide Residues in Food Regulation

74

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
25.4	Azoxystrobin	Azoxystrobin	Berries and other small fruits, except cranberry, grapes and strawberry	5
25.5	Azoxystrobin	Azoxystrobin	Cranberry	0.5
25.6	Azoxystrobin	Azoxystrobin	Grapes	10
25.7	Azoxystrobin	Azoxystrobin	Strawberry	10
25.8	Azoxystrobin	Azoxystrobin	Citrus fruits	15
25.9	Azoxystrobin	Azoxystrobin	Avocado	1
25.10	Azoxystrobin	Azoxystrobin	Banana	2
25.11	Azoxystrobin	Azoxystrobin	Litchi	0.5
25.12	Azoxystrobin	Azoxystrobin	Mango	0.7
25.13	Azoxystrobin	Azoxystrobin	Papaya	0.3
25.14	Azoxystrobin	Azoxystrobin	Plantain	2

## Pesticide Residues in Food Regulation

75

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
25.15	Azoxystrobin	Azoxystrobin	Milk fats	0.03
25.16	Azoxystrobin	Azoxystrobin	Pear	2
25.17	Azoxystrobin	Azoxystrobin	Stone fruits	2
25.18	Azoxystrobin	Azoxystrobin	Persimmon, Japanese	1
25.19	Azoxystrobin	Azoxystrobin	Barley	0.5
25.20	Azoxystrobin	Azoxystrobin	Maize	0.02
25.21	Azoxystrobin	Azoxystrobin	Oats	0.5
25.22	Azoxystrobin	Azoxystrobin	Rice	5
25.23	Azoxystrobin	Azoxystrobin	Rye	0.2
25.24	Azoxystrobin	Azoxystrobin	Triticale	0.2
25.25	Azoxystrobin	Azoxystrobin	Wheat	0.2
25.26	Azoxystrobin	Azoxystrobin	Herbs	70
25.27	Azoxystrobin	Azoxystrobin	Peppers, Chili (dry)	30

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
25.28	Azoxystrobin	Azoxystrobin	Milks	0.01
25.29	Azoxystrobin	Azoxystrobin	Meat (from mammals other than marine mammals) (Fat)	0.05
25.30	Azoxystrobin	Azoxystrobin	Edible offal (Mammalian)	0.07
25.31	Azoxystrobin	Azoxystrobin	Maize oil, edible	0.1
25.32	Azoxystrobin	Azoxystrobin	Eggs	0.01
25.33	Azoxystrobin	Azoxystrobin	Poultry meat	0.01
25.34	Azoxystrobin	Azoxystrobin	Edible offal of poultry	0.01
25.35	Azoxystrobin	Azoxystrobin	Cotton seed	0.7
25.36	Azoxystrobin	Azoxystrobin	Peanut	0.2
25.37	Azoxystrobin	Azoxystrobin	Sunflower seed	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
25.38	Azoxystrobin	Azoxystrobin	Tree nuts, except pistachio nut	0.01
25.39	Azoxystrobin	Azoxystrobin	Pistachio nut	1
25.40	Azoxystrobin	Azoxystrobin	Bulb vegetables	10
25.41	Azoxystrobin	Azoxystrobin	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
25.42	Azoxystrobin	Azoxystrobin	Fruiting vegetables, Cucurbits	1
25.43	Azoxystrobin	Azoxystrobin	Soya bean (dry)	0.5
25.44	Azoxystrobin	Azoxystrobin	Lettuce, Head	30
25.45	Azoxystrobin	Azoxystrobin	Lettuce, Leaf	30

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
25.46	Azoxystrobin	Azoxystrobin	Cos lettuce	30
25.47	Azoxystrobin	Azoxystrobin	Beefsteak plant	70
25.48	Azoxystrobin	Azoxystrobin	"Fruiting vegetables, other than Cucurbits", except mushrooms, sweet corn (corn-on-the-cob) and sweet corn (kernels)	3
25.49	Azoxystrobin	Azoxystrobin	Legume vegetables	3
25.50	Azoxystrobin	Azoxystrobin	Root and tuber vegetables	1
25.51	Azoxystrobin	Azoxystrobin	Witloof chicory (sprouts)	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
25.52	Azoxystrobin	Azoxystrobin	Artichoke, Globe	5
25.53	Azoxystrobin	Azoxystrobin	Asparagus	0.01
25.54	Azoxystrobin	Azoxystrobin	Celery	5
26.1	Benalaxyl	Benalaxyl	Grapes	0.5
26.2	Benalaxyl	Benalaxyl	Onion, Bulb	0.02
26.3	Benalaxyl	Benalaxyl	Melons, except watermelon	0.3
26.4	Benalaxyl	Benalaxyl	Watermelon	0.1
26.5	Benalaxyl	Benalaxyl	Lettuce, Head	1
26.6	Benalaxyl	Benalaxyl	Tomato	0.2
26.7	Benalaxyl	Benalaxyl	Potato	0.02
27.1	Benfluralin	Benfluralin	Lettuce, Head	0.05
27.2	Benfluralin	Benfluralin	Lettuce, Leaf	0.05

## Pesticide Residues in Food Regulation

80

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
28.1	Benfuracarb	Sum of benfuracarb, 3-hydroxycarbofuran and carbofuran, expressed as carbofuran	Rice, polished	0.2
28.2 <sup>1</sup>	Benfuracarb	Sum of benfuracarb, 3-hydroxycarbofuran and carbofuran, expressed as carbofuran	Cotton seed oil, edible	0.05
29.1	Bensulfuron methyl	Bensulfuron methyl	Rice, polished	0.05
30.1	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Rice hulls	0.25
30.2	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Barley	0.1

## Pesticide Residues in Food Regulation

81

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
30.3	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Maize	0.2
30.4	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Oats	0.1
30.5	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Rice	0.1
30.6	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Rye	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
30.7	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Sorghum	0.1
30.8	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Wheat	0.1
30.9	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Popcorn	0.05
30.10	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Peppermint	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
30.11	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Spearmint	1
30.12	Bentazone	Bentazone	Milks	0.05
30.13	Bentazone	Bentazone	Meat (from mammals other than marine mammals)	0.05
30.14	Bentazone	Bentazone	Eggs	0.05
30.15	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Flaxseed	0.1
30.16	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Peanut	0.05



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
30.17	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Onion, Bulb	0.1
30.18	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Beans (dry)	0.05
30.19	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Peas (dry)	1
30.20	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Broad bean (dry)	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
30.21	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Soya bean (dry)	0.1
30.22	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Sweet corn (corn-on-the-cob)	0.05
30.23	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Common bean (young pods and/or succulent seeds)	0.2
30.24	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Garden pea (young pods)	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
30.25	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Lima bean (young pods and/or succulent seeds)	0.05
30.26	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Soya bean (succulent seeds)	0.05
30.27	Bentazone	Sum of bentazone, 6-hydroxybentazone and 8-hydroxybentazone, expressed as bentazone	Potato	0.1
31.1	Bifenthrin	Bifenthrin (sum of isomers)	Wheat germ	1
31.2	Bifenthrin	Bifenthrin (sum of isomers)	Wheat bran, unprocessed	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
31.3	Bifenthrin	Bifenthrin (sum of isomers)	Dried herbs, except dried hops	0.05
31.4	Bifenthrin	Bifenthrin (sum of isomers)	Hops, dry	20
31.5	Bifenthrin	Bifenthrin (sum of isomers)	Tea, Green, Black	30
31.6	Bifenthrin	Bifenthrin (sum of isomers)	Blackberries	1
31.7	Bifenthrin	Bifenthrin (sum of isomers)	Dewberries (including Boysenberry and Loganberry)	1
31.8	Bifenthrin	Bifenthrin (sum of isomers)	Grapes	0.2
31.9	Bifenthrin	Bifenthrin (sum of isomers)	Raspberries, Red, Black	1
31.10	Bifenthrin	Bifenthrin (sum of isomers)	Strawberry	1
31.11	Bifenthrin	Bifenthrin (sum of isomers)	Citrus fruits	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
31.12	Bifenthrin	Bifenthrin (sum of isomers)	Banana	0.1
31.13	Bifenthrin	Bifenthrin (sum of isomers)	Milk fats	3
31.14	Bifenthrin	Bifenthrin (sum of isomers)	Pome fruits	0.5
31.15	Bifenthrin	Bifenthrin (sum of isomers)	Stone fruits	1
31.16	Bifenthrin	Bifenthrin (sum of isomers)	Barley	0.05
31.17	Bifenthrin	Bifenthrin (sum of isomers)	Maize	0.05
31.18	Bifenthrin	Bifenthrin (sum of isomers)	Wheat	0.5
31.19	Bifenthrin	Bifenthrin (sum of isomers)	Popcorn	0.05
31.20	Bifenthrin	Bifenthrin (sum of isomers)	Herbs	0.05
31.21	Bifenthrin	Bifenthrin (sum of isomers)	Spices, Fruits and Berries	0.03
31.22	Bifenthrin	Bifenthrin (sum of isomers)	Spices, Roots and Rhizomes	0.05
31.23	Bifenthrin	Bifenthrin (sum of isomers)	Peppers, Chili (dry)	5
31.24	Bifenthrin	Bifenthrin (sum of isomers)	Coriander seed	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
31.25	Bifenthrin	Bifenthrin (sum of isomers)	Cattle fat	1
31.26	Bifenthrin	Bifenthrin (sum of isomers)	Goat fat	1
31.27	Bifenthrin	Bifenthrin (sum of isomers)	Horse fat	1
31.28	Bifenthrin	Bifenthrin (sum of isomers)	Pig fat	1
31.29	Bifenthrin	Bifenthrin (sum of isomers)	Sheep fat	1
31.30	Bifenthrin	Bifenthrin (sum of isomers)	Milks	0.2
31.31	Bifenthrin	Bifenthrin (sum of isomers)	Meat (from mammals other than marine mammals) (Fat)	3
31.32	Bifenthrin	Bifenthrin (sum of isomers)	Edible offal (Mammalian)	0.2
31.33	Bifenthrin	Bifenthrin (sum of isomers)	Rape seed oil, edible	0.1
31.34	Bifenthrin	Bifenthrin (sum of isomers)	Soya bean oil, edible	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
31.35	Bifenthrin	Bifenthrin (sum of isomers)	Eggs	0.05
31.36	Bifenthrin	Bifenthrin (sum of isomers)	Poultry fats	0.05
31.37	Bifenthrin	Bifenthrin (sum of isomers)	Poultry meat	0.05
31.38	Bifenthrin	Bifenthrin (sum of isomers)	Edible offal of poultry	0.05
31.39	Bifenthrin	Bifenthrin (sum of isomers)	Rape seed	0.05
31.40	Bifenthrin	Bifenthrin (sum of isomers)	Cotton seed	0.5
31.41	Bifenthrin	Bifenthrin (sum of isomers)	Peanut	0.05
31.42	Bifenthrin	Bifenthrin (sum of isomers)	Tree nuts	0.05
31.43	Bifenthrin	Bifenthrin (sum of isomers)	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
31.44	Bifenthrin	Bifenthrin (sum of isomers)	Fruiting vegetables, Cucurbits	0.4
31.45	Bifenthrin	Bifenthrin (sum of isomers)	Pulses	0.3
31.46	Bifenthrin	Bifenthrin (sum of isomers)	Brassica leafy vegetables, except mustard greens	3.5
31.47	Bifenthrin	Bifenthrin (sum of isomers)	Lettuce, Head	3
31.48	Bifenthrin	Bifenthrin (sum of isomers)	Mustard greens	4
31.49	Bifenthrin	Bifenthrin (sum of isomers)	Radish leaves (including Radish tops)	4
31.50	Bifenthrin	Bifenthrin (sum of isomers)	Spinach	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
31.51	Bifenthrin	Bifenthrin (sum of isomers)	Peppers (including Peppers, Chili and Peppers, Sweet)	0.5
31.52	Bifenthrin	Bifenthrin (sum of isomers)	Egg plant	0.3
31.53	Bifenthrin	Bifenthrin (sum of isomers)	Ground cherries	0.5
31.54	Bifenthrin	Bifenthrin (sum of isomers)	Okra	0.5
31.55	Bifenthrin	Bifenthrin (sum of isomers)	Pepino	0.5
31.56	Bifenthrin	Bifenthrin (sum of isomers)	Sweet corn (corn-on-the-cob)	0.05
31.57	Bifenthrin	Bifenthrin (sum of isomers)	Tomato	0.5
31.58	Bifenthrin	Bifenthrin (sum of isomers)	Soya bean (succulent seeds)	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
31.59	Bifenthrin	Bifenthrin (sum of isomers)	Root and tuber vegetables	0.05
31.60	Bifenthrin	Bifenthrin (sum of isomers)	Artichoke, Globe	1
32.1	Bioresmethrin	Bioresmethrin	Wheat germ	3
32.2	Bioresmethrin	Bioresmethrin	Wheat flour	1
32.3	Bioresmethrin	Bioresmethrin	Wheat wholemeal	1
32.4	Bioresmethrin	Bioresmethrin	Wheat bran, unprocessed	5
32.5	Bioresmethrin	Bioresmethrin	Wheat	1
33.1	Bispyribac sodium	Bispyribac sodium	Rice	0.02
34.1	Bisultap	Bisultap	Rice, polished	0.2
35.1	Bitertanol	Bitertanol	Banana	0.5
35.2	Bitertanol	Bitertanol	Pome fruits	2
35.3	Bitertanol	Bitertanol	Cherries	1

## Pesticide Residues in Food Regulation

94

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
35.4	Bitertanol	Bitertanol	Plums (including Prunes)	2
35.5	Bitertanol	Bitertanol	Apricot	1
35.6	Bitertanol	Bitertanol	Nectarine	1
35.7	Bitertanol	Bitertanol	Peach	1
35.8	Bitertanol	Bitertanol	Barley	0.05
35.9	Bitertanol	Bitertanol	Oats	0.05
35.10	Bitertanol	Bitertanol	Rye	0.05
35.11	Bitertanol	Bitertanol	Triticale	0.05
35.12	Bitertanol	Bitertanol	Wheat	0.05
35.13	Bitertanol	Bitertanol	Milks	0.2
35.14	Bitertanol	Bitertanol	Meat (from mammals other than marine mammals) (Fat)	0.05

## Pesticide Residues in Food Regulation

95

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
35.15	Bitertanol	Bitertanol	Edible offal (Mammalian)	0.05
35.16	Bitertanol	Bitertanol	Eggs	0.01
35.17	Bitertanol	Bitertanol	Poultry meat	0.01
35.18	Bitertanol	Bitertanol	Edible offal of poultry	0.01
35.19	Bitertanol	Bitertanol	Cucumber	0.5
35.20	Bitertanol	Bitertanol	Tomato	3
36.1	Blasticidin-S	Blasticidin-S	Rice, husked	0.1
37.1	Boscalid	Boscalid	Prunes	10
37.2	Boscalid	Boscalid	Dried grapes (Currants, Raisins and Sultanias)	10
37.3	Boscalid	Boscalid	Hops, dry	60

## Pesticide Residues in Food Regulation

96

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
37.4	Boscalid	Boscalid	Berries and other small fruits, except grapes and strawberry	10
37.5	Boscalid	Boscalid	Grapes	5
37.6	Boscalid	Boscalid	Strawberry	3
37.7	Boscalid	Boscalid	Citrus fruits	2
37.8	Boscalid	Boscalid	Avocado	1.5
37.9	Boscalid	Boscalid	Banana	0.6
37.10	Boscalid	Boscalid	Canistel	1.5
37.11	Boscalid	Boscalid	Kiwifruit	5
37.12	Boscalid	Boscalid	Mango	1.5
37.13	Boscalid	Boscalid	Papaya	1.5
37.14	Boscalid	Boscalid	Sapodilla	1.5
37.15	Boscalid	Boscalid	Sapote, Black	1.5

## Pesticide Residues in Food Regulation

97

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
37.16	Boscalid	Boscalid	Sapote, Mamme	1.5
37.17	Boscalid	Boscalid	Star apple	1.5
37.18	Boscalid	Boscalid	Milk fats	2
37.19	Boscalid	Boscalid	Pome fruits	3
37.20	Boscalid	Boscalid	Stone fruits, except cherries	3
37.21	Boscalid	Boscalid	Cherries	3.5
37.22	Boscalid	Boscalid	Cereal grains, except barley, oats, rye and wheat	0.1
37.23	Boscalid	Boscalid	Barley	0.5
37.24	Boscalid	Boscalid	Oats	0.5
37.25	Boscalid	Boscalid	Rye	0.5
37.26	Boscalid	Boscalid	Wheat	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
37.27	Boscalid	Boscalid	Peppermint	30
37.28	Boscalid	Boscalid	Spearmint	30
37.29	Boscalid	Boscalid	Peppers, Chili (dry)	10
37.30	Boscalid	Boscalid	Milks	0.1
37.31	Boscalid	Boscalid	Meat (from mammals other than marine mammals) (Fat)	0.7
37.32	Boscalid	Boscalid	Edible offal (Mammalian)	0.2
37.33	Boscalid	Boscalid	Citrus oil	50
37.34	Boscalid	Boscalid	Peanut oil, edible	0.15
37.35	Boscalid	Boscalid	Eggs	0.02
37.36	Boscalid	Boscalid	Poultry fats	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
37.37	Boscalid	Boscalid	Poultry meat	0.02
37.38	Boscalid	Boscalid	Edible offal of poultry	0.02
37.39	Boscalid	Boscalid	Coffee beans	0.05
37.40	Boscalid	Boscalid	Oilseed	1
37.41	Boscalid	Boscalid	Tree nuts, except pistachio nut	0.05
37.42	Boscalid	Boscalid	Pistachio nut	1
37.43	Boscalid	Boscalid	Bulb vegetables	5
37.44	Boscalid	Boscalid	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
37.45	Boscalid	Boscalid	Fruiting vegetables, Cucurbits	3
37.46	Boscalid	Boscalid	Pulses	3
37.47	Boscalid	Boscalid	Leafy vegetables	40
37.48	Boscalid	Boscalid	"Fruiting vegetables, other than Cucurbits", except edible fungi (not including mushrooms), mushrooms, sweet corn (corn-on-the-cob) and sweet corn (kernels)	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
37.49	Boscalid	Boscalid	Legume vegetables	3
37.50	Boscalid	Boscalid	Root and tuber vegetables	2
37.51	Boscalid	Boscalid	Stalk and stem vegetables	30
38.1	Bromacil	Bromacil	Citrus fruits	0.1
38.2	Bromacil	Bromacil	Pineapple	0.1
39.1	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Wheat wholemeal	50

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
39.2	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Dried fruits, except "dried or dried and candied dates", "dried or dried and candied figs", dried grapes and dried peach	30
39.3	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Peach, dried	50
39.4	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Dried grapes (Currants, Raisins and Sultanas)	100
39.5	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Dates, dried or dried and candied	100

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
39.6	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Figs, dried or dried and candied	250
39.7	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Dried herbs	400
39.8	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Berries and other small fruits, except strawberry	20
39.9	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Strawberry	30
39.10	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Citrus fruits	30

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
39.11	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	“Assorted tropical and sub-tropical fruits—inedible peel”, except avocado	20
39.12	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Avocado	75
39.13	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Pome fruits	20
39.14	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Stone fruits	20

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
39.15	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Assorted tropical and sub-tropical fruits—edible peel	20
39.16	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Cereal grains	50
39.17	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Spices	400
39.18	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Peppers, Chili (dry)	200
39.19	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Cabbages, Head	100

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
39.20	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Broccoli	30
39.21	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Cucumber	100
39.22	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Summer squash	200
39.23	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Lettuce, Head	100
39.24	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Turnip greens	1 000
39.25	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Okra	200

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
39.26	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Peppers, Sweet (including pimiento or pimiento)	20
39.27	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Tomato	75
39.28	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Broad bean (young pods and succulent seeds)	500
39.29	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Garden pea (young pods)	500
39.30	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Radish	200

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
39.31	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Turnip, Garden	200
39.32	Bromide ion	Bromide ion from all sources but not including covalently bound bromine	Celery	300
40.1	Bromopropylate	Bromopropylate	Grapes	2
40.2	Bromopropylate	Bromopropylate	Strawberry	2
40.3	Bromopropylate	Bromopropylate	Citrus fruits	2
40.4	Bromopropylate	Bromopropylate	Pome fruits	2
40.5	Bromopropylate	Bromopropylate	Plums (including Prunes)	2
40.6	Bromopropylate	Bromopropylate	Melons, except watermelon	0.5
40.7	Bromopropylate	Bromopropylate	Cucumber	0.5
40.8	Bromopropylate	Bromopropylate	Summer squash	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
40.9	Bromopropylate	Bromopropylate	Common bean (young pods and/or succulent seeds)	3
41.1	Bromoxynil	Bromoxynil	Barley	0.05
41.2	Bromoxynil	Bromoxynil	Maize	0.05
41.3	Bromoxynil	Bromoxynil	Oats	0.05
41.4	Bromoxynil	Bromoxynil	Rye	0.05
41.5	Bromoxynil	Bromoxynil	Sorghum	0.05
41.6	Bromoxynil	Bromoxynil	Wheat	0.05
41.7	Bromoxynil	Bromoxynil	Popcorn	0.05
41.8	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Cattle fat	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
41.9	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Goat fat	1
41.10	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Horse fat	1
41.11	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Pig fat	1
41.12	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Sheep fat	1
41.13	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Milks	0.1
41.14	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Cattle meat	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
41.15	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Goat meat	0.5
41.16	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Horse meat	0.5
41.17	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Pig meat	0.5
41.18	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Sheep meat	0.5
41.19	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Edible offal of cattle	3.5
41.20	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Edible offal of goat	3.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
41.21	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Edible offal of horse	3.5
41.22	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Edible offal of pig	3.5
41.23	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Edible offal of sheep	3.5
41.24	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Eggs	0.05
41.25	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Poultry fats	0.05
41.26	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Poultry meat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
41.27	Bromoxynil	Sum of bromoxynil and 3,5-dibromo-4-hydroxybenzoic acid (DBHA)	Edible offal of poultry	0.3
41.28	Bromoxynil	Bromoxynil	Flaxseed	0.1
41.29	Bromoxynil	Bromoxynil	Garlic	0.1
41.30	Bromoxynil	Bromoxynil	Onion, Bulb	0.1
42.1	Buprofezin	Buprofezin	Rice, husked	0.3
42.2	Buprofezin	Buprofezin	Dried grapes (Currants, Raisins and Sultanias)	2
42.3	Buprofezin	Buprofezin	Tea, Green, Black	10
42.4	Buprofezin	Buprofezin	Grapes	1
42.5	Buprofezin	Buprofezin	Strawberry	3
42.6	Buprofezin	Buprofezin	Loganberry	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
42.7	Buprofezin	Buprofezin	Citrus fruits	1
42.8	Buprofezin	Buprofezin	Avocado	0.3
42.9	Buprofezin	Buprofezin	Banana	0.2
42.10	Buprofezin	Buprofezin	Canistel	0.9
42.11	Buprofezin	Buprofezin	Chirimoya	0.3
42.12	Buprofezin	Buprofezin	Custard apple	0.3
42.13	Buprofezin	Buprofezin	Feijoa	0.3
42.14	Buprofezin	Buprofezin	Guava	0.3
42.15	Buprofezin	Buprofezin	Ilama	0.3
42.16	Buprofezin	Buprofezin	Java apple	0.3
42.17	Buprofezin	Buprofezin	Litchi	0.3
42.18	Buprofezin	Buprofezin	Mango	0.1
42.19	Buprofezin	Buprofezin	Papaya	0.9
42.20	Buprofezin	Buprofezin	Passion fruit	0.3
42.21	Buprofezin	Buprofezin	Pomegranate	1.9

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
42.22	Buprofezin	Buprofezin	Pulasan	0.3
42.23	Buprofezin	Buprofezin	Rambutan	0.3
42.24	Buprofezin	Buprofezin	Sapodilla	0.9
42.25	Buprofezin	Buprofezin	Sapote, Black	0.9
42.26	Buprofezin	Buprofezin	Sapote, Mammei	0.9
42.27	Buprofezin	Buprofezin	Soursop	0.3
42.28	Buprofezin	Buprofezin	Spanish lime	0.3
42.29	Buprofezin	Buprofezin	Star apple	0.9
42.30	Buprofezin	Buprofezin	Sugar apple	0.3
42.31	Buprofezin	Buprofezin	Pome fruits, except apple and pear	4
42.32	Buprofezin	Buprofezin	Apple	3
42.33	Buprofezin	Buprofezin	Pear	6



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
42.34	Buprofezin	Buprofezin	Stone fruits, except apricot, cherries, nectarine, peach and plums (including prunes)	1.9
42.35	Buprofezin	Buprofezin	Cherries	2
42.36	Buprofezin	Buprofezin	Plums (including Prunes)	2
42.37	Buprofezin	Buprofezin	Apricot	9
42.38	Buprofezin	Buprofezin	Nectarine	9
42.39	Buprofezin	Buprofezin	Peach	9
42.40	Buprofezin	Buprofezin	Barbados cherry	0.3

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
42.41	Buprofezin	Buprofezin	Carambola	0.3
42.42	Buprofezin	Buprofezin	Jaboticaba	0.3
42.43	Buprofezin	Buprofezin	Olives	5
42.44	Buprofezin	Buprofezin	Rice	0.3
42.45	Buprofezin	Buprofezin	Peppers, Chili (dry)	10
42.46	Buprofezin	Buprofezin	Cattle fat	0.05
42.47	Buprofezin	Buprofezin	Goat fat	0.05
42.48	Buprofezin	Buprofezin	Horse fat	0.05
42.49	Buprofezin	Buprofezin	Pig fat	0.05
42.50	Buprofezin	Buprofezin	Sheep fat	0.05
42.51	Buprofezin	Buprofezin	Milks	0.01
42.52	Buprofezin	Buprofezin	Meat (from mammals other than marine mammals)	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
42.53	Buprofezin	Buprofezin	Edible offal (Mammalian)	0.05
42.54	Buprofezin	Buprofezin	Olive oil, virgin	4.8
42.55	Buprofezin	Buprofezin	Citrus oil	80
42.56	Buprofezin	Buprofezin	Coffee beans	0.35
42.57	Buprofezin	Buprofezin	Cotton seed	0.35
42.58	Buprofezin	Buprofezin	Almonds	0.05
42.59	Buprofezin	Buprofezin	Pistachio nut	0.05
42.60	Buprofezin	Buprofezin	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	12
42.61	Buprofezin	Buprofezin	Fruiting vegetables, Cucurbits	0.7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
42.62	Buprofezin	Buprofezin	Leafy vegetables, except brassica leafy vegetables, head lettuce and red-leaved chicory	35
42.63	Buprofezin	Buprofezin	Lettuce, Head	6
42.64	Buprofezin	Buprofezin	Red-leaved chicory	6
42.65	Buprofezin	Buprofezin	Peppers (including Peppers, Chili and Peppers, Sweet), except chili peppers	2
42.66	Buprofezin	Buprofezin	Okra	4

## Pesticide Residues in Food Regulation

120

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
42.67	Buprofezin	Buprofezin	Peppers, Chili	10
42.68	Buprofezin	Buprofezin	Tomato	1
43.1	Butachlor	Butachlor	Rice, polished	0.5
44.1	Butafenacil	Butafenacil	Cotton seed	0.5
45.1	Butylate	Butylate	Maize	0.1
45.2	Butylate	Butylate	Popcorn	0.1
45.3	Butylate	Butylate	Sweet corn (corn-on-the-cob)	0.1
46.1	Cadusafos	Cadusafos	Mandarins (including Mandarin-like hybrids)	0.005
46.2	Cadusafos	Cadusafos	Banana	0.01
46.3	Cadusafos	Cadusafos	Sugar cane	0.005

## Pesticide Residues in Food Regulation

121

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
47.1	Captan	Captan	Dried grapes (Currants, Raisins and Sultanas)	50
47.2	Captan	Captan	Blueberries	20
47.3	Captan	Captan	Grapes	25
47.4	Captan	Captan	Raspberries, Red, Black	20
47.5	Captan	Captan	Strawberry	15
47.6	Captan	Captan	Mango	5
47.7	Captan	Captan	Pome fruits	15
47.8	Captan	Captan	Cherries	50
47.9	Captan	Captan	Plums (including Prunes)	10
47.10	Captan	Captan	Apricot	10

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
47.11	Captan	Captan	Nectarine	3
47.12	Captan	Captan	Peach	20
47.13	Captan	Captan	Persimmon, Japanese	5
47.14	Captan	Captan	Cereal grains	0.05
47.15	Captan	Captan	Spices, Roots and Rhizomes	0.05
47.16	Captan	Captan	Dill seed	0.05
47.17	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Cattle fat	0.15
47.18	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Goat fat	0.15
47.19	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Horse fat	0.15

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
47.20	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Pig fat	0.15
47.21	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Sheep fat	0.15
47.22	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Milks	0.1
47.23	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Cattle meat	0.2
47.24	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Goat meat	0.2
47.25	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Horse meat	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
47.26	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Pig meat	0.2
47.27	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Sheep meat	0.2
47.28	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Edible offal of cattle	0.3
47.29	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Edible offal of goat	0.3
47.30	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Edible offal of horse	0.3
47.31	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Edible offal of pig	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
47.32	Captan	Sum of captan and 1,2,3,6-tetrahydrophthalimide (THPI), measured at THPI	Edible offal of sheep	0.3
47.33	Captan	Captan	Rape seed	0.05
47.34	Captan	Captan	Cotton seed	0.05
47.35	Captan	Captan	Flaxseed	0.05
47.36	Captan	Captan	Palm nut	5
47.37	Captan	Captan	Peanut	0.05
47.38	Captan	Captan	Safflower seed	0.05
47.39	Captan	Captan	Sesame seed	0.05
47.40	Captan	Captan	Sunflower seed	0.05
47.41	Captan	Captan	Almonds	0.3
47.42	Captan	Captan	Bulb vegetables	0.05

## Pesticide Residues in Food Regulation

126

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
47.43	Captan	Captan	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	0.05
47.44	Captan	Captan	"Fruiting vegetables, Cucurbits", except cucumber and "melons other than watermelon"	0.05
47.45	Captan	Captan	Melons, except watermelon	10
47.46	Captan	Captan	Cucumber	3
47.47	Captan	Captan	Pulses	0.05

## Pesticide Residues in Food Regulation

127

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
47.48	Captan	Captan	Leafy vegetables, except cos lettuce, head lettuce and leaf lettuce	0.05
47.49	Captan	Captan	Lettuce, Head	5
47.50	Captan	Captan	Lettuce, Leaf	5
47.51	Captan	Captan	Cos lettuce	5
47.52	Captan	Captan	"Fruiting vegetables, other than Cucurbits", except tomato	0.05
47.53	Captan	Captan	Tomato	5
47.54	Captan	Captan	Legume vegetables	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
47.55	Captan	Captan	Root and tuber vegetables	0.05
48.1	Carbaryl	Carbaryl	Wheat germ	1
48.2	Carbaryl	Carbaryl	Wheat flour	0.2
48.3	Carbaryl	Carbaryl	Wheat bran, unprocessed	2
48.4	Carbaryl	Carbaryl	Rice, polished	1
48.5	Carbaryl	Carbaryl	Rice bran, unprocessed	170
48.6	Carbaryl	Carbaryl	Rice hulls	50
48.7	Carbaryl	Carbaryl	Cranberry	5
48.8	Carbaryl	Carbaryl	Grapes	10
48.9	Carbaryl	Carbaryl	Strawberry	4
48.10	Carbaryl	Carbaryl	Citrus fruits	15
48.11	Carbaryl	Carbaryl	Avocado	10
48.12	Carbaryl	Carbaryl	Banana	5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
48.13	Carbaryl	Carbaryl	Durian	1
48.14	Carbaryl	Carbaryl	Longan	1
48.15	Carbaryl	Carbaryl	Litchi	5
48.16	Carbaryl	Carbaryl	Mango	5
48.17	Carbaryl	Carbaryl	Mangostan	1
48.18	Carbaryl	Carbaryl	Pineapple	2
48.19	Carbaryl	Carbaryl	Rambutan	1
48.20	Carbaryl	Carbaryl	Pome fruits	12
48.21	Carbaryl	Carbaryl	Stone fruits	10
48.22	Carbaryl	Carbaryl	Olives	30
48.23	Carbaryl	Carbaryl	Maize	0.02
48.24	Carbaryl	Carbaryl	Rice	5
48.25	Carbaryl	Carbaryl	Sorghum	10
48.26	Carbaryl	Carbaryl	Wheat	2
48.27	Carbaryl	Carbaryl	Popcorn	0.02

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
48.28	Carbaryl	Carbaryl	Millet, Common (Proso millet)	1
48.29	Carbaryl	Carbaryl	Sugar cane	0.02
48.30	Carbaryl	Carbaryl	Dill	0.2
48.31	Carbaryl	Carbaryl	Spices, Fruits and Berries	0.8
48.32	Carbaryl	Carbaryl	Spices, Roots and Rhizomes	0.1
48.33	Carbaryl	Carbaryl	Peppers, Chili (dry)	2
48.34	Carbaryl	Carbaryl	Tomato juice	3
48.35	Carbaryl	Carbaryl	Milks	0.05
48.36	Carbaryl	Carbaryl	Meat (from mammals other than marine mammals)	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
48.37	Carbaryl	Carbaryl	Kidney of cattle, goats, pigs and sheep	3
48.38	Carbaryl	Carbaryl	Edible offal (Mammalian), except "kidney of cattle, goats, pigs and sheep"	1
48.39	Carbaryl	Carbaryl	Olive oil, virgin	25
48.40	Carbaryl	Carbaryl	Soya bean oil, crude	0.2
48.41	Carbaryl	Carbaryl	Maize oil, crude	0.1
48.42	Carbaryl	Carbaryl	Sunflower seed oil, crude	0.05
48.43	Carbaryl	Carbaryl	Citrus oil	20
48.44	Carbaryl	Carbaryl	Eggs	0.5



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
48.45	Carbaryl	Carbaryl	Poultry meat	0.05
48.46	Carbaryl	Carbaryl	Cacao beans	0.02
48.47	Carbaryl	Carbaryl	Cotton seed	1
48.48	Carbaryl	Carbaryl	Flaxseed	0.5
48.49	Carbaryl	Carbaryl	Palm nut	0.02
48.50	Carbaryl	Carbaryl	Peanut	0.05
48.51	Carbaryl	Carbaryl	Sunflower seed	0.2
48.52	Carbaryl	Carbaryl	Tree nuts	1
48.53	Carbaryl	Carbaryl	Bulb vegetables	2
48.54	Carbaryl	Carbaryl	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
48.55	Carbaryl	Carbaryl	Fruiting vegetables, Cucurbits	2
48.56	Carbaryl	Carbaryl	Pulses	1
48.57	Carbaryl	Carbaryl	Leafy vegetables, except Pak-choi	2
48.58	Carbaryl	Carbaryl	Pak-choi	1
48.59	Carbaryl	Carbaryl	"Fruiting vegetables, other than Cucurbits", except sweet peppers and tomato	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
48.60	Carbaryl	Carbaryl	Peppers, Sweet (including pimiento or pimienta)	5
48.61	Carbaryl	Carbaryl	Tomato	5
48.62	Carbaryl	Carbaryl	Legume vegetables	2
48.63	Carbaryl	Carbaryl	Root and tuber vegetables, except carrot	2
48.64	Carbaryl	Carbaryl	Carrot	5
48.65	Carbaryl	Carbaryl	Stalk and stem vegetables, except asparagus	2
48.66	Carbaryl	Carbaryl	Asparagus	15
48.67	Carbaryl	Carbaryl	Tomato paste	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.1	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Rice, husked	2
49.2	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Rice, polished	2
49.3	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Tea, Green, Black	5
49.4	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Berries and other small fruits, except grapes	1
49.5	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Grapes	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.6	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Mandarins (including Mandarin-like hybrids)	5
49.7	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Oranges, Sweet, Sour	1
49.8	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Shaddocks or Pomelos	0.5
49.9	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Lemon	0.5
49.10	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Banana	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.11	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Kiwifruit	0.5
49.12	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Mango	5
49.13	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Pineapple	5
49.14	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Rambutan	3
49.15	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Pome fruits	3
49.16	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Cherries	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.17	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Plums (including Prunes)	0.5
49.18	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Apricot	2
49.19	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Nectarine	2
49.20	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Peach	2
49.21	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Fig	0.5
49.22	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Jujube, Chinese	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.23	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Olives	0.5
49.24	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Barley	0.5
49.25	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Maize	0.5
49.26	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Rye	0.1
49.27	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Wheat	0.05
49.28	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Sugar cane	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.29	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Chives	3
49.30	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Spices, Fruits and Berries	0.1
49.31	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Spices, Roots and Rhizomes	0.1
49.32	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Peppers, Chili (dry)	20
49.33	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Milks	0.05
49.34	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Cattle meat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.35	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Edible offal (Mammalian)	0.05
49.36	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Eggs	0.05
49.37	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Poultry fats	0.05
49.38	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Poultry meat	0.05
49.39	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Edible offal of poultry	0.1
49.40	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Coffee beans	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.41	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Rape seed	0.1
49.42	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Cotton seed	0.1
49.43	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Peanut	0.1
49.44	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Tree nuts	0.1
49.45	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Onion, Bulb	3
49.46	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Shallot	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.47	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Spring onion	3
49.48	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Chives, Chinese	2
49.49	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Brussels sprouts	0.5
49.50	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	"Fruiting vegetables, Cucurbits", except watermelon	0.5
49.51	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Watermelon	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.52	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Beans (dry)	0.5
49.53	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Soya bean (dry)	0.5
49.54	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Lettuce, Head	5
49.55	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Peppers (including Peppers, Chili and Peppers, Sweet)	2
49.56	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Egg plant	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.57	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Okra	2
49.58	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Tomato	3
49.59	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Common bean (young pods and/or succulent seeds)	2
49.60	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Garden pea (young pods)	0.02
49.61	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Soya bean (succulent seeds)	3

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

146

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
49.62	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Carrot	0.2
49.63	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Sugar beet	0.1
49.64	Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl, expressed as carbendazim	Asparagus	0.2
50.1	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Rice, polished	0.2
50.2	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Citrus fruits	0.5
50.3	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Banana	0.1

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

147

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
50.4	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Maize	0.1
50.5	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Sorghum	0.1
50.6	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Wheat	0.1
50.7	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Sugar cane	0.1
50.8	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Pepper, Black; White	1
50.9	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Cattle fat	0.05



Pesticide Residues in Food Regulation

Schedule 1—Part 1

148

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
50.10	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Goat fat	0.05
50.11	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Horse fat	0.05
50.12	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Pig fat	0.05
50.13	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Sheep fat	0.05
50.14	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Milks	0.05

Pesticide Residues in Food Regulation

Schedule 1—Part 1

149

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
50.15	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Meat (from mammals other than marine mammals)	0.05
50.16	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Edible offal (Mammalian)	0.05
50.17	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Eggs	0.1
50.18	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Edible offal of poultry	0.08
50.19	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Coffee beans	1

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

150

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
50.20	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Rape seed	0.05
50.21	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Cotton seed	0.1
50.22	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Peanut	0.1
50.23	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Sunflower seed	0.1
50.24	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Onion, Welsh	1
50.25	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Cucumber	0.3

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

151

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
50.26	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Watermelon	0.1
50.27	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Mung bean (dry)	0.2
50.28	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Soya bean (dry)	0.2
50.29	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Amaranth	0.02
50.30	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Pak-choi	0.02
50.31	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Water spinach	0.02

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

152

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
50.32	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Sweet corn (corn-on-the-cob)	0.1
50.33	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Tomato	0.1
50.34	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Soya bean (succulent seeds)	0.5
50.35	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Yard-long bean (young pods)	0.1
50.36	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Cassava	0.2
50.37	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Beetroot	0.1

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

153

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
50.38	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Potato	0.1
50.39	Carbofuran	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran	Sugar beet	0.2
51.1	Carbon disulfide	Carbon disulfide	Grapes	0.1
51.2	Carbon disulfide	Carbon disulfide	Grapefruit	0.1
51.3	Carbon disulfide	Carbon disulfide	Lemon	0.1
51.4	Carbon disulfide	Carbon disulfide	Orange, Sweet	0.1
51.5	Carbon disulfide	Carbon disulfide	Plums (including Prunes)	0.1
51.6	Carbon disulfide	Carbon disulfide	Peach	0.1
51.7	Carbon disulfide	Carbon disulfide	Almonds	0.1
52.1	Carbosulfan	Carbosulfan	Rice, husked	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
52.2	Carbosulfan	Carbosulfan	Rice, polished	0.2
52.3	Carbosulfan	Carbosulfan	Grapes	0.1
52.4	Carbosulfan	Carbosulfan	Citrus fruits	0.1
52.5	Carbosulfan	Carbosulfan	Durian	0.2
52.6	Carbosulfan	Carbosulfan	Rambutan	0.2
52.7	Carbosulfan	Carbosulfan	Maize	0.1
52.8	Carbosulfan	Carbosulfan	Rice	0.5
52.9	Carbosulfan	Carbosulfan	Sorghum	0.1
52.10	Carbosulfan	Carbosulfan	Millet, Foxtail	0.1
52.11	Carbosulfan	Carbosulfan	Sugar cane	0.1
52.12	Carbosulfan	Carbosulfan	Spices, Fruits and Berries	0.07
52.13	Carbosulfan	Carbosulfan	Spices, Roots and Rhizomes	0.1
52.14	Carbosulfan	Carbosulfan	Peppers, Chili (dry)	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
52.15	Carbosulfan	Carbosulfan	Milks	0.03
52.16	Carbosulfan	Carbosulfan	Meat (from mammals other than marine mammals) (Fat)	0.05
52.17	Carbosulfan	Carbosulfan	Edible offal (Mammalian)	0.05
52.18	Carbosulfan	Carbosulfan	Eggs	0.05
52.19	Carbosulfan	Carbosulfan	Poultry meat	0.05
52.20	Carbosulfan	Carbosulfan	Edible offal of poultry	0.05
52.21	Carbosulfan	Carbosulfan	Cacao beans	0.05
52.22	Carbosulfan	Carbosulfan	Coffee beans	0.05
52.23	Carbosulfan	Carbosulfan	Cotton seed	0.05
52.24	Carbosulfan	Carbosulfan	Flaxseed	0.05
52.25	Carbosulfan	Carbosulfan	Palm nut	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
52.26	Carbosulfan	Carbosulfan	Peanut	0.05
52.27	Carbosulfan	Carbosulfan	Sesame seed	0.2
52.28	Carbosulfan	Carbosulfan	Sunflower seed	0.05
52.29	Carbosulfan	Carbosulfan	Coconut	0.2
52.30	Carbosulfan	Carbosulfan	Chives, Chinese	0.05
52.31	Carbosulfan	Carbosulfan	Watermelon	0.2
52.32	Carbosulfan	Carbosulfan	Mung bean (dry)	0.05
52.33	Carbosulfan	Carbosulfan	Soya bean (dry)	0.05
52.34	Carbosulfan	Carbosulfan	Pak-choi	0.05
52.35	Carbosulfan	Carbosulfan	Chinese cabbage (type Pe-tsai)	0.05
52.36	Carbosulfan	Carbosulfan	Spinach	0.05
52.37	Carbosulfan	Carbosulfan	Egg plant	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
52.38	Carbosulfan	Carbosulfan	Okra	0.1
52.39	Carbosulfan	Carbosulfan	Peppers, Chili	0.1
52.40	Carbosulfan	Carbosulfan	Peppers, Sweet (including pimento or pimiento)	0.1
52.41	Carbosulfan	Carbosulfan	Sweet corn (corn-on-the-cob)	0.05
52.42	Carbosulfan	Carbosulfan	Tomato	0.1
52.43	Carbosulfan	Carbosulfan	Garden pea (young pods)	0.1
52.44	Carbosulfan	Carbosulfan	Soya bean (succulent seeds)	0.5
52.45	Carbosulfan	Carbosulfan	Yard-long bean (young pods)	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
52.46	Carbosulfan	Carbosulfan	Sweet potato	0.05
52.47	Carbosulfan	Carbosulfan	Potato	0.05
52.48	Carbosulfan	Carbosulfan	Sugar beet	0.3
52.49	Carbosulfan	Carbosulfan	Asparagus	0.5
52.50	Carbosulfan	Carbosulfan	Celery	0.05
53.1	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Barley	0.2
53.2	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Maize	0.2
53.3	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Oats	0.2
53.4	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Rice	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
53.5	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Wheat	0.2
53.6	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Popcorn	0.2
53.7	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Cattle fat	0.05
53.8	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Goat fat	0.05
53.9	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Horse fat	0.05
53.10	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Pig fat	0.05

## Pesticide Residues in Food Regulation

160

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
53.11	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Sheep fat	0.05
53.12	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Milks	0.05
53.13	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Cattle meat	0.05
53.14	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Goat meat	0.05
53.15	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Horse meat	0.05
53.16	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Pig meat	0.05

## Pesticide Residues in Food Regulation

161

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
53.17	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Sheep meat	0.05
53.18	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Edible offal of cattle	0.1
53.19	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Edible offal of goat	0.1
53.20	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Edible offal of horse	0.1
53.21	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Edible offal of pig	0.1
53.22	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Edible offal of sheep	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
53.23	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Eggs	0.05
53.24	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Poultry fats	0.1
53.25	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Poultry meat	0.1
53.26	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Edible offal of poultry	0.1
53.27	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Cotton seed	0.2
53.28	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Peanut	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
53.29	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Safflower seed	0.2
53.30	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Onion, Bulb	0.2
53.31	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Beans (dry)	0.2
53.32	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Sweet corn (corn-on-the-cob)	0.2
53.33	Carboxin	Sum of carboxin and its metabolites determined as aniline, expressed as carboxin	Soya bean (succulent seeds)	0.2



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.1	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Wheat germ	0.8
54.2	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Wheat flour	0.8

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.3	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Rye flour	0.8
54.4	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Rice hulls	3.5

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

166

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.5	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Dates, dried or dried and candied	0.1
54.6	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Dried herbs, except dried hops	2

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

167

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.7	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Hops, dry	0.1
54.8	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Berries and other small fruits	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.9	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Citrus fruits	0.1
54.10	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Avocado	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.11	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Banana	0.2
54.12	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Canistel	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.13	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Cherimoya	0.1
54.14	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Custard apple	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.15	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Feijoa	0.1
54.16	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Guava	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.17	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	llama	0.1
54.18	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Java apple	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.19	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Kiwifruit	0.1
54.20	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Longan	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.21	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Litchi	0.1
54.22	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Mango	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.23	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Papaya	0.1
54.24	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Passion fruit	0.1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
54.25	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Pomegranate	0.1
54.26	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Pulasan	0.1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
54.27	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Rambutan	0.1
54.28	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Sapodilla	0.1

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

178

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.29	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Sapote, Black	0.1
54.30	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Sapote, Mamme	0.1

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

179

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.31	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Soursop	0.1
54.32	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Spanish lime	0.1



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.33	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Star apple	0.1
54.34	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Sugar apple	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.35	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Pome fruits	0.1
54.36	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Stone fruits	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.37	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Barbados cherry	0.1
54.38	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Carambola	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.39	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Fig	0.1
54.40	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Jaboticaba	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.41	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Olives	0.1
54.42	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Cereal grains, except rice and sorghum	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.43	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Rice	1.3
54.44	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Sorghum	0.25

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.45	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Sorgo (Sorghum, Sweet)	0.1
54.46	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Sugar cane	0.15

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.47	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Herbs	2
54.48	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Spices, except vanilla beans	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.49	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Vanilla beans	0.1
54.50	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Cattle fat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.51	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Goat fat	0.1
54.52	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Horse fat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.53	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Pig fat	0.1
54.54	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Sheep fat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.55	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Milks	0.05
54.56	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Cattle meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.57	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Goat meat	0.1
54.58	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Horse meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.59	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Pig meat	0.1
54.60	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Sheep meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.61	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Edible offal of cattle	0.1
54.62	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Edible offal of goat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.63	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Edible offal of horse	0.1
54.64	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Edible offal of pig	0.1



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.65	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Edible offal of sheep	0.1
54.66	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Cotton seed oil, edible	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.67	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Edible offal of poultry	0.1
54.68	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Coffee beans	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.69	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Mustard seed	0.1
54.70	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Rape seed	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.71	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Cotton seed	0.2
54.72	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[-4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Flaxseed	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.73	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Peanut	0.1
54.74	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Safflower seed	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.75	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Sunflower seed	0.1
54.76	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Tree nuts	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.77	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Bulb vegetables	0.1
54.78	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.79	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Fruiting vegetables, Cucurbits	0.1
54.80	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Pulses	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.81	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Leafy vegetables	0.1
54.82	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Fruiting vegetables, other than Cucurbits	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.83	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Legume vegetables	0.1
54.84	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Root and tuber vegetables	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
54.85	Carfentrazone ethyl	Sum of carfentrazone-ethyl and carfentrazone-chloropropionic acid (alpha, 2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoic acid)	Palm hearts	0.1
55.1	Chlorantraniliprole	Chlorantraniliprole	Rice hulls	0.4
55.2	Chlorantraniliprole	Chlorantraniliprole	Dried herbs	90
55.3	Chlorantraniliprole	Chlorantraniliprole	Sugar cane molasses	420
55.4	Chlorantraniliprole	Chlorantraniliprole	Cocoa powder	1.5
55.5	Chlorantraniliprole	Chlorantraniliprole	Berries and other small fruits	1
55.6	Chlorantraniliprole	Chlorantraniliprole	Citrus fruits	0.5
55.7	Chlorantraniliprole	Chlorantraniliprole	Avocado	4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
55.8	Chlorantraniliprole	Chlorantraniliprole	Banana	4
55.9	Chlorantraniliprole	Chlorantraniliprole	Canistel	4
55.10	Chlorantraniliprole	Chlorantraniliprole	Cherimoya	4
55.11	Chlorantraniliprole	Chlorantraniliprole	Custard apple	4
55.12	Chlorantraniliprole	Chlorantraniliprole	Feijoa	4
55.13	Chlorantraniliprole	Chlorantraniliprole	Guava	4
55.14	Chlorantraniliprole	Chlorantraniliprole	Ilama	4
55.15	Chlorantraniliprole	Chlorantraniliprole	Longan	4
55.16	Chlorantraniliprole	Chlorantraniliprole	Litchi	2
55.17	Chlorantraniliprole	Chlorantraniliprole	Mango	4
55.18	Chlorantraniliprole	Chlorantraniliprole	Papaya	2
55.19	Chlorantraniliprole	Chlorantraniliprole	Passion fruit	2
55.20	Chlorantraniliprole	Chlorantraniliprole	Pineapple	1.5
55.21	Chlorantraniliprole	Chlorantraniliprole	Pomegranate	4
55.22	Chlorantraniliprole	Chlorantraniliprole	Pulasan	4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
55.23	Chlorantraniliprole	Chlorantraniliprole	Rambutan	4
55.24	Chlorantraniliprole	Chlorantraniliprole	Sapodilla	4
55.25	Chlorantraniliprole	Chlorantraniliprole	Sapote, Black	4
55.26	Chlorantraniliprole	Chlorantraniliprole	Sapote, Mammei	4
55.27	Chlorantraniliprole	Chlorantraniliprole	Sapote, White	4
55.28	Chlorantraniliprole	Chlorantraniliprole	Soursop	4
55.29	Chlorantraniliprole	Chlorantraniliprole	Spanish lime	4
55.30	Chlorantraniliprole	Chlorantraniliprole	Star apple	4
55.31	Chlorantraniliprole	Chlorantraniliprole	Sugar apple	4
55.32	Chlorantraniliprole	Chlorantraniliprole	Milk fats	0.2
55.33	Chlorantraniliprole	Chlorantraniliprole	Pome fruits, except apple and pear	0.4
55.34	Chlorantraniliprole	Chlorantraniliprole	Apple	1.2
55.35	Chlorantraniliprole	Chlorantraniliprole	Pear	1.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
55.36	Chlorantraniliprole	Chlorantraniliprole	Stone fruits, except cherries	1
55.37	Chlorantraniliprole	Chlorantraniliprole	Cherries	2
55.38	Chlorantraniliprole	Chlorantraniliprole	Barbados cherry	2
55.39	Chlorantraniliprole	Chlorantraniliprole	Carambola	4
55.40	Chlorantraniliprole	Chlorantraniliprole	Fig	4
55.41	Chlorantraniliprole	Chlorantraniliprole	Jaboticaba	2
55.42	Chlorantraniliprole	Chlorantraniliprole	Olives	4
55.43	Chlorantraniliprole	Chlorantraniliprole	Cereal grains	0.02
55.44	Chlorantraniliprole	Chlorantraniliprole	Sugar cane	0.5
55.45	Chlorantraniliprole	Chlorantraniliprole	Herbs, except mints	25
55.46	Chlorantraniliprole	Chlorantraniliprole	Mints	15
55.47	Chlorantraniliprole	Chlorantraniliprole	Spices	14

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
55.48	Chlorantraniliprole	Chlorantraniliprole	Peppers, Chili (dry)	5
55.49	Chlorantraniliprole	Chlorantraniliprole	Cattle fat	0.3
55.50	Chlorantraniliprole	Chlorantraniliprole	Goat fat	0.3
55.51	Chlorantraniliprole	Chlorantraniliprole	Horse fat	0.3
55.52	Chlorantraniliprole	Chlorantraniliprole	Pig fat	0.02
55.53	Chlorantraniliprole	Chlorantraniliprole	Sheep fat	0.3
55.54	Chlorantraniliprole	Chlorantraniliprole	Milks	0.05
55.55	Chlorantraniliprole	Chlorantraniliprole	Meat (from mammals other than marine mammals) (Fat)	0.2
55.56	Chlorantraniliprole	Chlorantraniliprole	Edible offal (Mammalian)	0.2
55.57	Chlorantraniliprole	Chlorantraniliprole	Eggs	0.1
55.58	Chlorantraniliprole	Chlorantraniliprole	Poultry fats	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
55.59	Chlorantraniliprole	Chlorantraniliprole	Poultry meat (Fat)	0.01
55.60	Chlorantraniliprole	Chlorantraniliprole	Edible offal of poultry	0.01
55.61	Chlorantraniliprole	Chlorantraniliprole	Cacao beans	0.08
55.62	Chlorantraniliprole	Chlorantraniliprole	Coffee beans	0.4
55.63	Chlorantraniliprole	Chlorantraniliprole	Mustard seed	0.3
55.64	Chlorantraniliprole	Chlorantraniliprole	Rape seed	0.3
55.65	Chlorantraniliprole	Chlorantraniliprole	Cotton seed	0.3
55.66	Chlorantraniliprole	Chlorantraniliprole	Poppy seed	0.3
55.67	Chlorantraniliprole	Chlorantraniliprole	Sesame seed	0.3
55.68	Chlorantraniliprole	Chlorantraniliprole	Tree nuts, except almonds and hazelnuts	0.02
55.69	Chlorantraniliprole	Chlorantraniliprole	Almonds	0.04
55.70	Chlorantraniliprole	Chlorantraniliprole	Hazelnuts	0.04



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
55.71	Chlorantraniliprole	Chlorantraniliprole	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	2
55.72	Chlorantraniliprole	Chlorantraniliprole	Fruiting vegetables, Cucurbits	0.3
55.73	Chlorantraniliprole	Chlorantraniliprole	Pulses, except dried soya bean	2
55.74	Chlorantraniliprole	Chlorantraniliprole	Leafy vegetables	20

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
55.75	Chlorantraniliprole	Chlorantraniliprole	"Fruiting vegetables, other than Cucurbits", except sweet corn (corn-on- the-cob)	0.6
55.76	Chlorantraniliprole	Chlorantraniliprole	Sweet corn (corn-on-the- cob)	0.01
55.77	Chlorantraniliprole	Chlorantraniliprole	Legume vegetables, except soya bean (succulent seeds)	2
55.78	Chlorantraniliprole	Chlorantraniliprole	Root and tuber vegetables	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
55.79	Chlorantraniliprole	Chlorantraniliprole	Artichoke, Globe	4
55.80	Chlorantraniliprole	Chlorantraniliprole	Asparagus	13
55.81	Chlorantraniliprole	Chlorantraniliprole	Celery	7
56.1	Chlorbenzuron	Chlorbenzuron	Millet	3
56.2	Chlorbenzuron	Chlorbenzuron	Wheat	3
56.3	Chlorbenzuron	Chlorbenzuron	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	3
57.1	Chlorethoxyfos	Chlorethoxyfos	Maize	0.01
57.2	Chlorethoxyfos	Chlorethoxyfos	Popcorn	0.01
57.3	Chlorethoxyfos	Chlorethoxyfos	Sweet corn (corn-on-the-cob)	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
58.1	Chlorfenapyr	Chlorfenapyr	Peach	1
58.2	Chlorfenapyr	Chlorfenapyr	Fruiting vegetables, other than Cucurbits	1
59.1	Chlorimuron ethyl	Chlorimuron ethyl	Cranberry	0.02
59.2	Chlorimuron ethyl	Chlorimuron ethyl	Maize	0.01
59.3	Chlorimuron ethyl	Chlorimuron ethyl	Peanut	0.02
59.4	Chlorimuron ethyl	Chlorimuron ethyl	Soya bean (succulent seeds)	0.05
60.1	Chlormequat	Chlormequat cation	Wheat flour	2
60.2	Chlormequat	Chlormequat cation	Wheat wholemeal	5
60.3	Chlormequat	Chlormequat cation	Rye flour	3
60.4	Chlormequat	Chlormequat cation	Rye wholemeal	4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
60.5	Chlormequat	Chlormequat cation	Rye bran, unprocessed	10
60.6	Chlormequat	Chlormequat cation	Wheat bran, unprocessed	10
60.7	Chlormequat	Chlormequat cation	Grapes	0.75
60.8	Chlormequat	Chlormequat cation	Barley	2
60.9	Chlormequat	Chlormequat cation	Maize	5
60.10	Chlormequat	Chlormequat cation	Oats	10
60.11	Chlormequat	Chlormequat cation	Rye	3
60.12	Chlormequat	Chlormequat cation	Triticale	3
60.13	Chlormequat	Chlormequat cation	Wheat	5
60.14	Chlormequat	Chlormequat cation	Milk of cattle, goats and sheep	0.5
60.15	Chlormequat	Chlormequat cation	Meat of cattle, pigs and sheep	0.2
60.16	Chlormequat	Chlormequat cation	Goat meat	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
60.17	Chlormequat	Chlormequat cation	Kidney of cattle, goats, pigs and sheep	0.5
60.18	Chlormequat	Chlormequat cation	Liver of cattle, goats, pigs and sheep	0.1
60.19	Chlormequat	Chlormequat cation	Rape seed oil, crude	0.1
60.20	Chlormequat	Chlormequat cation	Eggs	0.1
60.21	Chlormequat	Chlormequat cation	Poultry meat	0.04
60.22	Chlormequat	Chlormequat cation	Edible offal of poultry	0.1
60.23	Chlormequat	Chlormequat cation	Rape seed	5
60.24	Chlormequat	Chlormequat cation	Cotton seed	0.5
61.1	Chlorothalonil	Chlorothalonil	Tea, Green, Black	10
61.2	Chlorothalonil	Chlorothalonil	Blueberries	10

## Pesticide Residues in Food Regulation

218

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
61.3	Chlorothalonil	Chlorothalonil	Currants, Black, Red, White	20
61.4	Chlorothalonil	Chlorothalonil	Cranberry	5
61.5	Chlorothalonil	Chlorothalonil	Gooseberry	20
61.6	Chlorothalonil	Chlorothalonil	Grapes	10
61.7	Chlorothalonil	Chlorothalonil	Strawberry	5
61.8	Chlorothalonil	Chlorothalonil	Mandarins (including Mandarin-like hybrids)	1
61.9	Chlorothalonil	Chlorothalonil	Banana	0.01
61.10	Chlorothalonil	Chlorothalonil	Papaya	20
61.11	Chlorothalonil	Chlorothalonil	Pome fruits	1
61.12	Chlorothalonil	Chlorothalonil	Cherries	0.5

## Pesticide Residues in Food Regulation

219

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
61.13	Chlorothalonil	Chlorothalonil	Plums (including Prunes)	10
61.14	Chlorothalonil	Chlorothalonil	Apricot	7
61.15	Chlorothalonil	Chlorothalonil	Nectarine	7
61.16	Chlorothalonil	Chlorothalonil	Peach	30
61.17	Chlorothalonil	Chlorothalonil	Persimmon, Japanese	1
61.18	Chlorothalonil	Chlorothalonil	Rice	0.2
61.19	Chlorothalonil	Chlorothalonil	Wheat	0.1
61.20	Chlorothalonil	Chlorothalonil	Peppers, Chili (dry)	70
61.21	Chlorothalonil	Chlorothalonil	Ginger root	0.5
61.22	Chlorothalonil	Chlorothalonil	Mammalian fats (except milk fats)	0.07

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
61.23	Chlorothalonil	Chlorothalonil	Milks	0.07
61.24	Chlorothalonil	Chlorothalonil	Meat (from mammals other than marine mammals)	0.02
61.25	Chlorothalonil	Chlorothalonil	Edible offal (Mammalian)	0.2
61.26	Chlorothalonil	Chlorothalonil	Poultry fats	0.01
61.27	Chlorothalonil	Chlorothalonil	Poultry meat	0.01
61.28	Chlorothalonil	Chlorothalonil	Edible offal of poultry, except poultry skin	0.07
61.29	Chlorothalonil	Chlorothalonil	Poultry skin	0.01
61.30	Chlorothalonil	Chlorothalonil	Peanut	0.1
61.31	Chlorothalonil	Chlorothalonil	Almonds	0.1
61.32	Chlorothalonil	Chlorothalonil	Leek	40

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
61.33	Chlorothalonil	Chlorothalonil	Onion, Bulb	0.5
61.34	Chlorothalonil	Chlorothalonil	Onion, Chinese	10
61.35	Chlorothalonil	Chlorothalonil	Onion, Welsh	10
61.36	Chlorothalonil	Chlorothalonil	Spring onion	10
61.37	Chlorothalonil	Chlorothalonil	Flowerhead brassicas (includes Broccoli, Chinese Broccoli and Cauliflower)	5
61.38	Chlorothalonil	Chlorothalonil	Brussels sprouts	6
61.39	Chlorothalonil	Chlorothalonil	Fruiting vegetables, Cucurbits	5
61.40	Chlorothalonil	Chlorothalonil	Pulses	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
61.41	Chlorothalonil	Chlorothalonil	Leafy vegetables	5
61.42	Chlorothalonil	Chlorothalonil	"Fruiting vegetables, other than Cucurbits", except sweet peppers	5
61.43	Chlorothalonil	Chlorothalonil	Peppers, Sweet (including pimento or pimiento)	7
61.44	Chlorothalonil	Chlorothalonil	Common bean (young pods and/or succulent seeds)	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
61.45	Chlorothalonil	Chlorothalonil	Soya bean (succulent seeds)	2
61.46	Chlorothalonil	Chlorothalonil	Root and tuber vegetables, except carrot	0.3
61.47	Chlorothalonil	Chlorothalonil	Carrot	7
61.48	Chlorothalonil	Chlorothalonil	Celery	20
62.1	Chlorpropham	Chlorpropham	Milk fats	0.02
62.2	Chlorpropham	Chlorpropham	Milks	0.01
62.3	Chlorpropham	Chlorpropham	Cattle meat (Fat)	0.1
62.4	Chlorpropham	Chlorpropham	Edible offal of cattle	0.01
62.5	Chlorpropham	Chlorpropham	Potato	30
63.1	Chlorpyrifos	Chlorpyrifos	Wheat flour	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
63.2	Chlorpyrifos	Chlorpyrifos	Rice, husked	0.1
63.3	Chlorpyrifos	Chlorpyrifos	Rice, polished	0.1
63.4	Chlorpyrifos	Chlorpyrifos	Dried grapes (Currants, Raisins and Sultanas)	0.1
63.5	Chlorpyrifos	Chlorpyrifos	Sugar beet molasses	15
63.6	Chlorpyrifos	Chlorpyrifos	Tea, Green, Black	2
63.7	Chlorpyrifos	Chlorpyrifos	Cranberry	1
63.8	Chlorpyrifos	Chlorpyrifos	Grapes	1
63.9	Chlorpyrifos	Chlorpyrifos	Strawberry	0.3
63.10	Chlorpyrifos	Chlorpyrifos	Citrus fruits	2
63.11	Chlorpyrifos	Chlorpyrifos	Avocado	0.5
63.12	Chlorpyrifos	Chlorpyrifos	Banana	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
63.13	Chlorpyrifos	Chlorpyrifos	Kiwifruit	2
63.14	Chlorpyrifos	Chlorpyrifos	Longan	1
63.15	Chlorpyrifos	Chlorpyrifos	Litchi	1
63.16	Chlorpyrifos	Chlorpyrifos	Mango	0.05
63.17	Chlorpyrifos	Chlorpyrifos	Rambutan	0.5
63.18	Chlorpyrifos	Chlorpyrifos	Pome fruits	1
63.19	Chlorpyrifos	Chlorpyrifos	Stone fruits	1
63.20	Chlorpyrifos	Chlorpyrifos	Fig	0.01
63.21	Chlorpyrifos	Chlorpyrifos	Maize	0.05
63.22	Chlorpyrifos	Chlorpyrifos	Rice	0.5
63.23	Chlorpyrifos	Chlorpyrifos	Sorghum	0.5
63.24	Chlorpyrifos	Chlorpyrifos	Wheat	0.5
63.25	Chlorpyrifos	Chlorpyrifos	Chives	0.1
63.26	Chlorpyrifos	Chlorpyrifos	Lemongrass	1
63.27	Chlorpyrifos	Chlorpyrifos	Peppermint	2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
63.28	Chlorpyrifos	Chlorpyrifos	Spearmint	2
63.29	Chlorpyrifos	Chlorpyrifos	Spices, Seeds	5
63.30	Chlorpyrifos	Chlorpyrifos	Spices, Fruits and Berries	1
63.31	Chlorpyrifos	Chlorpyrifos	Spices, Roots and Rhizomes	1
63.32	Chlorpyrifos	Chlorpyrifos	Peppers, Chili (dry)	20
63.33	Chlorpyrifos	Chlorpyrifos	Cattle fat	0.3
63.34	Chlorpyrifos	Chlorpyrifos	Goat fat	0.2
63.35	Chlorpyrifos	Chlorpyrifos	Horse fat	0.25
63.36	Chlorpyrifos	Chlorpyrifos	Pig fat	0.2
63.37	Chlorpyrifos	Chlorpyrifos	Sheep fat	0.2
63.38	Chlorpyrifos	Chlorpyrifos	Milk of cattle, goats and sheep	0.02

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
63.39	Chlorpyrifos	Chlorpyrifos	Cattle meat (Fat)	1
63.40	Chlorpyrifos	Chlorpyrifos	Goat meat	0.05
63.41	Chlorpyrifos	Chlorpyrifos	Horse meat	0.25
63.42	Chlorpyrifos	Chlorpyrifos	Pig meat (Fat)	0.02
63.43	Chlorpyrifos	Chlorpyrifos	Sheep meat (Fat)	1
63.44	Chlorpyrifos	Chlorpyrifos	Edible offal of cattle, except kidney and liver	0.05
63.45	Chlorpyrifos	Chlorpyrifos	Edible offal of goat	0.05
63.46	Chlorpyrifos	Chlorpyrifos	Edible offal of horse	0.25
63.47	Chlorpyrifos	Chlorpyrifos	Edible offal of pig	0.01



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
63.48	Chlorpyrifos	Chlorpyrifos	Edible offal of sheep	0.01
63.49	Chlorpyrifos	Chlorpyrifos	Cattle kidney	0.01
63.50	Chlorpyrifos	Chlorpyrifos	Cattle liver	0.01
63.51	Chlorpyrifos	Chlorpyrifos	Cotton seed oil, crude	0.05
63.52	Chlorpyrifos	Chlorpyrifos	Citrus oil	20
63.53	Chlorpyrifos	Chlorpyrifos	Soya bean oil, edible	0.03
63.54	Chlorpyrifos	Chlorpyrifos	Maize oil, edible	0.2
63.55	Chlorpyrifos	Chlorpyrifos	Cotton seed oil, edible	0.05
63.56	Chlorpyrifos	Chlorpyrifos	Peanut oil, edible	0.2
63.57	Chlorpyrifos	Chlorpyrifos	Eggs	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
63.58	Chlorpyrifos	Chlorpyrifos	Poultry fats	0.1
63.59	Chlorpyrifos	Chlorpyrifos	Poultry meat (Fat)	0.01
63.60	Chlorpyrifos	Chlorpyrifos	Edible offal of poultry	0.01
63.61	Chlorpyrifos	Chlorpyrifos	Coffee beans	0.05
63.62	Chlorpyrifos	Chlorpyrifos	Cotton seed	0.3
63.63	Chlorpyrifos	Chlorpyrifos	Palm nut	0.05
63.64	Chlorpyrifos	Chlorpyrifos	Peanut	0.2
63.65	Chlorpyrifos	Chlorpyrifos	Sunflower seed	0.1
63.66	Chlorpyrifos	Chlorpyrifos	Almonds	0.05
63.67	Chlorpyrifos	Chlorpyrifos	Coconut	0.05
63.68	Chlorpyrifos	Chlorpyrifos	Hazelnuts	0.2
63.69	Chlorpyrifos	Chlorpyrifos	Pecan	0.05
63.70	Chlorpyrifos	Chlorpyrifos	Walnuts	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
63.71	Chlorpyrifos	Chlorpyrifos	Onion, Bulb	0.2
63.72	Chlorpyrifos	Chlorpyrifos	Shallot	0.2
63.73	Chlorpyrifos	Chlorpyrifos	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli	1
63.74	Chlorpyrifos	Chlorpyrifos	Broccoli	2
63.75	Chlorpyrifos	Chlorpyrifos	Fruiting vegetables, Cucurbits	0.05
63.76	Chlorpyrifos	Chlorpyrifos	Pulses, except dried soya bean	0.05
63.77	Chlorpyrifos	Chlorpyrifos	Soya bean (dry)	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
63.78	Chlorpyrifos	Chlorpyrifos	Leafy vegetables, except "Chinese cabbage (type Pe-tsai)"	0.1
63.79	Chlorpyrifos	Chlorpyrifos	Chinese cabbage (type Pe-tsai)	1
63.80	Chlorpyrifos	Chlorpyrifos	"Fruiting vegetables, other than Cucurbits", except peppers	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
63.81	Chlorpyrifos	Chlorpyrifos	Peppers (including Peppers, Chili and Peppers, Sweet), except sweet peppers	1
63.82	Chlorpyrifos	Chlorpyrifos	Peppers, Sweet (including pimiento or pimiento)	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
63.83	Chlorpyrifos	Chlorpyrifos	Legume vegetables, except common bean (young pods and/or succulent seeds), peas (young pods and succulent seeds) and soya bean (succulent seeds)	0.05
63.84	Chlorpyrifos	Chlorpyrifos	Peas (young pods and succulent seeds)	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
63.85	Chlorpyrifos	Chlorpyrifos	Common bean (young pods and/or succulent seeds)	0.01
63.86	Chlorpyrifos	Chlorpyrifos	Soya bean (succulent seeds)	0.3
63.87	Chlorpyrifos	Chlorpyrifos	Radish	2
63.88	Chlorpyrifos	Chlorpyrifos	Swede	0.5
63.89	Chlorpyrifos	Chlorpyrifos	Turnip, Garden	1
63.90	Chlorpyrifos	Chlorpyrifos	Sweet potato	0.05
63.91	Chlorpyrifos	Chlorpyrifos	Carrot	0.1
63.92	Chlorpyrifos	Chlorpyrifos	Potato	2
63.93	Chlorpyrifos	Chlorpyrifos	Sugar beet	0.05
63.94	Chlorpyrifos	Chlorpyrifos	Yams	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
63.95	Chlorpyrifos	Chlorpyrifos	Stalk and stem vegetables	0.05
64.1	Chlorpyrifos methyl	Chlorpyrifos methyl	Wheat bran, unprocessed	20
64.2	Chlorpyrifos methyl	Chlorpyrifos methyl	Grapes	1
64.3	Chlorpyrifos methyl	Chlorpyrifos methyl	Strawberry	0.06
64.4	Chlorpyrifos methyl	Chlorpyrifos methyl	Citrus fruits	2
64.5	Chlorpyrifos methyl	Chlorpyrifos methyl	Milk fats	0.01
64.6	Chlorpyrifos methyl	Chlorpyrifos methyl	Pome fruits	1
64.7	Chlorpyrifos methyl	Chlorpyrifos methyl	Stone fruits	0.5
64.8	Chlorpyrifos methyl	Chlorpyrifos methyl	Cereal grains, except sorghum and wheat	5
64.9	Chlorpyrifos methyl	Chlorpyrifos methyl	Sorghum	10
64.10	Chlorpyrifos methyl	Chlorpyrifos methyl	Wheat	10
64.11	Chlorpyrifos methyl	Chlorpyrifos methyl	Spices, Seeds	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
64.12	Chlorpyrifos methyl	Chlorpyrifos methyl	Spices, Fruits and Berries	0.3
64.13	Chlorpyrifos methyl	Chlorpyrifos methyl	Spices, Roots and Rhizomes	5
64.14	Chlorpyrifos methyl	Chlorpyrifos methyl	Peppers, Chili (dry)	10
64.15	Chlorpyrifos methyl	Chlorpyrifos methyl	Milks	0.01
64.16	Chlorpyrifos methyl	Chlorpyrifos methyl	Meat (from mammals other than marine mammals) (Fat)	0.1
64.17	Chlorpyrifos methyl	Chlorpyrifos methyl	Edible offal (Mammalian)	0.01
64.18	Chlorpyrifos methyl	Chlorpyrifos methyl	Eggs	0.01
64.19	Chlorpyrifos methyl	Chlorpyrifos methyl	Poultry meat (Fat)	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
64.20	Chlorpyrifos methyl	Chlorpyrifos methyl	Edible offal of poultry	0.01
64.21	Chlorpyrifos methyl	Chlorpyrifos methyl	Cotton seed	0.02
64.22	Chlorpyrifos methyl	Chlorpyrifos methyl	Cabbages, Head	0.1
64.23	Chlorpyrifos methyl	Chlorpyrifos methyl	Pulses	5
64.24	Chlorpyrifos methyl	Chlorpyrifos methyl	Peppers (including Peppers, Chili and Peppers, Sweet)	1
64.25	Chlorpyrifos methyl	Chlorpyrifos methyl	Egg plant	1
64.26	Chlorpyrifos methyl	Chlorpyrifos methyl	Tomato	1
64.27	Chlorpyrifos methyl	Chlorpyrifos methyl	Root and tuber vegetables	5
65.1	Chlorsulfuron	Chlorsulfuron	Cattle fat	0.3
65.2	Chlorsulfuron	Chlorsulfuron	Goat fat	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
65.3	Chlorsulfuron	Chlorsulfuron	Horse fat	0.3
65.4	Chlorsulfuron	Chlorsulfuron	Pig fat	0.3
65.5	Chlorsulfuron	Chlorsulfuron	Sheep fat	0.3
65.6	Chlorsulfuron	Chlorsulfuron	Milks	0.1
65.7	Chlorsulfuron	Chlorsulfuron	Cattle meat	0.3
65.8	Chlorsulfuron	Chlorsulfuron	Goat meat	0.3
65.9	Chlorsulfuron	Chlorsulfuron	Horse meat	0.3
65.10	Chlorsulfuron	Chlorsulfuron	Pig meat	0.3
65.11	Chlorsulfuron	Chlorsulfuron	Sheep meat	0.3
65.12	Chlorsulfuron	Chlorsulfuron	Edible offal of cattle	0.3
65.13	Chlorsulfuron	Chlorsulfuron	Edible offal of goat	0.3
65.14	Chlorsulfuron	Chlorsulfuron	Edible offal of horse	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
65.15	Chlorsulfuron	Chlorsulfuron	Edible offal of pig	0.3
65.16	Chlorsulfuron	Chlorsulfuron	Edible offal of sheep	0.3
66.1	Chlortoluron	Chlortoluron	Barley	0.1
66.2	Chlortoluron	Chlortoluron	Maize	0.1
66.3	Chlortoluron	Chlortoluron	Oats	0.1
66.4	Chlortoluron	Chlortoluron	Rye	0.1
66.5	Chlortoluron	Chlortoluron	Wheat	0.1
66.6	Chlortoluron	Chlortoluron	Soya bean (dry)	0.1
67.1	Clodinafop propargyl	Sum of clodinafop-propargyl and clodinafop	Wheat	0.1
68.1	Clofencet	Clofencet, expressed as the free acid	Cattle fat	0.04
68.2	Clofencet	Clofencet, expressed as the free acid	Goat fat	0.04

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
68.3	Clofencet	Clofencet, expressed as the free acid	Horse fat	0.04
68.4	Clofencet	Clofencet, expressed as the free acid	Pig fat	0.04
68.5	Clofencet	Clofencet, expressed as the free acid	Sheep fat	0.04
68.6	Clofencet	Clofencet, expressed as the free acid	Milks	0.02
68.7	Clofencet	Clofencet, expressed as the free acid	Cattle meat	0.15
68.8	Clofencet	Clofencet, expressed as the free acid	Goat meat	0.15
68.9	Clofencet	Clofencet, expressed as the free acid	Horse meat	0.15
68.10	Clofencet	Clofencet, expressed as the free acid	Pig meat	0.15

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
68.11	Clofencet	Clofencet, expressed as the free acid	Sheep meat	0.15
68.12	Clofencet	Clofencet, expressed as the free acid	Cattle kidney	10
68.13	Clofencet	Clofencet, expressed as the free acid	Pig kidney	10
68.14	Clofencet	Clofencet, expressed as the free acid	Sheep kidney	10
68.15	Clofencet	Clofencet, expressed as the free acid	Horse kidney	10
68.16	Clofencet	Clofencet, expressed as the free acid	Eggs	1
68.17	Clofencet	Clofencet, expressed as the free acid	Poultry fats	0.04
68.18	Clofencet	Clofencet, expressed as the free acid	Poultry meat	0.15

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
68.19	Clofencet	Clofencet, expressed as the free acid	Edible offal of poultry	0.2
69.1	Clofentezine	Clofentezine	Dried grapes (Currants, Raisins and Sultanas)	2
69.2	Clofentezine	Clofentezine	Currants, Black, Red, White	0.2
69.3	Clofentezine	Clofentezine	Grapes	2
69.4	Clofentezine	Clofentezine	Strawberry	2
69.5	Clofentezine	Clofentezine	Citrus fruits	0.5
69.6	Clofentezine	Clofentezine	Pome fruits	0.5
69.7	Clofentezine	Clofentezine	Stone fruits	0.5
69.8	Clofentezine	Clofentezine	Date	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
69.9	Clofentezine	Sum of all compounds containing the 2-chlorobenzoyl moiety, expressed as clofentezine	Milks	0.05
69.10	Clofentezine	Sum of all compounds containing the 2-chlorobenzoyl moiety, expressed as clofentezine	Meat (from mammals other than marine mammals)	0.05
69.11	Clofentezine	Sum of all compounds containing the 2-chlorobenzoyl moiety, expressed as clofentezine	Edible offal (Mammalian)	0.05
69.12	Clofentezine	Sum of all compounds containing the 2-chlorobenzoyl moiety, expressed as clofentezine	Eggs	0.05



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
69.13	Clofentezine	Sum of all compounds containing the 2-chlorobenzoyl moiety, expressed as clofentezine	Poultry meat	0.05
69.14	Clofentezine	Sum of all compounds containing the 2-chlorobenzoyl moiety, expressed as clofentezine	Edible offal of poultry	0.05
69.15	Clofentezine	Clofentezine	Tree nuts	0.5
69.16	Clofentezine	Clofentezine	Melons, except watermelon	0.1
69.17	Clofentezine	Clofentezine	Cucumber	0.5
69.18	Clofentezine	Clofentezine	Tomato	0.5
70.1	Clomazone	Clomazone	Rice	0.02
70.2	Clomazone	Clomazone	Sugar cane	0.05
70.3	Clomazone	Clomazone	Peppermint	0.05
70.4	Clomazone	Clomazone	Spearmint	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
70.5	Clomazone	Clomazone	Cotton seed	0.05
70.6	Clomazone	Clomazone	"Fruiting vegetables, Cucurbits", except cucumber, summer squash and winter squash	0.05
70.7	Clomazone	Clomazone	Cucumber	0.1
70.8	Clomazone	Clomazone	Summer squash	0.1
70.9	Clomazone	Clomazone	Winter squash	0.1
70.10	Clomazone	Clomazone	Peppers (including Peppers, Chili and Peppers, Sweet)	0.05
70.11	Clomazone	Clomazone	Sweet potato	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
71.1	Clopyralid	Clopyralid	Wheat germ	12
71.2	Clopyralid	Clopyralid	Prunes	1.5
71.3	Clopyralid	Clopyralid	Hops, dry	5
71.4	Clopyralid	Clopyralid	Sugar beet molasses	10
71.5	Clopyralid	Clopyralid	Cranberry	4
71.6	Clopyralid	Clopyralid	Strawberry	4
71.7	Clopyralid	Clopyralid	Stone fruits	0.5
71.8	Clopyralid	Clopyralid	Barley	3
71.9	Clopyralid	Clopyralid	Maize	1
71.10	Clopyralid	Clopyralid	Oats	3
71.11	Clopyralid	Clopyralid	Wheat	3
71.12	Clopyralid	Clopyralid	Popcorn	1
71.13	Clopyralid	Clopyralid	Peppermint	3
71.14	Clopyralid	Clopyralid	Spearmint	3

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
71.15	Clopyralid	Clopyralid	Cattle fat	1
71.16	Clopyralid	Clopyralid	Goat fat	1
71.17	Clopyralid	Clopyralid	Horse fat	1
71.18	Clopyralid	Clopyralid	Pig fat	0.2
71.19	Clopyralid	Clopyralid	Sheep fat	1
71.20	Clopyralid	Clopyralid	Milks	0.2
71.21	Clopyralid	Clopyralid	Cattle meat	1
71.22	Clopyralid	Clopyralid	Goat meat	1
71.23	Clopyralid	Clopyralid	Horse meat	1
71.24	Clopyralid	Clopyralid	Pig meat	0.2
71.25	Clopyralid	Clopyralid	Sheep meat	1
71.26	Clopyralid	Clopyralid	Edible offal of pig	0.2
71.27	Clopyralid	Clopyralid	Cattle liver	3
71.28	Clopyralid	Clopyralid	Sheep liver	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
71.29	Clopyralid	Clopyralid	Horse liver	3
71.30	Clopyralid	Clopyralid	Eggs	0.1
71.31	Clopyralid	Clopyralid	Poultry fats	0.2
71.32	Clopyralid	Clopyralid	Poultry meat	0.2
71.33	Clopyralid	Clopyralid	Edible offal of poultry	0.2
71.34	Clopyralid	Clopyralid	Mustard seed	3
71.35	Clopyralid	Clopyralid	Rape seed	3
71.36	Clopyralid	Clopyralid	Flaxseed	3
71.37	Clopyralid	Clopyralid	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
71.38	Clopyralid	Clopyralid	Chard	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
71.39	Clopyralid	Clopyralid	Mustard greens	5
71.40	Clopyralid	Clopyralid	Spinach	5
71.41	Clopyralid	Clopyralid	Turnip greens	4
71.42	Clopyralid	Clopyralid	Sweet corn (corn-on-the-cob)	1
71.43	Clopyralid	Clopyralid	Swede	1
71.44	Clopyralid	Clopyralid	Beetroot	4
71.45	Clopyralid	Clopyralid	Sugar beet	2
71.46	Clopyralid	Clopyralid	Asparagus	1
72.1	Clothianidin	Sum of clothianidin and its Z-isomers	Prunes	0.2
72.2	Clothianidin	Sum of clothianidin and its Z-isomers	Tea, Green, Black	0.7

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
72.3	Clothianidin	Sum of clothianidin and its Z-isomers	Berries and other small fruits, except grapes	0.07
72.4	Clothianidin	Sum of clothianidin and its Z-isomers	Citrus fruits	0.07
72.5	Clothianidin	Sum of clothianidin and its Z-isomers	Papaya	0.01
72.6	Clothianidin	Sum of clothianidin and its Z-isomers	Pineapple	0.01
72.7	Clothianidin	Sum of clothianidin and its Z-isomers	Stone fruits	0.2
72.8	Clothianidin	Sum of clothianidin and its Z-isomers	Barley	0.04
72.9	Clothianidin	Sum of clothianidin and its Z-isomers	Maize	0.02

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
72.10	Clothianidin	Sum of clothianidin and its Z-isomers	Wheat	0.02
72.11	Clothianidin	Sum of clothianidin and its Z-isomers	Popcorn	0.01
72.12	Clothianidin	Sum of clothianidin and its Z-isomers	Peppers, Chili (dry)	0.5
72.13	Clothianidin	Sum of clothianidin and its Z-isomers	Liver of cattle, goats, pigs and sheep	0.2
72.14	Clothianidin	Sum of clothianidin and its Z-isomers	Edible offal of poultry	0.1
72.15	Clothianidin	Sum of clothianidin and its Z-isomers	Cacao beans	0.02
72.16	Clothianidin	Sum of clothianidin and its Z-isomers	Coffee beans	0.05
72.17	Clothianidin	Sum of clothianidin and its Z-isomers	Oilseed	0.02

## Pesticide Residues in Food Regulation

252

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
72.18	Clothianidin	Sum of clothianidin and its Z-isomers	Pecan	0.01
72.19	Clothianidin	Sum of clothianidin and its Z-isomers	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	0.2
72.20	Clothianidin	Sum of clothianidin and its Z-isomers	Fruiting vegetables, Cucurbits	0.02
72.21	Clothianidin	Sum of clothianidin and its Z-isomers	Pulses	0.02
72.22	Clothianidin	Sum of clothianidin and its Z-isomers	Leafy vegetables	2

## Pesticide Residues in Food Regulation

253

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
72.23	Clothianidin	Sum of clothianidin and its Z-isomers	Fruiting vegetables, other than Cucurbits	0.05
72.24	Clothianidin	Sum of clothianidin and its Z-isomers	Legume vegetables	0.01
72.25	Clothianidin	Sum of clothianidin and its Z-isomers	Artichoke, Globe	0.05
72.26	Clothianidin	Sum of clothianidin and its Z-isomers	Celery	0.04
73.1	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Cattle fat	1
73.2	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Goat fat	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
73.3	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Horse fat	1
73.4	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Pig fat	1
73.5	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Sheep fat	1
73.6	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Cattle meat	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
73.7	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Goat meat	1
73.8	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Horse meat	1
73.9	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Pig meat	1
73.10	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Sheep meat	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
73.11	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Edible offal of cattle	1
73.12	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Edible offal of goat	1
73.13	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Edible offal of horse	1
73.14	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Edible offal of pig	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
73.15	Coumaphos	Sum of coumaphos and O,O-diethyl O-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphate	Edible offal of sheep	1
74.1	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Blackberries	7
74.2	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Cranberry	7
74.3	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Dewberries (including Boysenberry and Loganberry)	7
74.4	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Grapes	7

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

258

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
74.5	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Strawberry	7
74.6	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Blueberries	7
74.7	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Youngberry	7
74.8	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Citrus fruits	7
74.9	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Kiwi fruit	15
74.10	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Plums (including Prunes)	7

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

259

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
74.11	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Apricot	7
74.12	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Nectarine	7
74.13	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Peach	7
74.14	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Broccoli	7
74.15	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Brussels sprouts	7
74.16	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Cauliflower	7



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
74.17	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Kohlrabi	7
74.18	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Cucumber	7
74.19	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Summer squash	7
74.20	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Winter squash	7
74.21	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Kale	7
74.22	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Lettuce, Head	7

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
74.23	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Lettuce, Leaf	7
74.24	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Peppers (including Peppers, Chili and Peppers, Sweet)	7
74.25	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Egg plant	7
74.26	Cryolite	Sum of cryolite and synthetic cryolite (sodium aluminum fluoride)	Tomato	7
75.1	Cyanide	Cyanide	Cereal grains	5
75.2	Cyanide	Cyanide	Pulses	5
75.3	Cyanide	Cyanide	Root and tuber vegetables	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
76.1	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Cattle fat	0.1
76.2	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Goat fat	0.1
76.3	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Horse fat	0.1
76.4	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Pig fat	0.1
76.5	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Sheep fat	0.1
76.6	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Milks	0.04

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
76.7	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Cattle meat	0.02
76.8	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Goat meat	0.02
76.9	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Horse meat	0.02
76.10	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Pig meat	0.02
76.11	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Sheep meat	0.2
76.12	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Cattle kidney	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
76.13	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Pig kidney	2
76.14	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Sheep kidney	2
76.15	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Horse kidney	2
76.16	Cyclanilide	Cyclanilide, determined as 2,4-dichloroaniline and expressed as cyclanilide	Cotton seed	0.6
77.1	Cycloate	Cycloate	Spinach	0.05
77.2	Cycloate	Cycloate	Beetroot	0.05
77.3	Cycloate	Cycloate	Sugar beet	0.05
78.1	Cyfluthrin	Cyfluthrin (sum of isomers)	Hops, dry	20

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
78.2	Cyfluthrin	Cyfluthrin (sum of isomers)	Sugar cane molasses	0.2
78.3	Cyfluthrin	Cyfluthrin (sum of isomers)	Grapes	1
78.4	Cyfluthrin	Cyfluthrin (sum of isomers)	Citrus fruits	0.3
78.5	Cyfluthrin	Cyfluthrin (sum of isomers)	Avocado	0.1
78.6	Cyfluthrin	Cyfluthrin (sum of isomers)	Milk fats	5
78.7	Cyfluthrin	Cyfluthrin (sum of isomers)	Pome fruits	0.5
78.8	Cyfluthrin	Cyfluthrin (sum of isomers)	Stone fruits	0.3
78.9	Cyfluthrin	Cyfluthrin (sum of isomers)	Barley	0.15
78.10	Cyfluthrin	Cyfluthrin (sum of isomers)	Buckwheat	0.15
78.11	Cyfluthrin	Cyfluthrin (sum of isomers)	Maize	0.05
78.12	Cyfluthrin	Cyfluthrin (sum of isomers)	Millet	0.15
78.13	Cyfluthrin	Cyfluthrin (sum of isomers)	Oats	0.15
78.14	Cyfluthrin	Cyfluthrin (sum of isomers)	Rye	0.15
78.15	Cyfluthrin	Cyfluthrin (sum of isomers)	Sorghum	3.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
78.16	Cyfluthrin	Cyfluthrin (sum of isomers)	Triticale	0.15
78.17	Cyfluthrin	Cyfluthrin (sum of isomers)	Wheat	0.15
78.18	Cyfluthrin	Cyfluthrin (sum of isomers)	Popcorn	0.05
78.19	Cyfluthrin	Cyfluthrin (sum of isomers)	Teosinte	0.05
78.20	Cyfluthrin	Cyfluthrin (sum of isomers)	Sugar cane	0.05
78.21	Cyfluthrin	Cyfluthrin (sum of isomers)	Spices, Fruits and Berries	0.03
78.22	Cyfluthrin	Cyfluthrin (sum of isomers)	Spices, Roots and Rhizomes	0.05
78.23	Cyfluthrin	Cyfluthrin (sum of isomers)	Peppers, Chili (dry)	1
78.24	Cyfluthrin	Cyfluthrin (sum of isomers)	Cattle fat	2
78.25	Cyfluthrin	Cyfluthrin (sum of isomers)	Goat fat	2
78.26	Cyfluthrin	Cyfluthrin (sum of isomers)	Horse fat	2
78.27	Cyfluthrin	Cyfluthrin (sum of isomers)	Pig fat	0.5
78.28	Cyfluthrin	Cyfluthrin (sum of isomers)	Sheep fat	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
78.29	Cyfluthrin	Cyfluthrin (sum of isomers)	Milks (F)	0.04
78.30	Cyfluthrin	Cyfluthrin (sum of isomers)	Meat (from mammals other than marine mammals) (Fat)	1
78.31	Cyfluthrin	Cyfluthrin (sum of isomers)	Kidney of cattle, goats, pigs and sheep	0.05
78.32	Cyfluthrin	Cyfluthrin (sum of isomers)	Liver of cattle, goats, pigs and sheep	0.05
78.33	Cyfluthrin	Cyfluthrin (sum of isomers)	Edible offal of cattle, except kidney and liver	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
78.34	Cyfluthrin	Cyfluthrin (sum of isomers)	Edible offal of goat, except kidney and liver	0.05
78.35	Cyfluthrin	Cyfluthrin (sum of isomers)	Edible offal of horse	0.05
78.36	Cyfluthrin	Cyfluthrin (sum of isomers)	Edible offal of pig, except kidney and liver	0.01
78.37	Cyfluthrin	Cyfluthrin (sum of isomers)	Edible offal of sheep, except kidney and liver	0.05
78.38	Cyfluthrin	Cyfluthrin (sum of isomers)	Cotton seed oil, crude	1
78.39	Cyfluthrin	Cyfluthrin (sum of isomers)	Citrus oil	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
78.40	Cyfluthrin	Cyfluthrin (sum of isomers)	Cotton seed oil, edible	2
78.41	Cyfluthrin	Cyfluthrin (sum of isomers)	Eggs	0.01
78.42	Cyfluthrin	Cyfluthrin (sum of isomers)	Poultry fats	0.01
78.43	Cyfluthrin	Cyfluthrin (sum of isomers)	Poultry meat (Fat)	0.01
78.44	Cyfluthrin	Cyfluthrin (sum of isomers)	Edible offal of poultry	0.01
78.45	Cyfluthrin	Cyfluthrin (sum of isomers)	Rape seed	0.07
78.46	Cyfluthrin	Cyfluthrin (sum of isomers)	Cotton seed	0.7
78.47	Cyfluthrin	Cyfluthrin (sum of isomers)	Peanut	0.01
78.48	Cyfluthrin	Cyfluthrin (sum of isomers)	Sunflower seed	0.02
78.49	Cyfluthrin	Cyfluthrin (sum of isomers)	Tree nuts	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
78.50	Cyfluthrin	Cyfluthrin (sum of isomers)	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except cauliflower	0.1
78.51	Cyfluthrin	Cyfluthrin (sum of isomers)	Cauliflower	2
78.52	Cyfluthrin	Cyfluthrin (sum of isomers)	Fruiting vegetables, Cucurbits	0.1
78.53	Cyfluthrin	Cyfluthrin (sum of isomers)	Pulses, except dried soya bean	0.15

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
78.54	Cyfluthrin	Cyfluthrin (sum of isomers)	Leafy vegetables, except brassica leafy vegetables, head lettuce and leaf lettuce	6
78.55	Cyfluthrin	Cyfluthrin (sum of isomers)	Brassica leafy vegetables	7
78.56	Cyfluthrin	Cyfluthrin (sum of isomers)	Lettuce, Head	2
78.57	Cyfluthrin	Cyfluthrin (sum of isomers)	Lettuce, Leaf	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
78.58	Cyfluthrin	Cyfluthrin (sum of isomers)	"Fruiting vegetables, other than Cucurbits", except egg plant, peppers, sweet corn (corn-on-the-cob) and tomato	0.5
78.59	Cyfluthrin	Cyfluthrin (sum of isomers)	Peppers (including Peppers, Chili and Peppers, Sweet)	0.2
78.60	Cyfluthrin	Cyfluthrin (sum of isomers)	Egg plant	0.2
78.61	Cyfluthrin	Cyfluthrin (sum of isomers)	Sweet corn (corn-on-the-cob)	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
78.62	Cyfluthrin	Cyfluthrin (sum of isomers)	Tomato	0.2
78.63	Cyfluthrin	Cyfluthrin (sum of isomers)	Legume vegetables	0.5
78.64	Cyfluthrin	Cyfluthrin (sum of isomers)	Root and tuber vegetables, except radish	0.5
78.65	Cyfluthrin	Cyfluthrin (sum of isomers)	Radish	1
78.66	Cyfluthrin	Cyfluthrin (sum of isomers)	Tomato paste	0.5
79.1	Cyhalothrin	Cyhalothrin (sum of all isomers)	Wheat bran, unprocessed	0.1
79.2	Cyhalothrin	Cyhalothrin (sum of all isomers)	Dried grapes (Currants, Raisins and Sultanas)	0.3
79.3	Cyhalothrin	Cyhalothrin (sum of all isomers)	Berries and other small fruits	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
79.4	Cyhalothrin	Cyhalothrin (sum of all isomers)	Citrus fruits	0.2
79.5	Cyhalothrin	Cyhalothrin (sum of all isomers)	Durian	0.5
79.6	Cyhalothrin	Cyhalothrin (sum of all isomers)	Longan	0.5
79.7	Cyhalothrin	Cyhalothrin (sum of all isomers)	Litchi	0.5
79.8	Cyhalothrin	Cyhalothrin (sum of all isomers)	Mango	0.2
79.9	Cyhalothrin	Cyhalothrin (sum of all isomers)	Rambutan	0.5
79.10	Cyhalothrin	Cyhalothrin (sum of all isomers)	Pome fruits	0.2
79.11	Cyhalothrin	Cyhalothrin (sum of all isomers)	Cherries	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
79.12	Cyhalothrin	Cyhalothrin (sum of all isomers)	Plums (including Prunes), except prunes	0.2
79.13	Cyhalothrin	Cyhalothrin (sum of all isomers)	Apricot	0.5
79.14	Cyhalothrin	Cyhalothrin (sum of all isomers)	Nectarine	0.5
79.15	Cyhalothrin	Cyhalothrin (sum of all isomers)	Peach	0.5
79.16	Cyhalothrin	Cyhalothrin (sum of all isomers)	Olives	1
79.17	Cyhalothrin	Cyhalothrin (sum of all isomers)	Barley	0.5
79.18	Cyhalothrin	Cyhalothrin (sum of all isomers)	Maize	0.02



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
79.19	Cyhalothrin	Cyhalothrin (sum of all isomers)	Oats	0.05
79.20	Cyhalothrin	Cyhalothrin (sum of all isomers)	Rice	1
79.21	Cyhalothrin	Cyhalothrin (sum of all isomers)	Rye	0.05
79.22	Cyhalothrin	Cyhalothrin (sum of all isomers)	Sorghum	0.2
79.23	Cyhalothrin	Cyhalothrin (sum of all isomers)	Triticale	0.05
79.24	Cyhalothrin	Cyhalothrin (sum of all isomers)	Wheat	0.05
79.25	Cyhalothrin	Cyhalothrin (sum of all isomers)	Sugar cane	0.05
79.26	Cyhalothrin	Cyhalothrin (sum of all isomers)	Spices, Fruits and Berries	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
79.27	Cyhalothrin	Cyhalothrin (sum of all isomers)	Spices, Roots and Rhizomes	0.05
79.28	Cyhalothrin	Cyhalothrin (sum of all isomers)	Peppers, Chili (dry)	3
79.29	Cyhalothrin	Cyhalothrin (sum of all isomers)	Milks (F)	0.5
79.30	Cyhalothrin	Cyhalothrin (sum of all isomers)	Meat (from mammals other than marine mammals) (Fat)	3
79.31	Cyhalothrin	Cyhalothrin (sum of all isomers)	Kidney of cattle, goats, pigs and sheep	0.2
79.32	Cyhalothrin	Cyhalothrin (sum of all isomers)	Liver of cattle, goats, pigs and sheep	0.05
79.33	Cyhalothrin	Cyhalothrin (sum of all isomers)	Cotton seed oil, edible	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
79.34	Cyhalothrin	Cyhalothrin (sum of all isomers)	Cacao beans	0.02
79.35	Cyhalothrin	Cyhalothrin (sum of all isomers)	Oilseed	0.2
79.36	Cyhalothrin	Cyhalothrin (sum of all isomers)	Tree nuts	0.01
79.37	Cyhalothrin	Cyhalothrin (sum of all isomers)	Bulb vegetables	0.2
79.38	Cyhalothrin	Cyhalothrin (sum of all isomers)	Cabbages, Head	0.3
79.39	Cyhalothrin	Cyhalothrin (sum of all isomers)	Flowerhead brassicas (includes Broccoli, Chinese Broccoli and Cauliflower)	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
79.40	Cyhalothrin	Cyhalothrin (sum of all isomers)	Fruiting vegetables, Cucurbits	0.05
79.41	Cyhalothrin	Cyhalothrin (sum of all isomers)	Pulses	0.05
79.42	Cyhalothrin	Cyhalothrin (sum of all isomers)	Leafy vegetables	0.2
79.43	Cyhalothrin	Cyhalothrin (sum of all isomers)	"Fruiting vegetables, other than Cucurbits", except mushrooms	0.3
79.44	Cyhalothrin	Cyhalothrin (sum of all isomers)	Legume vegetables	0.2
79.45	Cyhalothrin	Cyhalothrin (sum of all isomers)	Root and tuber vegetables	0.01

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

280

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
79.46	Cyhalothrin	Cyhalothrin (sum of all isomers)	Asparagus	0.02
80.1	Cyhexatin	Cyhexatin	Currants, Black, Red, White	0.1
80.2	Cyhexatin	Cyhexatin	Grapes	0.3
80.3	Cyhexatin	Cyhexatin	Oranges, Sweet, Sour	0.2
80.4	Cyhexatin	Cyhexatin	Apple	0.2
80.5	Cyhexatin	Cyhexatin	Pear	0.2
80.6	Cyhexatin	Cyhexatin	Peppers, Chili (dry)	5
81.1	Cymoxanil	Cymoxanil	Hops, dry	7
81.2	Cymoxanil	Cymoxanil	Grapes	1
81.3	Cymoxanil	Cymoxanil	Fruiting vegetables, Cucurbits	0.05

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

281

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
81.4	Cymoxanil	Cymoxanil	Fruiting vegetables, other than Cucurbits	0.2
81.5	Cymoxanil	Cymoxanil	Potato	0.05
82.1	Cypermethrin	Cypermethrin (sum of isomers)	Wheat bran, unprocessed	5
82.2	Cypermethrin	Cypermethrin (sum of isomers)	Dried grapes (Currants, Raisins and Sultanas)	0.5
82.3	Cypermethrin	Cypermethrin (sum of isomers)	Tea, Green, Black	20
82.4	Cypermethrin	Cypermethrin (sum of isomers)	Grapes	0.2
82.5	Cypermethrin	Cypermethrin (sum of isomers)	Strawberry	0.07
82.6	Cypermethrin	Cypermethrin (sum of isomers)	Citrus fruits	2
82.7	Cypermethrin	Cypermethrin (sum of isomers)	Avocado	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
82.8	Cypermethrin	Cypermethrin (sum of isomers)	Durian	1
82.9	Cypermethrin	Cypermethrin (sum of isomers)	Longan	1
82.10	Cypermethrin	Cypermethrin (sum of isomers)	Litchi	2
82.11	Cypermethrin	Cypermethrin (sum of isomers)	Mango	0.7
82.12	Cypermethrin	Cypermethrin (sum of isomers)	Papaya	0.5
82.13	Cypermethrin	Cypermethrin (sum of isomers)	Milk fats	0.5
82.14	Cypermethrin	Cypermethrin (sum of isomers)	Pome fruits	2
82.15	Cypermethrin	Cypermethrin (sum of isomers)	Stone fruits	2
82.16	Cypermethrin	Cypermethrin (sum of isomers)	Carambola	0.2
82.17	Cypermethrin	Cypermethrin (sum of isomers)	Olives	0.05
82.18	Cypermethrin	Cypermethrin (sum of isomers)	Persimmon, Japanese	2
82.19	Cypermethrin	Cypermethrin (sum of isomers)	Cereal grains, except barley, oats, rice, rye and wheat	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
82.20	Cypermethrin	Cypermethrin (sum of isomers)	Barley	2
82.21	Cypermethrin	Cypermethrin (sum of isomers)	Oats	2
82.22	Cypermethrin	Cypermethrin (sum of isomers)	Rice	2
82.23	Cypermethrin	Cypermethrin (sum of isomers)	Rye	2
82.24	Cypermethrin	Cypermethrin (sum of isomers)	Wheat	2
82.25	Cypermethrin	Cypermethrin (sum of isomers)	Sugar cane	0.2
82.26	Cypermethrin	Cypermethrin (sum of isomers)	Rue	6
82.27	Cypermethrin	Cypermethrin (sum of isomers)	Lemongrass	6
82.28	Cypermethrin	Cypermethrin (sum of isomers)	Spices, Fruits and Berries	0.5
82.29	Cypermethrin	Cypermethrin (sum of isomers)	Spices, Roots and Rhizomes	0.2
82.30	Cypermethrin	Cypermethrin (sum of isomers)	Peppers, Chili (dry)	10
82.31	Cypermethrin	Cypermethrin (sum of isomers)	Cattle fat	1
82.32	Cypermethrin	Cypermethrin (sum of isomers)	Goat fat	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
82.33	Cypermethrin	Cypermethrin (sum of isomers)	Horse fat	1
82.34	Cypermethrin	Cypermethrin (sum of isomers)	Pig fat	0.1
82.35	Cypermethrin	Cypermethrin (sum of isomers)	Sheep fat	1
82.36	Cypermethrin	Cypermethrin (sum of isomers)	Milks	0.05
82.37	Cypermethrin	Cypermethrin (sum of isomers)	Meat (from mammals other than marine mammals) (Fat)	2
82.38	Cypermethrin	Cypermethrin (sum of isomers)	Edible offal (Mammalian)	0.05
82.39	Cypermethrin	Cypermethrin (sum of isomers)	Olive oil, virgin	0.5
82.40	Cypermethrin	Cypermethrin (sum of isomers)	Citrus oil	4
82.41	Cypermethrin	Cypermethrin (sum of isomers)	Olive oil, edible	0.5
82.42	Cypermethrin	Cypermethrin (sum of isomers)	Eggs	0.01
82.43	Cypermethrin	Cypermethrin (sum of isomers)	Poultry fats	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
82.44	Cypermethrin	Cypermethrin (sum of isomers)	Poultry meat (Fat)	0.1
82.45	Cypermethrin	Cypermethrin (sum of isomers)	Edible offal of poultry	0.05
82.46	Cypermethrin	Cypermethrin (sum of isomers)	Coffee beans	0.05
82.47	Cypermethrin	Cypermethrin (sum of isomers)	Oilseed, except cotton seed	0.1
82.48	Cypermethrin	Cypermethrin (sum of isomers)	Cotton seed	0.2
82.49	Cypermethrin	Cypermethrin (sum of isomers)	Pecan	0.05
82.50	Cypermethrin	Cypermethrin (sum of isomers)	Fennel, Bulb	6
82.51	Cypermethrin	Cypermethrin (sum of isomers)	Leek	0.05
82.52	Cypermethrin	Cypermethrin (sum of isomers)	Onion, Bulb	0.01
82.53	Cypermethrin	Cypermethrin (sum of isomers)	Onion, Welsh	5
82.54	Cypermethrin	Cypermethrin (sum of isomers)	Shallot	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
82.55	Cypermethrin	Cypermethrin (sum of isomers)	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
82.56	Cypermethrin	Cypermethrin (sum of isomers)	"Fruiting vegetables, Cucurbits", except cucumber	0.07
82.57	Cypermethrin	Cypermethrin (sum of isomers)	Cucumber	0.2
82.58	Cypermethrin	Cypermethrin (sum of isomers)	Pulses	0.05
82.59	Cypermethrin	Cypermethrin (sum of isomers)	Leafy vegetables	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
82.60	Cypermethrin	Cypermethrin (sum of isomers)	"Fruiting vegetables, other than Cucurbits", except chili peppers	0.5
82.61	Cypermethrin	Cypermethrin (sum of isomers)	Peppers, Chili	2
82.62	Cypermethrin	Cypermethrin (sum of isomers)	Legume vegetables	0.7
82.63	Cypermethrin	Cypermethrin (sum of isomers)	Root and tuber vegetables, except sugar beet	0.01
82.64	Cypermethrin	Cypermethrin (sum of isomers)	Sugar beet	0.1
82.65	Cypermethrin	Cypermethrin (sum of isomers)	Artichoke, Globe	0.1
82.66	Cypermethrin	Cypermethrin (sum of isomers)	Asparagus	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
82.67	Cypermethrin	Cypermethrin (sum of isomers)	Celery	3
83.1	Cyproconazole	Cyproconazole	Cereal grains, except maize, rice and sorghum	0.08
83.2	Cyproconazole	Cyproconazole	Maize	0.01
83.3	Cyproconazole	Cyproconazole	Milks	0.01
83.4	Cyproconazole	Cyproconazole	Meat (from mammals other than marine mammals) (Fat)	0.02
83.5	Cyproconazole	Cyproconazole	Edible offal (Mammalian)	0.5
83.6	Cyproconazole	Cyproconazole	Soya bean oil, edible	0.1
83.7	Cyproconazole	Cyproconazole	Eggs	0.01
83.8	Cyproconazole	Cyproconazole	Poultry meat	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
83.9	Cyproconazole	Cyproconazole	Edible offal of poultry	0.01
83.10	Cyproconazole	Cyproconazole	Rape seed	0.4
83.11	Cyproconazole	Cyproconazole	Beans (dry)	0.02
83.12	Cyproconazole	Cyproconazole	Peas (dry)	0.02
83.13	Cyproconazole	Cyproconazole	Soya bean (dry)	0.07
83.14	Cyproconazole	Cyproconazole	Peas, shelled (succulent seeds)	0.01
83.15	Cyproconazole	Cyproconazole	Sugar beet	0.05
84.1	Cyprodinil	Cyprodinil	Wheat bran, unprocessed	2
84.2	Cyprodinil	Cyprodinil	Prunes	5
84.3	Cyprodinil	Cyprodinil	Dried grapes (Currants, Raisins and Sultanias)	5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
84.4	Cyprodinil	Cyprodinil	Dried herbs	15
84.5	Cyprodinil	Cyprodinil	Bilberry, Red	3
84.6	Cyprodinil	Cyprodinil	Grapes	3
84.7	Cyprodinil	Cyprodinil	Juneberries	3
84.8	Cyprodinil	Cyprodinil	Raspberries, Red, Black	10
84.9	Cyprodinil	Cyprodinil	Strawberry	5
84.10	Cyprodinil	Cyprodinil	Lemon	0.6
84.11	Cyprodinil	Cyprodinil	Lime	0.6
84.12	Cyprodinil	Cyprodinil	Avocado	1.2
84.13	Cyprodinil	Cyprodinil	Canistel	1.2
84.14	Cyprodinil	Cyprodinil	Kiwifruit	1.8
84.15	Cyprodinil	Cyprodinil	Longan	2
84.16	Cyprodinil	Cyprodinil	Litchi	2
84.17	Cyprodinil	Cyprodinil	Mango	1.2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
84.18	Cyprodinil	Cyprodinil	Papaya	1.2
84.19	Cyprodinil	Cyprodinil	Pulasan	2
84.20	Cyprodinil	Cyprodinil	Rambutan	2
84.21	Cyprodinil	Cyprodinil	Sapodilla	1.2
84.22	Cyprodinil	Cyprodinil	Sapote, Black	1.2
84.23	Cyprodinil	Cyprodinil	Sapote, Mamme	1.2
84.24	Cyprodinil	Cyprodinil	Spanish lime	2
84.25	Cyprodinil	Cyprodinil	Star apple	1.2
84.26	Cyprodinil	Cyprodinil	Pome fruits	1.7
84.27	Cyprodinil	Cyprodinil	Stone fruits	2
84.28	Cyprodinil	Cyprodinil	Barley	3
84.29	Cyprodinil	Cyprodinil	Wheat	0.5
84.30	Cyprodinil	Cyprodinil	Herbs, except parsley	3



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
84.31	Cyprodinil	Cyprodinil	Parsley	35
84.32	Cyprodinil	Cyprodinil	Milks (F)	0.0004
84.33	Cyprodinil	Cyprodinil	Meat (from mammals other than marine mammals) (Fat)	0.01
84.34	Cyprodinil	Cyprodinil	Edible offal (Mammalian)	0.01
84.35	Cyprodinil	Cyprodinil	Citrus oil	340
84.36	Cyprodinil	Cyprodinil	Eggs	0.01
84.37	Cyprodinil	Cyprodinil	Poultry meat (Fat)	0.01
84.38	Cyprodinil	Cyprodinil	Edible offal of poultry	0.01
84.39	Cyprodinil	Cyprodinil	Almonds	0.02
84.40	Cyprodinil	Cyprodinil	Pistachio nut	0.1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
84.41	Cyprodinil	Cyprodinil	Onion, Bulb	0.6
84.42	Cyprodinil	Cyprodinil	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
84.43	Cyprodinil	Cyprodinil	Fruiting vegetables, Cucurbits	0.7
84.44	Cyprodinil	Cyprodinil	Beans (dry)	0.6
84.45	Cyprodinil	Cyprodinil	Brassica leafy vegetables	10
84.46	Cyprodinil	Cyprodinil	Watercress	20
84.47	Cyprodinil	Cyprodinil	Lettuce, Head	30
84.48	Cyprodinil	Cyprodinil	Lettuce, Leaf	30
84.49	Cyprodinil	Cyprodinil	Egg plant	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
84.50	Cyprodinil	Cyprodinil	Ground cherries	0.45
84.51	Cyprodinil	Cyprodinil	Peppers, Sweet (including pimento or pimiento)	0.5
84.52	Cyprodinil	Cyprodinil	Tomato	0.5
84.53	Cyprodinil	Cyprodinil	Beans, except broad bean and soya bean	0.6
84.54	Cyprodinil	Cyprodinil	Tomato paste	1
85.1	Cyromazine	Cyromazine	Mango	0.5
85.2	Cyromazine	Cyromazine	Peppers, Chili (dry)	10
85.3	Cyromazine	Cyromazine	Cattle fat	0.05
85.4	Cyromazine	Cyromazine	Goat fat	0.05
85.5	Cyromazine	Cyromazine	Horse fat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
85.6	Cyromazine	Cyromazine	Pig fat	0.05
85.7	Cyromazine	Cyromazine	Sheep fat	0.05
85.8	Cyromazine	Cyromazine	Milks	0.01
85.9	Cyromazine	Cyromazine	Meat (from mammals other than marine mammals)	0.3
85.10	Cyromazine	Cyromazine	Edible offal (Mammalian)	0.3
85.11	Cyromazine	Cyromazine	Eggs	0.3
85.12	Cyromazine	Cyromazine	Poultry meat	0.1
85.13	Cyromazine	Cyromazine	Edible offal of poultry	0.2
85.14	Cyromazine	Cyromazine	Garlic	0.2
85.15	Cyromazine	Cyromazine	Garlic, Great-headed	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
85.16	Cyromazine	Cyromazine	Leek	3
85.17	Cyromazine	Cyromazine	Onion, Bulb	0.1
85.18	Cyromazine	Cyromazine	Onion, Chinese	0.2
85.19	Cyromazine	Cyromazine	Onion, Welsh	3
85.20	Cyromazine	Cyromazine	Shallot	0.2
85.21	Cyromazine	Cyromazine	Spring onion	3
85.22	Cyromazine	Cyromazine	Tree onion	3
85.23	Cyromazine	Cyromazine	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli	10
85.24	Cyromazine	Cyromazine	Broccoli	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
85.25	Cyromazine	Cyromazine	"Fruiting vegetables, Cucurbits", except cucumber, "melons other than watermelon" and summer squash	1
85.26	Cyromazine	Cyromazine	Melons, except watermelon	0.5
85.27	Cyromazine	Cyromazine	Cucumber	2
85.28	Cyromazine	Cyromazine	Summer squash	2
85.29	Cyromazine	Cyromazine	Beans (dry)	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
85.30	Cyromazine	Cyromazine	Leafy vegetables, except brassica leafy vegetables, head lettuce and leaf lettuce	7
85.31	Cyromazine	Cyromazine	Brassica leafy vegetables	10
85.32	Cyromazine	Cyromazine	Lettuce, Head	4
85.33	Cyromazine	Cyromazine	Lettuce, Leaf	4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
85.34	Cyromazine	Cyromazine	"Fruiting vegetables, other than Cucurbits", except mushrooms and sweet corn (corn-on-the-cob)	1
85.35	Cyromazine	Cyromazine	Mushrooms	7
85.36	Cyromazine	Cyromazine	Lima bean (young pods and/or succulent seeds)	1
85.37	Cyromazine	Cyromazine	Potato	0.8
85.38	Cyromazine	Cyromazine	Artichoke, Globe	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
85.39	Cyromazine	Cyromazine	Celery	4
86.1	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Maize meal	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.2	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Wheat flour	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.3	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Wheat wholemeal	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.4	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Rye flour	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.5	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Maize flour	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.6	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Rice, husked	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.7	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Wheat bran, unprocessed	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.8	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Rice, polished	0.5



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.9	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Rice hulls	2.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.10	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Tea, Green, Black	10

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.11	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Grapes	0.2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.12	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Strawberry	0.2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.13	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Citrus fruits, except lemon, mandarins, "shaddock or pomelo" and "sweet and sour oranges"	0.02

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.14	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Mandarins (including Mandarin-like hybrids)	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.15	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Oranges, Sweet, Sour	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.16	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Shaddocks or Pomeños	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.17	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Lemon	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.18	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Banana	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.19	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Kiwifruit	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.20	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Mango	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.21	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Pineapple	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.22	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Pome fruits, except pear	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.23	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Pear	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.24	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Stone fruits	0.05



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.25	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Olives	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.26	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Cereal grains	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.27	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Sugar cane	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.28	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Spices, Fruits and Berries	0.03

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.29	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Spices, Roots and Rhizomes	0.5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.30	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Peppers, Chili (dry)	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.31	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Cattle fat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.32	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Goat fat	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.33	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Horse fat	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.34	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Pig fat	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.35	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Sheep fat	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.36	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Milks (F)	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.37	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Meat (from mammals other than marine mammals) (Fat)	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.38	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Kidney of cattle, goats, pigs and sheep	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.39	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Liver of cattle, goats, pigs and sheep	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.40	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Edible offal of cattle, except kidney and liver	0.05



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.41	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Edible offal of goat, except kidney and liver	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.42	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Edible offal of horse	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.43	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Edible offal of pig, except kidney and liver	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.44	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Edible offal of sheep, except kidney and liver	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.45	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Maize oil, edible	2.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.46	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Cotton seed oil, edible	0.2

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

346

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.47	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Eggs	0.02

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

347

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.48	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Poultry fats	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.49	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Poultry meat (Fat)	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.50	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Edible offal of poultry	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.51	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Rape seed	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.52	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Cotton seed	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.53	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Palm nut	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.54	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Peanut	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.55	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Sunflower seed	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.56	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Tree nuts, except hazelnuts and walnuts	0.1



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.57	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Hazelnuts	0.02

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.58	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Walnuts	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.59	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Garlic	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.60	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Leek	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.61	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Onion, Bulb	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.62	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Shallot	0.1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.63	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Spring onion	0.5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
86.64	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Cabbages, Head	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.65	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethyl- cyclopropanecarboxylic acid, cyano(3- phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethyl- cyclopropanecarboxylic acid, cyano(3- phenoxyphenyl)methyl ester)	Flowerhead brassicas (includes Broccoli, Chinese Broccoli and Cauliflower), except cauliflower	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.66	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethyl- cyclopropanecarboxylic acid, cyano(3- phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethyl- cyclopropanecarboxylic acid, cyano(3- phenoxyphenyl)methyl ester)	Cauliflower	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.67	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Fruiting vegetables, Cucurbits	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.68	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Pulses	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.69	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Leafy vegetables	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.70	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	"Fruiting vegetables, other than Cucurbits", except edible fungi (not including mushrooms), egg plant, mushrooms, peppers and sweet corn (corn-on-the-cob)	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.71	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Peppers (including Peppers, Chili and Peppers, Sweet)	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.72	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Egg plant	0.2



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.73	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Sweet corn (corn-on-the-cob)	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.74	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Fungi, edible (not including mushrooms)	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.75	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Mushrooms	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.76	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Legume vegetables	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.77	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Radish	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.78	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Taro	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.79	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Turnip, Garden	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.80	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Sweet potato	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.81	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Carrot	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.82	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Celeriac	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.83	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Potato	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.84	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Artichoke, Globe	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.85	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Asparagus	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
86.86	Deltamethrin	Sum of deltamethrin, alpha-R- and trans-deltamethrin ([1R-[1alpha(R*),3alpha]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester and [1R-[1alpha(S*),3beta]]-3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester)	Tomato paste	1
87.1	Desmedipham	Desmedipham	Spinach	6
87.2	Desmedipham	Desmedipham	Beetroot	0.05
87.3	Desmedipham	Desmedipham	Sugar beet	0.2
88.1	Diazinon	Diazinon	Prunes	2
88.2	Diazinon	Diazinon	Hops, dry	0.5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
88.3	Diazinon	Diazinon	Tea, Green, Black	0.1
88.4	Diazinon	Diazinon	Blueberries	0.5
88.5	Diazinon	Diazinon	Currants, Black, Red, White	0.2
88.6	Diazinon	Diazinon	Blackberries	0.1
88.7	Diazinon	Diazinon	Cranberry	0.2
88.8	Diazinon	Diazinon	Raspberries, Red, Black	0.2
88.9	Diazinon	Diazinon	Strawberry	0.1
88.10	Diazinon	Diazinon	Boysenberry	0.1
88.11	Diazinon	Diazinon	Banana	0.2
88.12	Diazinon	Diazinon	Kiwifruit	0.2
88.13	Diazinon	Diazinon	Longan	0.5
88.14	Diazinon	Diazinon	Litchi	0.5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
88.15	Diazinon	Diazinon	Pineapple	0.1
88.16	Diazinon	Diazinon	Pome fruits, except apple and pear	0.3
88.17	Diazinon	Diazinon	Apple	0.5
88.18	Diazinon	Diazinon	Pear	0.5
88.19	Diazinon	Diazinon	Cherries	1
88.20	Diazinon	Diazinon	Plums (including Prunes)	1
88.21	Diazinon	Diazinon	Apricot	0.2
88.22	Diazinon	Diazinon	Nectarine	0.2
88.23	Diazinon	Diazinon	Peach	0.2
88.24	Diazinon	Diazinon	Fig	0.5
88.25	Diazinon	Diazinon	Persimmon, Japanese	0.1



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
88.26	Diazinon	Diazinon	Maize	0.02
88.27	Diazinon	Diazinon	Rice	0.1
88.28	Diazinon	Diazinon	Sorghum	0.02
88.29	Diazinon	Diazinon	Wheat	0.1
88.30	Diazinon	Diazinon	Spices, Seeds	5
88.31	Diazinon	Diazinon	Spices, Fruits and Berries	0.1
88.32	Diazinon	Diazinon	Spices, Roots and Rhizomes	0.5
88.33	Diazinon	Diazinon	Peppers, Chili (dry)	0.5
88.34	Diazinon	Diazinon	Cattle fat	0.5
88.35	Diazinon	Diazinon	Milks (F)	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
88.36	Diazinon	Diazinon	Meat (from mammals other than marine mammals) (Fat)	2
88.37	Diazinon	Diazinon	Edible offal (Mammalian)	0.03
88.38	Diazinon	Diazinon	Eggs	0.02
88.39	Diazinon	Diazinon	Poultry meat	0.02
88.40	Diazinon	Diazinon	Edible offal of poultry	0.02
88.41	Diazinon	Diazinon	Coffee beans	0.2
88.42	Diazinon	Diazinon	Cotton seed	0.2
88.43	Diazinon	Diazinon	Peanut	0.5
88.44	Diazinon	Diazinon	Almonds	0.05
88.45	Diazinon	Diazinon	Hazelnuts	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
88.46	Diazinon	Diazinon	Macadamia nuts	0.1
88.47	Diazinon	Diazinon	Walnuts	0.01
88.48	Diazinon	Diazinon	Bulb vegetables, except spring onion	0.7
88.49	Diazinon	Diazinon	Spring onion	1
88.50	Diazinon	Diazinon	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli, head cabbages and kohlrabi	0.7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
88.51	Diazinon	Diazinon	Cabbages, Head	0.5
88.52	Diazinon	Diazinon	Broccoli	0.5
88.53	Diazinon	Diazinon	Kohlrabi	0.2
88.54	Diazinon	Diazinon	"Fruiting vegetables, Cucurbits", except winter squash	0.7
88.55	Diazinon	Diazinon	Winter squash	0.75
88.56	Diazinon	Diazinon	Leafy vegetables, except turnip greens	0.7
88.57	Diazinon	Diazinon	Turnip greens	0.75

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
88.58	Diazinon	Diazinon	Fruiting vegetables, other than Cucurbits	0.7
88.59	Diazinon	Diazinon	Legume vegetables	0.7
88.60	Diazinon	Diazinon	Root and tuber vegetables, except beetroot and swede	0.7
88.61	Diazinon	Diazinon	Swede	0.75
88.62	Diazinon	Diazinon	Beetroot	0.75
88.63	Diazinon	Diazinon	Celery	0.7
89.1	Dicamba	Dicamba	Barley	7
89.2	Dicamba	Dicamba	Maize	0.01
89.3	Dicamba	Dicamba	Sorghum	4
89.4	Dicamba	Dicamba	Wheat	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
89.5	Dicamba	Dicamba	Sugar cane	1
89.6	Dicamba	Sum of dicamba and 3,6-dichlorosalicylic acid (DCSA), expressed as dicamba	Mammalian fats (except milk fats)	0.07
89.7	Dicamba	Sum of dicamba and 3,6-dichlorosalicylic acid (DCSA), expressed as dicamba	Milks	0.2
89.8	Dicamba	Sum of dicamba and 3,6-dichlorosalicylic acid (DCSA), expressed as dicamba	Meat (from mammals other than marine mammals)	0.03
89.9	Dicamba	Sum of dicamba and 3,6-dichlorosalicylic acid (DCSA), expressed as dicamba	Edible offal (Mammalian)	0.7
89.10	Dicamba	Sum of dicamba and 3,6-dichlorosalicylic acid (DCSA), expressed as dicamba	Eggs	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
89.11	Dicamba	Sum of dicamba and 3,6-dichlorosalicylic acid (DCSA), expressed as dicamba	Poultry fats	0.04
89.12	Dicamba	Sum of dicamba and 3,6-dichlorosalicylic acid (DCSA), expressed as dicamba	Poultry meat	0.02
89.13	Dicamba	Sum of dicamba and 3,6-dichlorosalicylic acid (DCSA), expressed as dicamba	Edible offal of poultry	0.07
89.14	Dicamba	Dicamba	Cotton seed	0.04
89.15	Dicamba	Dicamba	Sweet corn (kernels)	0.02
89.16	Dicamba	Dicamba	Asparagus	5
90.1	Dichlobenil	Sum of dichlobenil and 2,6-dichlorobenzamide	Cranberry	0.1
90.2	Dichlobenil	Sum of dichlobenil and 2,6-dichlorobenzamide	Grapes	0.15

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
90.3	Dichlobenil	Sum of dichlobenil and 2,6-dichlorobenzamide	Apple	0.5
90.4	Dichlobenil	Sum of dichlobenil and 2,6-dichlorobenzamide	Pear	0.5
90.5	Dichlobenil	Sum of dichlobenil and 2,6-dichlorobenzamide	Stone fruits	0.15
90.6	Dichlobenil	Sum of dichlobenil and 2,6-dichlorobenzamide	Hazelnuts	0.1
90.7	Dichlobenil	Sum of dichlobenil and 2,6-dichlorobenzamide	Rhubarb	0.06
91.1	Dichlofluanid	Dichlofluanid	Currants, Black, Red, White	15
91.2	Dichlofluanid	Dichlofluanid	Gooseberry	7
91.3	Dichlofluanid	Dichlofluanid	Grapes	15
91.4	Dichlofluanid	Dichlofluanid	Raspberries, Red, Black	15

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
91.5	Dichlofluanid	Dichlofluanid	Strawberry	10
91.6	Dichlofluanid	Dichlofluanid	Apple	5
91.7	Dichlofluanid	Dichlofluanid	Pear	5
91.8	Dichlofluanid	Dichlofluanid	Peach	5
91.9	Dichlofluanid	Dichlofluanid	Peppers, Chili (dry)	20
91.10	Dichlofluanid	Dichlofluanid	Onion, Bulb	0.1
91.11	Dichlofluanid	Dichlofluanid	Cucumber	5
91.12	Dichlofluanid	Dichlofluanid	Lettuce, Head	10
91.13	Dichlofluanid	Dichlofluanid	Peppers (including Peppers, Chili and Peppers, Sweet)	2
91.14	Dichlofluanid	Dichlofluanid	Tomato	2
91.15	Dichlofluanid	Dichlofluanid	Potato	0.1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
92.1	Dichlorvos	Dichlorvos	Wheat germ	10
92.2	Dichlorvos	Dichlorvos	Wheat flour	1
92.3	Dichlorvos	Dichlorvos	Wheat wholemeal	2
92.4	Dichlorvos	Dichlorvos	Wheat bran, unprocessed	10
92.5	Dichlorvos	Dichlorvos	Berries and other small fruits	0.2
92.6	Dichlorvos	Dichlorvos	Citrus fruits	0.2
92.7	Dichlorvos	Dichlorvos	Assorted tropical and sub-tropical fruits—inedible peel	0.2
92.8	Dichlorvos	Dichlorvos	Pome fruits	0.2
92.9	Dichlorvos	Dichlorvos	Stone fruits	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
92.10	Dichlorvos	Dichlorvos	Assorted tropical and sub-tropical fruits—edible peel	0.2
92.11	Dichlorvos	Dichlorvos	Cereal grains	5
92.12	Dichlorvos	Dichlorvos	Spices	0.1
92.13	Dichlorvos	Dichlorvos	Cattle fat	0.02
92.14	Dichlorvos	Dichlorvos	Goat fat	0.02
92.15	Dichlorvos	Dichlorvos	Horse fat	0.02
92.16	Dichlorvos	Dichlorvos	Pig fat	0.1
92.17	Dichlorvos	Dichlorvos	Sheep fat	0.02
92.18	Dichlorvos	Dichlorvos	Milks	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
92.19	Dichlorvos	Dichlorvos	Meat (from mammals other than marine mammals), except cattle meat, goat meat, horse meat, pig meat and sheep meat	0.05
92.20	Dichlorvos	Dichlorvos	Cattle meat	0.02
92.21	Dichlorvos	Dichlorvos	Goat meat	0.02
92.22	Dichlorvos	Dichlorvos	Horse meat	0.02
92.23	Dichlorvos	Dichlorvos	Pig meat	0.1
92.24	Dichlorvos	Dichlorvos	Sheep meat	0.02
92.25	Dichlorvos	Dichlorvos	Edible offal of cattle	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
92.26	Dichlorvos	Dichlorvos	Edible offal of goat	0.02
92.27	Dichlorvos	Dichlorvos	Edible offal of horse	0.02
92.28	Dichlorvos	Dichlorvos	Edible offal of pig	0.1
92.29	Dichlorvos	Dichlorvos	Edible offal of sheep	0.02
92.30	Dichlorvos	Dichlorvos	Eggs	0.05
92.31	Dichlorvos	Dichlorvos	Poultry fats	0.05
92.32	Dichlorvos	Dichlorvos	Poultry meat	0.05
92.33	Dichlorvos	Dichlorvos	Edible offal of poultry	0.05
92.34	Dichlorvos	Dichlorvos	Almonds	0.5
92.35	Dichlorvos	Dichlorvos	Bulb vegetables	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
92.36	Dichlorvos	Dichlorvos	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.2
92.37	Dichlorvos	Dichlorvos	Fruiting vegetables, Cucurbits	0.2
92.38	Dichlorvos	Dichlorvos	Pulses	0.1
92.39	Dichlorvos	Dichlorvos	Leafy vegetables	0.2
92.40	Dichlorvos	Dichlorvos	Fruiting vegetables, other than Cucurbits	0.2
92.41	Dichlorvos	Dichlorvos	Legume vegetables	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
92.42	Dichlorvos	Dichlorvos	Root and tuber vegetables	0.2
92.43	Dichlorvos	Dichlorvos	Stalk and stem vegetables	0.2
93.1	Diclofop methyl	Sum of diclofop-methyl, 2-[4-dichlorophenoxy]propanoic acid and 2-[4-(2,4-dichloro-5-hydroxyphenoxy)propanoic acid	Barley	0.1
93.2	Diclofop methyl	Sum of diclofop-methyl, 2-[4-(2,4-dichlorophenoxy)propanoic acid and 2-[4-(2,4-dichloro-5-hydroxyphenoxy)propanoic acid	Wheat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
94.1	Dicloran	Dicloran	Grapes	7
94.2	Dicloran	Dicloran	Plums (including Prunes)	15
94.3	Dicloran	Dicloran	Apricot	20
94.4	Dicloran	Dicloran	Cherry, Sweet	20
94.5	Dicloran	Dicloran	Nectarine	7
94.6	Dicloran	Dicloran	Peach	7
94.7	Dicloran	Dicloran	Garlic	5
94.8	Dicloran	Dicloran	Onion, Bulb	0.2
94.9	Dicloran	Dicloran	Cucumber	5
94.10	Dicloran	Dicloran	Endive	10
94.11	Dicloran	Dicloran	Tomato	5
94.12	Dicloran	Dicloran	Sweet potato	10
94.13	Dicloran	Dicloran	Carrot	15



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
94.14	Dicloran	Dicloran	Potato	0.25
94.15	Dicloran	Dicloran	Celery	15
94.16	Dicloran	Dicloran	Rhubarb	10
95.1	Diclosulam	Diclosulam	Peanut	0.02
95.2	Diclosulam	Diclosulam	Soya bean (succulent seeds)	0.02
96.1	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Prunes	3
96.2	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Hops, dry	50
96.3	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Tea, Green, Black	50
96.4	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Grapes	5
96.5	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Strawberry	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
96.6	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Citrus fruits	5
96.7	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Mango	5
96.8	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Pome fruits	1
96.9	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Stone fruits, except plums (including prunes)	5
96.10	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Plums (including Prunes)	1
96.11	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Peppermint	25
96.12	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Spearmint	25

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
96.13	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Spices, Seeds	0.05
96.14	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Spices, Fruits and Berries	0.1
96.15	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Spices, Roots and Rhizomes	0.1
96.16	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Peppers, Chili (dry)	10
96.17	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Cotton seed oil, crude	0.5
96.18	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Citrus oil	200
96.19	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Cotton seed oil, edible	0.5
96.20	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Cotton seed	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
96.21	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Almonds	5
96.22	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Butter nut	0.1
96.23	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Chestnuts	0.1
96.24	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Hazelnuts	0.1
96.25	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Hickory nuts	0.1
96.26	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Macadamia nuts	0.1
96.27	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Pecan	0.01
96.28	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Walnuts	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
96.29	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	"Fruiting vegetables, Cucurbits", except cucumber, "melons other than watermelon" and summer squash	2
96.30	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Melons, except watermelon	0.2
96.31	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Cucumber	0.5
96.32	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Summer squash	1
96.33	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Beans (dry)	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
96.34	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	"Fruiting vegetables, other than Cucurbits", except peppers	2
96.35	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Peppers (including Peppers, Chili and Peppers, Sweet)	1
96.36	Dicofol	Dicofol (sum of o,p' & p,p' isomers)	Common bean (young pods and/or succulent seeds)	2
97.1	Dicrotophos	Dicrotophos	Cotton seed	0.2
98.1	Difenoconazole	Difenoconazole	Tea, Green, Black	10

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

410

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
98.2	Difenoconazole	Difenoconazole	Grapes	4
98.3	Difenoconazole	Difenoconazole	Strawberry	5
98.4	Difenoconazole	Difenoconazole	Citrus fruits, except mandarins	0.6
98.5	Difenoconazole	Difenoconazole	Mandarins (including Mandarin-like hybrids)	0.2
98.6	Difenoconazole	Difenoconazole	Avocado	0.5
98.7	Difenoconazole	Difenoconazole	Banana	0.2
98.8	Difenoconazole	Difenoconazole	Litchi	0.5
98.9	Difenoconazole	Difenoconazole	Mango	0.07
98.10	Difenoconazole	Difenoconazole	Papaya	0.3
98.11	Difenoconazole	Difenoconazole	Passion fruit	0.05
98.12	Difenoconazole	Difenoconazole	Pome fruits	1

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

411

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
98.13	Difenoconazole	Difenoconazole	Cherries	2.5
98.14	Difenoconazole	Difenoconazole	Plums (including Prunes)	2.5
98.15	Difenoconazole	Difenoconazole	Nectarine	2.5
98.16	Difenoconazole	Difenoconazole	Peach	2.5
98.17	Difenoconazole	Difenoconazole	Olives	2
98.18	Difenoconazole	Difenoconazole	Persimmon, Japanese	1
98.19	Difenoconazole	Difenoconazole	Barley	0.1
98.20	Difenoconazole	Difenoconazole	Wheat	0.1
98.21	Difenoconazole	Difenoconazole	Citrus oil	25
98.22	Difenoconazole	Difenoconazole	Rape seed	0.05
98.23	Difenoconazole	Difenoconazole	Cotton seed	0.05
98.24	Difenoconazole	Difenoconazole	Sunflower seed	0.02
98.25	Difenoconazole	Difenoconazole	Tree nuts	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
98.26	Difenoconazole	Difenoconazole	Garlic	0.2
98.27	Difenoconazole	Difenoconazole	Leek	6
98.28	Difenoconazole	Difenoconazole	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	1.9
98.29	Difenoconazole	Difenoconazole	Fruiting vegetables, Cucurbits	0.7
98.30	Difenoconazole	Difenoconazole	Soya bean (dry)	0.15
98.31	Difenoconazole	Difenoconazole	Brassica leafy vegetables	35
98.32	Difenoconazole	Difenoconazole	Lettuce, Head	2
98.33	Difenoconazole	Difenoconazole	Lettuce, Leaf	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
98.34	Difenoconazole	Difenoconazole	"Fruiting vegetables, other than Cucurbits", except sweet corn (corn-on-the-cob)	0.6
98.35	Difenoconazole	Difenoconazole	Sweet corn (corn-on-the-cob)	0.01
98.36	Difenoconazole	Difenoconazole	Beans, except broad bean and soya bean	0.7
98.37	Difenoconazole	Difenoconazole	Peas (young pods and succulent seeds)	0.7
98.38	Difenoconazole	Difenoconazole	Carrot	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
98.39	Difenoconazole	Difenoconazole	Celeriac	0.5
98.40	Difenoconazole	Difenoconazole	Potato	0.02
98.41	Difenoconazole	Difenoconazole	Sugar beet	0.3
98.42	Difenoconazole	Difenoconazole	Ginseng	0.5
98.43	Difenoconazole	Difenoconazole	Asparagus	0.03
98.44	Difenoconazole	Difenoconazole	Celery	3
99.1	Difenoquat	Difenoquat	Barley	0.1
99.2	Difenoquat	Difenoquat	Oats	0.1
99.3	Difenoquat	Difenoquat	Rye	0.1
99.4	Difenoquat	Difenoquat	Wheat	0.1
100.1	Diflubenzuron	Diflubenzuron	Tea, Green, Black	20
100.2	Diflubenzuron	Diflubenzuron	Citrus fruits	1
100.3	Diflubenzuron	Diflubenzuron	Pome fruits	5
100.4	Diflubenzuron	Diflubenzuron	Maize	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
100.5	Diflubenzuron	Diflubenzuron	Rice	0.01
100.6	Diflubenzuron	Diflubenzuron	Wheat	0.2
100.7	Diflubenzuron	Diflubenzuron	Cattle fat	0.05
100.8	Diflubenzuron	Diflubenzuron	Goat fat	0.05
100.9	Diflubenzuron	Diflubenzuron	Horse fat	0.05
100.10	Diflubenzuron	Diflubenzuron	Pig fat	0.05
100.11	Diflubenzuron	Diflubenzuron	Sheep fat	0.05
100.12	Diflubenzuron	Diflubenzuron	Milks (F)	0.02
100.13	Diflubenzuron	Diflubenzuron	Meat (from mammals other than marine mammals) (Fat)	0.1
100.14	Diflubenzuron	Diflubenzuron	Edible offal (Mammalian)	0.1
100.15	Diflubenzuron	Diflubenzuron	Eggs	0.05
100.16	Diflubenzuron	Diflubenzuron	Poultry fats	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
100.17	Diflubenzuron	Diflubenzuron	Poultry meat (Fat)	0.05
100.18	Diflubenzuron	Diflubenzuron	Edible offal of poultry	0.05
100.19	Diflubenzuron	Diflubenzuron	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	1
100.20	Diflubenzuron	Diflubenzuron	Leafy vegetables	1
100.21	Diflubenzuron	Diflubenzuron	Mushrooms	0.3
100.22	Diflubenzuron	Diflubenzuron	Artichoke, Globe	6
101.1	Dimethenamid-P	Dimethenamid-P and its enantiomer	Hops, dry	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
101.2	Dimethenamid-P	Dimethenamid-P and its enantiomer	Sugar beet molasses	0.01
101.3	Dimethenamid-P	Dimethenamid-P and its enantiomer	Maize	0.01
101.4	Dimethenamid-P	Dimethenamid-P and its enantiomer	Sorghum	0.01
101.5	Dimethenamid-P	Dimethenamid-P and its enantiomer	Popcorn	0.01
101.6	Dimethenamid-P	Dimethenamid-P and its enantiomer	Milks	0.01
101.7	Dimethenamid-P	Dimethenamid-P and its enantiomer	Meat (from mammals other than marine mammals)	0.01
101.8	Dimethenamid-P	Dimethenamid-P and its enantiomer	Eggs	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
101.9	Dimethenamid-P	Dimethenamid-P and its enantiomer	Poultry meat	0.01
101.10	Dimethenamid-P	Dimethenamid-P and its enantiomer	Edible offal of poultry	0.01
101.11	Dimethenamid-P	Dimethenamid-P and its enantiomer	Peanut	0.01
101.12	Dimethenamid-P	Dimethenamid-P and its enantiomer	Garlic	0.01
101.13	Dimethenamid-P	Dimethenamid-P and its enantiomer	Leek	0.01
101.14	Dimethenamid-P	Dimethenamid-P and its enantiomer	Onion, Bulb	0.01
101.15	Dimethenamid-P	Dimethenamid-P and its enantiomer	Onion, Welsh	0.01
101.16	Dimethenamid-P	Dimethenamid-P and its enantiomer	Shallot	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
101.17	Dimethenamid-P	Dimethenamid-P and its enantiomer	Winter squash	0.01
101.18	Dimethenamid-P	Dimethenamid-P and its enantiomer	Beans (dry)	0.01
101.19	Dimethenamid-P	Dimethenamid-P and its enantiomer	Soya bean (dry)	0.01
101.20	Dimethenamid-P	Dimethenamid-P and its enantiomer	Radish leaves (including Radish tops)	0.01
101.21	Dimethenamid-P	Dimethenamid-P and its enantiomer	Turnip greens	0.1
101.22	Dimethenamid-P	Dimethenamid-P and its enantiomer	Sweet corn (corn-on-the-cob)	0.01
101.23	Dimethenamid-P	Dimethenamid-P and its enantiomer	Soya bean (succulent seeds)	0.01



## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

420

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
101.24	Dimethenamid-P	Dimethenamid-P and its enantiomer	Radish	0.01
101.25	Dimethenamid-P	Dimethenamid-P and its enantiomer	Turnip, Garden	0.01
101.26	Dimethenamid-P	Dimethenamid-P and its enantiomer	Sweet potato	0.01
101.27	Dimethenamid-P	Dimethenamid-P and its enantiomer	Beetroot	0.01
101.28	Dimethenamid-P	Dimethenamid-P and its enantiomer	Horseradish	0.01
101.29	Dimethenamid-P	Dimethenamid-P and its enantiomer	Potato	0.01
101.30	Dimethenamid-P	Dimethenamid-P and its enantiomer	Sugar beet	0.01
102.1	Dimethipin	Dimethipin	Milks	0.01

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

421

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
102.2	Dimethipin	Dimethipin	Meat (from mammals other than marine mammals)	0.01
102.3	Dimethipin	Dimethipin	Edible offal (Mammalian)	0.01
102.4	Dimethipin	Dimethipin	Cotton seed oil, crude	0.1
102.5	Dimethipin	Dimethipin	Cotton seed oil, edible	0.1
102.6	Dimethipin	Dimethipin	Eggs	0.01
102.7	Dimethipin	Dimethipin	Poultry meat	0.01
102.8	Dimethipin	Dimethipin	Edible offal of poultry	0.01
102.9	Dimethipin	Dimethipin	Rape seed	0.2
102.10	Dimethipin	Dimethipin	Cotton seed	1
102.11	Dimethipin	Dimethipin	Sunflower seed	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
102.12	Dimethipin	Dimethipin	Potato	0.05
103.1	Dimethoate	Dimethoate	Citrus fruits	5
103.2	Dimethoate	Dimethoate	Longan	0.5
103.3	Dimethoate	Dimethoate	Litchi	0.5
103.4	Dimethoate	Dimethoate	Mango	1
103.5	Dimethoate	Dimethoate	Apple	1
103.6	Dimethoate	Dimethoate	Pear	1
103.7	Dimethoate	Dimethoate	Cherries	2
103.8	Dimethoate	Dimethoate	Plums (including Prunes)	2
103.9	Dimethoate	Dimethoate	Apricot	2
103.10	Dimethoate	Dimethoate	Nectarine	2
103.11	Dimethoate	Dimethoate	Peach	2
103.12	Dimethoate	Dimethoate	Jujube, Chinese	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
103.13	Dimethoate	Dimethoate	Olives	0.5
103.14	Dimethoate	Dimethoate	Barley	2
103.15	Dimethoate	Dimethoate	Rice	0.05
103.16	Dimethoate	Dimethoate	Sorghum	0.01
103.17	Dimethoate	Dimethoate	Wheat	0.05
103.18	Dimethoate	Dimethoate	Chives	0.2
103.19	Dimethoate	Dimethoate	Spices, Seeds	5
103.20	Dimethoate	Dimethoate	Spices, Fruits and Berries	0.5
103.21	Dimethoate	Dimethoate	Spices, Roots and Rhizomes	0.1
103.22	Dimethoate	Dimethoate	Peppers, Chili (dry)	3
103.23	Dimethoate	Dimethoate	Mammalian fats (except milk fats)	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
103.24	Dimethoate	Dimethoate	Milks	0.05
103.25	Dimethoate	Dimethoate	Meat (from mammals other than marine mammals)	0.05
103.26	Dimethoate	Dimethoate	Edible offal (Mammalian)	0.05
103.27	Dimethoate	Dimethoate	Vegetable oils, edible	0.05
103.28	Dimethoate	Dimethoate	Eggs	0.05
103.29	Dimethoate	Dimethoate	Poultry fats	0.05
103.30	Dimethoate	Dimethoate	Poultry meat	0.05
103.31	Dimethoate	Dimethoate	Edible offal of poultry	0.05
103.32	Dimethoate	Dimethoate	Cotton seed	0.05
103.33	Dimethoate	Dimethoate	Peanut	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
103.34	Dimethoate	Dimethoate	Garlic	0.2
103.35	Dimethoate	Dimethoate	Kurrat	0.2
103.36	Dimethoate	Dimethoate	Onion, Bulb	0.2
103.37	Dimethoate	Dimethoate	Shallot	0.2
103.38	Dimethoate	Dimethoate	Spring onion	0.2
103.39	Dimethoate	Dimethoate	Chives, Chinese	0.2
103.40	Dimethoate	Dimethoate	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
103.41	Dimethoate	Dimethoate	Fruiting vegetables, Cucurbits	1
103.42	Dimethoate	Dimethoate	Beans (dry)	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
103.43	Dimethoate	Dimethoate	Soya bean (dry)	0.05
103.44	Dimethoate	Dimethoate	Leafy vegetables	1
103.45	Dimethoate	Dimethoate	Peppers (including Peppers, Chili and Peppers, Sweet)	0.5
103.46	Dimethoate	Dimethoate	Egg plant	0.5
103.47	Dimethoate	Dimethoate	Sweet corn (corn-on-the-cob)	0.5
103.48	Dimethoate	Dimethoate	Tomato	0.5
103.49	Dimethoate	Dimethoate	Fungi, edible (not including mushrooms)	0.5
103.50	Dimethoate	Dimethoate	Mushrooms	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
103.51	Dimethoate	Dimethoate	Peas (young pods and succulent seeds)	1
103.52	Dimethoate	Dimethoate	Broad bean (young pods and succulent seeds)	0.5
103.53	Dimethoate	Dimethoate	Garden pea, shelled (succulent seeds)	0.5
103.54	Dimethoate	Dimethoate	Hyacinth bean (young pods and/or succulent seeds)	0.5
103.55	Dimethoate	Dimethoate	Radish	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
103.56	Dimethoate	Dimethoate	Taro	1
103.57	Dimethoate	Dimethoate	Turnip, Garden	0.1
103.58	Dimethoate	Dimethoate	Sweet potato	1
103.59	Dimethoate	Dimethoate	Carrot	0.5
103.60	Dimethoate	Dimethoate	Potato	0.5
103.61	Dimethoate	Dimethoate	Sugar beet	0.5
103.62	Dimethoate	Dimethoate	Yams	0.5
103.63	Dimethoate	Dimethoate	Artichoke, Globe	0.5
103.64	Dimethoate	Dimethoate	Asparagus	0.5
103.65	Dimethoate	Dimethoate	Celery	0.5
103.66	Dimethoate	Dimethoate	Lily, Bulb	0.2
104.1	Dimethomorph	Dimethomorph (sum of isomers)	Dried grapes (Currants, Raisins and Sultanias)	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
104.2	Dimethomorph	Dimethomorph (sum of isomers)	Hops, dry	80
104.3	Dimethomorph	Dimethomorph (sum of isomers)	Grapes	2
104.4	Dimethomorph	Dimethomorph (sum of isomers)	Strawberry	0.05
104.5	Dimethomorph	Dimethomorph (sum of isomers)	Pineapple	0.01
104.6	Dimethomorph	Dimethomorph (sum of isomers)	Peppers, Chili (dry)	5
104.7	Dimethomorph	Dimethomorph (sum of isomers)	Milks	0.01
104.8	Dimethomorph	Dimethomorph (sum of isomers)	Meat (from mammals other than marine mammals)	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
104.9	Dimethomorph	Dimethomorph (sum of isomers)	Edible offal (Mammalian)	0.01
104.10	Dimethomorph	Dimethomorph (sum of isomers)	Eggs	0.01
104.11	Dimethomorph	Dimethomorph (sum of isomers)	Poultry meat	0.01
104.12	Dimethomorph	Dimethomorph (sum of isomers)	Edible offal of poultry	0.01
104.13	Dimethomorph	Dimethomorph (sum of isomers)	Bulb vegetables	2
104.14	Dimethomorph	Dimethomorph (sum of isomers)	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli and kohlrabi	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
104.15	Dimethomorph	Dimethomorph (sum of isomers)	Broccoli	1
104.16	Dimethomorph	Dimethomorph (sum of isomers)	Kohlrabi	0.02
104.17	Dimethomorph	Dimethomorph (sum of isomers)	Fruiting vegetables, Cucurbits	0.5
104.18	Dimethomorph	Dimethomorph (sum of isomers)	Brassica leafy vegetables	20
104.19	Dimethomorph	Dimethomorph (sum of isomers)	Corn salad	10
104.20	Dimethomorph	Dimethomorph (sum of isomers)	Lettuce, Head	10
104.21	Dimethomorph	Dimethomorph (sum of isomers)	Lettuce, Leaf	10
104.22	Dimethomorph	Dimethomorph (sum of isomers)	Taro leaves	6

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
104.23	Dimethomorph	Dimethomorph (sum of isomers)	"Fruiting vegetables, other than Cucurbits", except edible fungi (not including mushrooms, sweet corn (corn-on-the-cob) and sweet corn (kernels)	1
104.24	Dimethomorph	Dimethomorph (sum of isomers)	Taro	0.5
104.25	Dimethomorph	Dimethomorph (sum of isomers)	Potato	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
105.1	Dimethyl tetrachloroterephthalate (DCPA)	Sum of DCPA, mono-methyl/tetrachloroterephthalate (MTP) and tetrachloroterephthalic acid (TCP), expressed as DCPA	Strawberry	2
105.2	Dimethyl tetrachloroterephthalate (DCPA)	Sum of DCPA, mono-methyl/tetrachloroterephthalate (MTP) and tetrachloroterephthalic acid (TCP), expressed as DCPA	Garlic	1
105.3	Dimethyl tetrachloroterephthalate (DCPA)	Sum of DCPA, mono-methyl/tetrachloroterephthalate (MTP) and tetrachloroterephthalic acid (TCP), expressed as DCPA	Onion, Bulb	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
105.4	Dimethyl tetrachloroterephthalate (DCPA)	Sum of DCPA, mono-methyl/tetrachloroterephthalate (MTP) and tetrachloroterephthalic acid (TCP), expressed as DCPA	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
105.5	Dimethyl tetrachloroterephthalate (DCPA)	Sum of DCPA, mono-methyl/tetrachloroterephthalate (MTP) and tetrachloroterephthalic acid (TCP), expressed as DCPA	Watermelon	1
105.6	Dimethyl tetrachloroterephthalate (DCPA)	Sum of DCPA, mono-methyl/tetrachloroterephthalate (MTP) and tetrachloroterephthalic acid (TCP), expressed as DCPA	Cantaloupe	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
105.7	Dimethyl tetrachloroterephthalate (DCPA)	Sum of DCPA, mono-methyl/tetrachloroterephthalate (MTP) and tetrachloroterephthalic acid (TCP), expressed as DCPA	Muskmelon	1
105.8	Dimethyl tetrachloroterephthalate (DCPA)	Sum of DCPA, mono-methyl/tetrachloroterephthalate (MTP) and tetrachloroterephthalic acid (TCP), expressed as DCPA	Brassica leafy vegetables	5
105.9	Dimethyl tetrachloroterephthalate (DCPA)	Sum of DCPA, mono-methyl/tetrachloroterephthalate (MTP) and tetrachloroterephthalic acid (TCP), expressed as DCPA	Tomato	1



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
105.10	Dimethyl tetrachloroterephthalate (DCPA)	Sum of DCPA, mono-methyltetrachloroterephthalate (MTP) and tetrachloroterephthalic acid (TCP), expressed as DCPA	Horseradish	2
106.1	Diniconazole	Diniconazole	Pome fruits	0.1
106.2	Diniconazole	Diniconazole	Maize	0.05
106.3	Diniconazole	Diniconazole	Millet	0.05
106.4	Diniconazole	Diniconazole	Rice	0.05
106.5	Diniconazole	Diniconazole	Sorghum	0.05
106.6	Diniconazole	Diniconazole	Wheat	0.05
107.1	Dinotefuran	Dinotefuran	Tea, Green, Black	25
107.2	Dinotefuran	Dinotefuran	Apple	0.5
107.3	Dinotefuran	Dinotefuran	Pear	1
107.4	Dinotefuran	Dinotefuran	Peach	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
107.5	Dinotefuran	Dinotefuran	Persimmon, Japanese	2
107.6	Dinotefuran	Dinotefuran	Cattle fat	0.05
107.7	Dinotefuran	Dinotefuran	Goat fat	0.05
107.8	Dinotefuran	Dinotefuran	Horse fat	0.05
107.9	Dinotefuran	Dinotefuran	Pig fat	0.05
107.10	Dinotefuran	Dinotefuran	Sheep fat	0.05
107.11	Dinotefuran	Dinotefuran	Milks	0.05
107.12	Dinotefuran	Dinotefuran	Cattle meat	0.05
107.13	Dinotefuran	Dinotefuran	Goat meat	0.05
107.14	Dinotefuran	Dinotefuran	Horse meat	0.05
107.15	Dinotefuran	Dinotefuran	Pig meat	0.05
107.16	Dinotefuran	Dinotefuran	Sheep meat	0.05
107.17	Dinotefuran	Dinotefuran	Edible offal of cattle	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
107.18	Dinotefuran	Dinotefuran	Edible offal of goat	0.05
107.19	Dinotefuran	Dinotefuran	Edible offal of horse	0.05
107.20	Dinotefuran	Dinotefuran	Edible offal of pig	0.05
107.21	Dinotefuran	Dinotefuran	Edible offal of sheep	0.05
108.1	Diphenylamine	Diphenylamine	Milk fats	0.01
108.2	Diphenylamine	Diphenylamine	Apple	10
108.3	Diphenylamine	Diphenylamine	Pear	7
108.4	Diphenylamine	Diphenylamine	Apple juice	0.5
108.5	Diphenylamine	Diphenylamine	Cattle fat	0.01
108.6	Diphenylamine	Diphenylamine	Goat fat	0.01
108.7	Diphenylamine	Diphenylamine	Horse fat	0.01
108.8	Diphenylamine	Diphenylamine	Sheep fat	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
108.9	Diphenylamine	Diphenylamine	Milks	0.01
108.10	Diphenylamine	Diphenylamine	Cattle meat (Fat)	0.01
108.11	Diphenylamine	Diphenylamine	Goat meat	0.01
108.12	Diphenylamine	Diphenylamine	Horse meat	0.01
108.13	Diphenylamine	Diphenylamine	Sheep meat	0.01
108.14	Diphenylamine	Diphenylamine	Cattle kidney	0.01
108.15	Diphenylamine	Diphenylamine	Cattle liver	0.05
108.16	Diphenylamine	Diphenylamine	Sheep liver	0.1
108.17	Diphenylamine	Diphenylamine	Horse liver	0.1
109.1	Diquat	Diquat cation	Wheat flour	0.5
109.2	Diquat	Diquat cation	Wheat wholemeal	2
109.3	Diquat	Diquat cation	Rice, husked	1
109.4	Diquat	Diquat cation	Wheat bran, unprocessed	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
109.5	Diquat	Diquat cation	Rice, polished	0.2
109.6	Diquat	Diquat cation	Barley	5
109.7	Diquat	Diquat cation	Maize	0.05
109.8	Diquat	Diquat cation	Oats	2
109.9	Diquat	Diquat cation	Rice	10
109.10	Diquat	Diquat cation	Sorghum	2
109.11	Diquat	Diquat cation	Wheat	2
109.12	Diquat	Diquat cation	Cattle fat	0.05
109.13	Diquat	Diquat cation	Goat fat	0.05
109.14	Diquat	Diquat cation	Horse fat	0.05
109.15	Diquat	Diquat cation	Pig fat	0.05
109.16	Diquat	Diquat cation	Sheep fat	0.05
109.17	Diquat	Diquat cation	Milks	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
109.18	Diquat	Diquat cation	Meat (from mammals other than marine mammals)	0.05
109.19	Diquat	Diquat cation	Edible offal (Mammalian)	0.05
109.20	Diquat	Diquat cation	Vegetable oils, crude	0.05
109.21	Diquat	Diquat cation	Vegetable oils, edible	0.05
109.22	Diquat	Diquat cation	Eggs	0.05
109.23	Diquat	Diquat cation	Poultry fats	0.05
109.24	Diquat	Diquat cation	Poultry meat	0.05
109.25	Diquat	Diquat cation	Edible offal of poultry	0.05
109.26	Diquat	Diquat cation	Rape seed	2
109.27	Diquat	Diquat cation	Sunflower seed	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
109.28	Diquat	Diquat cation	Bulb vegetables	0.05
109.29	Diquat	Diquat cation	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.05
109.30	Diquat	Diquat cation	Fruiting vegetables, Cucurbits	0.05
109.31	Diquat	Diquat cation	Pulses, except dried beans, dried lentil, dried peas and dried soya bean	0.05
109.32	Diquat	Diquat cation	Beans (dry)	0.2
109.33	Diquat	Diquat cation	Peas (dry)	0.2
109.34	Diquat	Diquat cation	Lentil (dry)	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
109.35	Diquat	Diquat cation	Soya bean (dry)	0.2
109.36	Diquat	Diquat cation	Leafy vegetables	0.05
109.37	Diquat	Diquat cation	Fruiting vegetables, other than Cucurbits	0.05
109.38	Diquat	Diquat cation	Legume vegetables	0.05
109.39	Diquat	Diquat cation	Root and tuber vegetables, except potato	0.05
109.40	Diquat	Diquat cation	Potato	0.2
109.41	Diquat	Diquat cation	Stalk and stem vegetables	0.05
110.1	Dithianon	Dithianon	Hops, dry	100
110.2	Dithianon	Dithianon	Grapes	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
110.3	Dithianon	Dithianon	Shaddocks or Pomelos	3
110.4	Dithianon	Dithianon	Mandarin	3
110.5	Dithianon	Dithianon	Pome fruits	5
110.6	Dithianon	Dithianon	Cherries	5
110.7	Dithianon	Dithianon	Persimmon, Japanese	0.5
111.1	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Wheat germ	20
111.2	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Wheat flour	20

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.3	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Rice, husked	0.05
111.4	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Rye bran, unprocessed	20
111.5	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Wheat bran, unprocessed	20
111.6	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Rice, polished	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.7	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Hops, dry	30
111.8	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Berries and other small fruits, except blueberries, "black, red and white currants" and grapes	5
111.9	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Blueberries	10
111.10	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Currants, Black, Red, White	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.11	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Grapes	10
111.12	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Citrus fruits, except mandarins	4
111.13	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Mandarins (including Mandarin-like hybrids)	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.14	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	"Assorted tropical and sub-tropical fruits—inedible peel", except cherimoya, litchi and papaya	2
111.15	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Cherimoya	3
111.16	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Litchi	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.17	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Papaya	5
111.18	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Pome fruits, except apple and pear	5
111.19	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Apple	7
111.20	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Pear	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.21	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Stone fruits, except cherries	7
111.22	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Cherries	3
111.23	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Persimmon, Japanese	0.6
111.24	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Barley	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.25	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Maize	0.1
111.26	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Oats	5
111.27	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Rye	5
111.28	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Wheat	1



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.29	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Popcorn	0.5
111.30	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Herbs, except fennel	5
111.31	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Fennel	10
111.32	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Peppers, Chili (dry)	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.33	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Ginger root	0.2
111.34	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Milks	0.05
111.35	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Meat (from mammals other than marine mammals)	0.05
111.36	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Edible offal (Mammalian)	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.37	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Eggs	0.05
111.38	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Poultry meat	0.1
111.39	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Edible offal of poultry	0.1
111.40	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Cotton seed	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.41	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Palm nut	0.1
111.42	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Peanut	0.1
111.43	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Almonds	3
111.44	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Pecan	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.45	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Bulb vegetables, except spring onion	7
111.46	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Spring onion	10
111.47	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Cabbages, Head	5
111.48	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Broccoli	7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.49	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	"Fruiting vegetables, Cucurbits", except cucumber, "melons other than watermelon", summer squash, watermelon and winter squash	2
111.50	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Melons, except watermelon	0.5
111.51	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Cucumber	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.52	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Summer squash	1
111.53	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Watermelon	1
111.54	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Winter squash	0.2
111.55	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Soya bean (dry)	0.06

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.56	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Leafy vegetables, except cos lettuce, head lettuce, kale and leaf lettuce	7
111.57	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Kale	15
111.58	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Lettuce, Head	0.5
111.59	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Lettuce, Leaf	18

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.60	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Cos lettuce	10
111.61	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	"Fruiting vegetables, other than Cucurbits", except tomato	1
111.62	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Tomato	5
111.63	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Legume vegetables	7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
111.64	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Root and tuber vegetables	7
111.65	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Asparagus	0.1
111.66	Dithiocarbamates	Total dithiocarbamates, determined as CS <sub>2</sub> , evolved during acid digestion and expressed as mg CS <sub>2</sub> /kg	Celery	5
112.1	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Sugar cane molasses	0.7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
112.2	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Berries and other small fruits, except grapes	0.1
112.3	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Grapes	0.05
112.4	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Citrus fruits, except lemon	0.05
112.5	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Lemon	0.5
112.6	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Avocado	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
112.7	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Banana	0.1
112.8	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Papaya	0.5
112.9	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Pineapple	0.1
112.10	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Apple	0.1
112.11	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Pear	1
112.12	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Peach	0.1

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

464

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
112.13	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Olives	1
112.14	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Barley	0.2
112.15	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Maize	0.1
112.16	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Oats	0.1
112.17	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Sorghum	0.5
112.18	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Wheat	0.5

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

465

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
112.19	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Popcorn	0.1
112.20	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Sugar cane	0.2
112.21	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Peppermint	1.5
112.22	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Spearmint	1.5
112.23	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Cattle fat	1
112.24	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Goat fat	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
112.25	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Horse fat	1
112.26	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Pig fat	1
112.27	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Sheep fat	1
112.28	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Cattle meat	1
112.29	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Goat meat	1
112.30	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Horse meat	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
112.31	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Pig meat	1
112.32	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Sheep meat	1
112.33	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Edible offal of cattle	1
112.34	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Edible offal of goat	1
112.35	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Edible offal of horse	1
112.36	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Edible offal of pig	1



## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

468

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
112.37	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Edible offal of sheep	1
112.38	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Citrus oil	3
112.39	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Cotton seed	0.2
112.40	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Hazelnuts	0.1
112.41	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Macadamia nuts	0.05
112.42	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Pecan	0.05

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

469

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
112.43	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Walnuts	0.05
112.44	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Artichoke, Globe	1
112.45	Diuron	Sum of diuron and its metabolites convertible to 3,4-dichloroaniline	Asparagus	7
113.1	Dodine	Dodine	Strawberry	5
113.2	Dodine	Dodine	Banana	0.5
113.3	Dodine	Dodine	Pome fruits	5
113.4	Dodine	Dodine	Cherries	3
113.5	Dodine	Dodine	Nectarine	5
113.6	Dodine	Dodine	Peach	5
113.7	Dodine	Dodine	Peanut	0.013

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

470

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
113.8	Dodine	Dodine	Pecan	0.3
113.9	Dodine	Dodine	Walnuts	0.3
114.1	Edifenphos	Edifenphos	Rice, polished	0.1

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

471

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
115.1	Emanectin	Sum of emanectin (a mixture of a minimum of 90% 4'-epi-methylamino-4'-deoxyavermectin B1a and maximum of 10% 4'-epi-methylamino-4'-deoxyavermectin B1b) and its metabolites 8,9-isomer of the B1a and B1b component of the parent (8,9-ZMA), or 4'-deoxy-4'-epi-amino-avermectin B1a and 4'-deoxy-4'-epi-amino-avermectin B1b; 4'-deoxy-4'-epi-amino-avermectin B1a(AB1a); 4'-deoxy-4'-epi-(N-formyl)-N-methylamino-avermectin (MFB1a); and 4'-deoxy-4'-epi-(N-formyl)amino-avermectin B1a(FAB1a)	Pome fruits	0.025

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
115.2	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Cattle fat	0.01
115.3	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Goat fat	0.01
115.4	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Horse fat	0.01
115.5	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Pig fat	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
115.6	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Sheep fat	0.01
115.7	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Milks	0.003
115.8	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Cattle meat	0.003
115.9	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Goat meat	0.003

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
115.10	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Horse meat	0.003
115.11	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Pig meat	0.003
115.12	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Sheep meat	0.003
115.13	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Cattle liver	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
115.14	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Pig liver	0.05
115.15	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Sheep liver	0.05
115.16	Emamectin	Sum of emamectin (MAB1a + MAB1b isomers) and the associated 8,9-Z isomers (8,9-ZB1a + 8,9-ZB1b)	Horse liver	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
115.17	Emamectin	Sum of emamectin (a mixture of a minimum of 90% 4'-epi-methylamino-4'-deoxyavermectin B1a and maximum of 10% 4'-epi-methylamino-4'-deoxyavermectin B1b) and its metabolites 8,9-isomer of the B1a and B1b component of the parent (8,9-ZMA), or 4'-deoxy-4'-epi-amino-avermectin B1a and 4'-deoxy-4'-epi-amino-avermectin B1b; 4'-epi-amino-avermectin B1b; 4'-deoxy-4'-epi-amino-avermectin B1a(AB1a); 4'-deoxy-4'-epi-(N-formyl-N-methyl)amino-avermectin (MFB1a); and 4'-deoxy-4'-epi-(N-formyl)amino-avermectin B1a(FAB1a)	Cotton seed	0.025

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
115.18	Emamectin	Sum of emamectin (a mixture of a minimum of 90% 4'-epi-methylamino-4'-deoxyavermectin B1a and maximum of 10% 4'-epi-methylamino-4'-deoxyavermectin B1b) and its metabolites 8,9-isomer of the B1a and B1b component of the parent (8,9-ZMA), or 4'-deoxy-4'-epi-amino-avermectin B1a and 4'-deoxy-4'-epi-amino-avermectin B1b; 4'-epi-amino-avermectin B1b; 4'-deoxy-4'-epi-amino-avermectin B1a(AB1a); 4'-deoxy-4'-epi-(N-formyl-N-methyl)amino-avermectin (MFB1a); and 4'-deoxy-4'-epi-(N-formyl)amino-avermectin B1a(FAB1a)	Tree nuts	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
115.19	Emamectin	Sum of emamectin (a mixture of a minimum of 90% 4'-epi-methylamino-4'-deoxyavermectin B1a and maximum of 10% 4'-epi-methylamino-4'-deoxyavermectin B1b) and its metabolites 8,9-isomer of the B1a and B1b component of the parent (8,9-ZMA), or 4'-deoxy-4'-epi-amino-avermectin B1a and 4'-deoxy-4'-epi-amino-avermectin B1b; 4'-epi-amino-avermectin B1b; 4'-deoxy-4'-epi-amino-avermectin B1a(AB1a); 4'-deoxy-4'-epi-(N-formyl)-N-methylamino-avermectin (MFB1a); and 4'-deoxy-4'-epi-(N-formyl)amino-avermectin B1a(FAB1a)	Fruiting vegetables, other than Cucurbits	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
115.20	Emamectin	Sum of emamectin (a mixture of a minimum of 90% 4'-epi-methylamino-4'-deoxyavermectin B1a and maximum of 10% 4'-epi-methylamino-4'-deoxyavermectin B1b) and its metabolites 8,9-isomer of the B1a and B1b component of the parent (8,9-ZMA), or 4'-deoxy-4'-epi-amino-avermectin B1a and 4'-deoxy-4'-epi-amino-avermectin B1b; 4'-epi-amino-avermectin B1b; 4'-deoxy-4'-epi-amino-avermectin B1a(AB1a); 4'-deoxy-4'-epi-(N-formyl)-N-methylamino-avermectin (MFB1a); and 4'-deoxy-4'-epi-(N-formyl)amino-avermectin B1a(FAB1a)	Tomato paste	0.15

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

480

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
116.1	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Tea, Green, Black	20
116.2	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Blueberries	0.3
116.3	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Grapes	2
116.4	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Strawberry	2
116.5	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Avocado	2
116.6	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Custard apple	0.5

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

481

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
116.7	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Litchi	2
116.8	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Mango	0.5
116.9	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Papaya	0.5
116.10	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Persimmon, American	2
116.11	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Pineapple	1
116.12	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Milk fats	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
116.13	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Pome fruits	1
116.14	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Plums (including Prunes)	2
116.15	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Apricot	2
116.16	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Cherry, Sour	2
116.17	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Cherry, Sweet	2
116.18	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Nectarine	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
116.19	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Peach	2
116.20	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Barley	0.3
116.21	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Oats	0.3
116.22	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Rye	0.3
116.23	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Wheat	0.3
116.24	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Sugar cane	0.5



## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

484

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
116.25	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Spices, Seeds	1
116.26	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Spices, Fruits and Berries	5
116.27	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Spices, Roots and Rhizomes	0.5
116.28	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Cattle fat	13
116.29	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Goat fat	13
116.30	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Horse fat	13

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

485

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
116.31	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Pig fat	13
116.32	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Sheep fat	13
116.33	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Milks	0.01
116.34	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Meat (from mammals other than marine mammals) (Fat)	0.2
116.35	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Kidney of cattle, goats, pigs and sheep	0.03

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

486

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
116.36	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Liver of cattle, goats, pigs and sheep	0.1
116.37	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Horse liver	5
116.38	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Soya bean oil, crude	2
116.39	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Eggs	0.03
116.40	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Poultry meat (Fat)	0.2
116.41	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Edible offal of poultry	0.03

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

487

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
116.42	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Cacao beans	0.2
116.43	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Coffee beans	0.2
116.44	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Mustard seed	0.2
116.45	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Rape seed	0.2
116.46	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Cotton seed	1
116.47	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Almonds	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
116.48	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Hazelnuts	0.02
116.49	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Macadamia nuts	0.02
116.50	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Pecan	0.2
116.51	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Walnuts	0.2
116.52	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Bulb vegetables	0.1
116.53	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Broccoli	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
116.54	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Brussels sprouts	2
116.55	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Cauliflower	2
116.56	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	"Fruiting vegetables, Cucurbits", except "melons other than watermelon", summer squash and watermelon	1
116.57	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Melons, except watermelon	2

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

490

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
116.58	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Summer squash	0.5
116.59	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Watermelon	2
116.60	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Soya bean (dry)	1
116.61	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Leafy vegetables, except head lettuce and leaf lettuce	2
116.62	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Lettuce, Head	11

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

491

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
116.63	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Lettuce, Leaf	6
116.64	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Peppers (including Peppers, Chili and Peppers, Sweet)	2
116.65	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Egg plant	0.1
116.66	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Sweet corn (corn-on-the-cob)	0.2
116.67	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Tomato	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
116.68	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Legume vegetables	2
116.69	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Root and tuber vegetables	0.05
116.70	Endosulfan	Sum of alpha- and beta-endosulfan and endosulfan sulphate	Celery	8
117.1	Esfenvalerate	Sum of fenvalerate isomers	Wheat flour	0.2
117.2	Esfenvalerate	Sum of fenvalerate isomers	Wheat wholemeal	2
117.3	Esfenvalerate	Sum of fenvalerate isomers	Berries and other small fruits	0.2
117.4	Esfenvalerate	Sum of fenvalerate isomers	Citrus fruits, except mandarins	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
117.5	Esfenvalerate	Sum of fenvalerate isomers	Mandarins (including Mandarin-like hybrids)	1
117.6	Esfenvalerate	Sum of fenvalerate isomers	Assorted tropical and sub-tropical fruits—inedible peel	0.2
117.7	Esfenvalerate	Sum of fenvalerate isomers	Pome fruits, except apple and pear	0.2
117.8	Esfenvalerate	Sum of fenvalerate isomers	Apple	1
117.9	Esfenvalerate	Sum of fenvalerate isomers	Pear	1
117.10	Esfenvalerate	Sum of fenvalerate isomers	Stone fruits	0.2

## Pesticide Residues in Food Regulation

494

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
117.11	Esfenvalerate	Sum of fenvalerate isomers	Assorted tropical and sub-tropical fruits—edible peel	0.2
117.12	Esfenvalerate	Sum of fenvalerate isomers	Maize	0.02
117.13	Esfenvalerate	Sum of fenvalerate isomers	Cotton seed oil, edible	0.1
117.14	Esfenvalerate	Sum of fenvalerate isomers	Eggs	0.01
117.15	Esfenvalerate	Sum of fenvalerate isomers	Poultry meat (Fat)	0.01
117.16	Esfenvalerate	Sum of fenvalerate isomers	Edible offal of poultry	0.01
117.17	Esfenvalerate	Sum of fenvalerate isomers	Rape seed	0.01
117.18	Esfenvalerate	Sum of fenvalerate isomers	Cotton seed	0.2
117.19	Esfenvalerate	Sum of fenvalerate isomers	Peanut	0.1

## Pesticide Residues in Food Regulation

495

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
117.20	Esfenvalerate	Sum of fenvalerate isomers	Cabbages, Head	0.5
117.21	Esfenvalerate	Sum of fenvalerate isomers	Cauliflower	0.5
117.22	Esfenvalerate	Sum of fenvalerate isomers	Melons, except watermelon	0.2
117.23	Esfenvalerate	Sum of fenvalerate isomers	Cucumber	0.2
117.24	Esfenvalerate	Sum of fenvalerate isomers	Loofah, Smooth	0.2
117.25	Esfenvalerate	Sum of fenvalerate isomers	Summer squash	0.2
117.26	Esfenvalerate	Sum of fenvalerate isomers	Watermelon	0.2
117.27	Esfenvalerate	Sum of fenvalerate isomers	Winter squash	0.2
117.28	Esfenvalerate	Sum of fenvalerate isomers	Soya bean (dry)	0.1
117.29	Esfenvalerate	Sum of fenvalerate isomers	Pak-choi	1
117.30	Esfenvalerate	Sum of fenvalerate isomers	Chinese cabbage (type Pe-tsai)	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
117.31	Esfenvalerate	Sum of fenvalerate isomers	Lettuce, Head	1
117.32	Esfenvalerate	Sum of fenvalerate isomers	Lettuce, Leaf	1
117.33	Esfenvalerate	Sum of fenvalerate isomers	Spinach	1
117.34	Esfenvalerate	Sum of fenvalerate isomers	Egg plant	0.2
117.35	Esfenvalerate	Sum of fenvalerate isomers	Peppers, Chili	0.2
117.36	Esfenvalerate	Sum of fenvalerate isomers	Sweet corn (corn-on-the-cob)	0.2
117.37	Esfenvalerate	Sum of fenvalerate isomers	Tomato	0.2
117.38	Esfenvalerate	Sum of fenvalerate isomers	Fungi, edible (not including mushrooms)	0.2
117.39	Esfenvalerate	Sum of fenvalerate isomers	Mushrooms	0.2
117.40	Esfenvalerate	Sum of fenvalerate isomers	Radish	0.05
117.41	Esfenvalerate	Sum of fenvalerate isomers	Carrot	0.05
117.42	Esfenvalerate	Sum of fenvalerate isomers	Potato	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
117.43	Esfenvalerate	Sum of fenvalerate isomers	Sugar beet	0.05
117.44	Esfenvalerate	Sum of fenvalerate isomers	Yams	0.05
118.1	Ethalfuralin	Ethalfuralin	Dill	0.05
118.2	Ethalfuralin	Ethalfuralin	Mustard seed	0.05
118.3	Ethalfuralin	Ethalfuralin	Rape seed	0.05
118.4	Ethalfuralin	Ethalfuralin	Peanut	0.05
118.5	Ethalfuralin	Ethalfuralin	Safflower seed	0.05
118.6	Ethalfuralin	Ethalfuralin	Sunflower seed	0.05
118.7	Ethalfuralin	Ethalfuralin	Fruiting vegetables, Cucurbits	0.05
118.8	Ethalfuralin	Ethalfuralin	Beans (dry)	0.05
118.9	Ethalfuralin	Ethalfuralin	Peas (dry)	0.05
118.10	Ethalfuralin	Ethalfuralin	Potato	0.05
119.1	Ethametsulfuron methyl	Ethametsulfuron methyl	Rape seed	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
120.1	Ethephon	Ethephon	Wheat germ	5
120.2	Ethephon	Ethephon	Dried grapes (Currants, Raisins and Sultanas)	5
120.3	Ethephon	Ethephon	Figs, dried or dried and candied	10
120.4	Ethephon	Ethephon	Sugar cane molasses	1.5
120.5	Ethephon	Ethephon	Blueberries	20
120.6	Ethephon	Ethephon	Blackberries	30
120.7	Ethephon	Ethephon	Grapes	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
120.8	Ethephon	Ethephon	Assorted tropical and sub-tropical fruits—inedible peel	2
120.9	Ethephon	Ethephon	Apple	5
120.10	Ethephon	Ethephon	Cherries	10
120.11	Ethephon	Ethephon	Nectarine	0.01
120.12	Ethephon	Ethephon	Peach	0.5
120.13	Ethephon	Ethephon	Barley	1
120.14	Ethephon	Ethephon	Maize	0.5
120.15	Ethephon	Ethephon	Rye	1
120.16	Ethephon	Ethephon	Wheat	1
120.17	Ethephon	Ethephon	Sugar cane	0.1
120.18	Ethephon	Ethephon	Peppers, Chili (dry)	50



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
120.19	Ethephon	Ethephon	Cattle fat	0.02
120.20	Ethephon	Ethephon	Goat fat	0.02
120.21	Ethephon	Ethephon	Horse fat	0.02
120.22	Ethephon	Ethephon	Pig fat	0.02
120.23	Ethephon	Ethephon	Sheep fat	0.02
120.24	Ethephon	Ethephon	Milks, except cattle milk, goat milk and sheep milk	0.01
120.25	Ethephon	Ethephon	Milk of cattle, goats and sheep	0.05
120.26	Ethephon	Ethephon	Meat (from mammals other than marine mammals)	0.1
120.27	Ethephon	Ethephon	Edible offal (Mammalian)	0.2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
120.28	Ethephon	Ethephon	Eggs, except chicken eggs	0.002
120.29	Ethephon	Ethephon	Chicken eggs	0.2
120.30	Ethephon	Ethephon	Poultry fats	0.02
120.31	Ethephon	Ethephon	Poultry meat	0.1
120.32	Ethephon	Ethephon	Edible offal of poultry	0.2
120.33	Ethephon	Ethephon	Coffee beans	0.5
120.34	Ethephon	Ethephon	Cotton seed	2
120.35	Ethephon	Ethephon	Hazelnuts	0.2
120.36	Ethephon	Ethephon	Macadamia nuts	0.5
120.37	Ethephon	Ethephon	Walnuts	0.5
120.38	Ethephon	Ethephon	Cucumber	0.1
120.39	Ethephon	Ethephon	Cantaloupe	1

## Pesticide Residues in Food Regulation

502

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
120.40	Ethephon	Ethephon	Peppers (including Peppers, Chili and Peppers, Sweet)	5
120.41	Ethephon	Ethephon	Tomato	2
121.1	Ethion	Ethion	Rice	0.2
121.2	Ethion	Ethion	Spices, Seeds	3
121.3	Ethion	Ethion	Spices, Fruits and Berries	5
121.4	Ethion	Ethion	Spices, Roots and Rhizomes	0.3
121.5	Ethion	Ethion	Cotton seed oil, edible	0.5
121.6	Ethion	Ethion	Beans (dry)	1
122.1	Ethoprophos	Ethoprophos	Hops, dry	0.02
122.2	Ethoprophos	Ethoprophos	Strawberry	0.02

## Pesticide Residues in Food Regulation

503

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
122.3	Ethoprophos	Ethoprophos	Banana	0.02
122.4	Ethoprophos	Ethoprophos	Maize	0.02
122.5	Ethoprophos	Ethoprophos	Sugar cane	0.02
122.6	Ethoprophos	Ethoprophos	Peppers, Chili (dry)	0.2
122.7	Ethoprophos	Ethoprophos	Milks	0.01
122.8	Ethoprophos	Ethoprophos	Meat (from mammals other than marine mammals)	0.01
122.9	Ethoprophos	Ethoprophos	Edible offal (Mammalian)	0.01
122.10	Ethoprophos	Ethoprophos	Peanut	0.02
122.11	Ethoprophos	Ethoprophos	Melons, except watermelon	0.02
122.12	Ethoprophos	Ethoprophos	Cucumber	0.01

## Pesticide Residues in Food Regulation

504

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
122.13	Ethoprophos	Ethoprophos	Peppers, Sweet (including pimiento or pimiento)	0.05
122.14	Ethoprophos	Ethoprophos	Sweet corn (corn-on-the-cob)	0.02
122.15	Ethoprophos	Ethoprophos	Tomato	0.01
122.16	Ethoprophos	Ethoprophos	Turnip, Garden	0.02
122.17	Ethoprophos	Ethoprophos	Sweet potato	0.05
122.18	Ethoprophos	Ethoprophos	Potato	0.05
123.1	Ethoxyquin	Ethoxyquin	Pear	3
124.1	Etofenprox	Etofenprox	Pome fruits	1
124.2	Etofenprox	Etofenprox	Rice	0.01
124.3	Etofenprox	Etofenprox	Potato	0.01
125.1	Etoxazole	Etoxazole	Prunes	0.3

## Pesticide Residues in Food Regulation

505

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
125.2	Etoxazole	Etoxazole	Hops, dry	15
125.3	Etoxazole	Etoxazole	Tea, Green, Black	15
125.4	Etoxazole	Etoxazole	Grapes	0.5
125.5	Etoxazole	Etoxazole	Citrus fruits	0.1
125.6	Etoxazole	Etoxazole	Avocado	0.2
125.7	Etoxazole	Etoxazole	Canistel	0.2
125.8	Etoxazole	Etoxazole	Mango	0.2
125.9	Etoxazole	Etoxazole	Papaya	0.2
125.10	Etoxazole	Etoxazole	Sapodilla	0.2
125.11	Etoxazole	Etoxazole	Sapote, Black	0.2
125.12	Etoxazole	Etoxazole	Sapote, Mamme	0.2
125.13	Etoxazole	Etoxazole	Star apple	0.2
125.14	Etoxazole	Etoxazole	Milk fats	0.01

## Pesticide Residues in Food Regulation

506

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
125.15	Etoxazole	Etoxazole	Pome fruits	0.2
125.16	Etoxazole	Etoxazole	Stone fruits, except plums (including prunes)	1
125.17	Etoxazole	Etoxazole	Plums (including Prunes)	0.15
125.18	Etoxazole	Etoxazole	Mints	15
125.19	Etoxazole	Etoxazole	Cattle fat	0.02
125.20	Etoxazole	Etoxazole	Goat fat	0.02
125.21	Etoxazole	Etoxazole	Horse fat	0.02
125.22	Etoxazole	Etoxazole	Sheep fat	0.02
125.23	Etoxazole	Etoxazole	Milks	0.01

## Pesticide Residues in Food Regulation

507

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
125.24	Etoxazole	Etoxazole	Meat (from mammals other than marine mammals) (Fat)	0.01
125.25	Etoxazole	Etoxazole	Edible offal (Mammalian)	0.01
125.26	Etoxazole	Etoxazole	Cotton seed	0.05
125.27	Etoxazole	Etoxazole	Tree nuts	0.01
125.28	Etoxazole	Etoxazole	Cucumber	0.02
125.29	Etoxazole	Etoxazole	Tomato	0.2
126.1	Famoxadone	Famoxadone	Wheat bran, unprocessed	0.2
126.2	Famoxadone	Famoxadone	Dried grapes (Currants, Raisins and Sultanas)	5
126.3	Famoxadone	Famoxadone	Hops, dry	80

## Pesticide Residues in Food Regulation

508

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
126.4	Famoxadone	Famoxadone	Grapes	2
126.5	Famoxadone	Famoxadone	Barley	0.2
126.6	Famoxadone	Famoxadone	Wheat	0.1
126.7	Famoxadone	Famoxadone	Cattle fat	0.02
126.8	Famoxadone	Famoxadone	Goat fat	0.02
126.9	Famoxadone	Famoxadone	Horse fat	0.02
126.10	Famoxadone	Famoxadone	Sheep fat	0.02
126.11	Famoxadone	Famoxadone	Milks (F)	0.03
126.12	Famoxadone	Famoxadone	Meat (from mammals other than marine mammals) (Fat)	0.5
126.13	Famoxadone	Famoxadone	Edible offal (Mammalian)	0.5
126.14	Famoxadone	Famoxadone	Eggs	0.01
126.15	Famoxadone	Famoxadone	Poultry meat	0.01

## Pesticide Residues in Food Regulation

509

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
126.16	Famoxadone	Famoxadone	Edible offal of poultry	0.01
126.17	Famoxadone	Famoxadone	"Fruiting vegetables, Cucurbits", except cucumber and summer squash	0.3
126.18	Famoxadone	Famoxadone	Cucumber	0.2
126.19	Famoxadone	Famoxadone	Summer squash	0.2
126.20	Famoxadone	Famoxadone	Leafy vegetables, except brassica leafy vegetables and spinach	25
126.21	Famoxadone	Famoxadone	Spinach	50

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
126.22	Famoxadone	Famoxadone	"Fruiting vegetables, other than Cucurbits", except tomato	4
126.23	Famoxadone	Famoxadone	Tomato	2
126.24	Famoxadone	Famoxadone	Potato	0.02
127.1	Fenamidone	Fenamidone	Grapes	1
127.2	Fenamidone	Sum of fenamidone and RPA 717879 (5-methyl-5-phenylimidazolidine-2,4-dione), expressed as fenamidone	Cattle fat	0.1
127.3	Fenamidone	Sum of fenamidone and RPA 717879 (5-methyl-5-phenylimidazolidine-2,4-dione), expressed as fenamidone	Goat fat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
127.4	Fenamidone	Sum of fenamidone and RPA 717879 (5-methyl-5-phenylimidazolidine-2,4-dione), expressed as fenamidone	Sheep fat	0.1
127.5	Fenamidone	Sum of fenamidone and RPA 717879 (5-methyl-5-phenylimidazolidine-2,4-dione), expressed as fenamidone	Milks	0.02
127.6	Fenamidone	Sum of fenamidone and RPA 717879 (5-methyl-5-phenylimidazolidine-2,4-dione), expressed as fenamidone	Cattle meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
127.7	Fenamidone	Sum of fenamidone and RPA 717879 (5-methyl-5-phenylimidazolidine-2,4-dione), expressed as fenamidone	Goat meat	0.1
127.8	Fenamidone	Sum of fenamidone and RPA 717879 (5-methyl-5-phenylimidazolidine-2,4-dione), expressed as fenamidone	Sheep meat	0.1
127.9	Fenamidone	Sum of fenamidone and RPA 717879 (5-methyl-5-phenylimidazolidine-2,4-dione), expressed as fenamidone	Edible offal of cattle	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
127.10	Fenamidone	Sum of fenamidone and RPA 717879 (5-methyl-5-phenylimidazolidine-2,4-dione), expressed as fenamidone	Edible offal of goat	0.1
127.11	Fenamidone	Sum of fenamidone and RPA 717879 (5-methyl-5-phenylimidazolidine-2,4-dione), expressed as fenamidone	Edible offal of sheep	0.1
127.12	Fenamidone	Fenamidone	Cotton seed	0.02
127.13	Fenamidone	Fenamidone	Garlic	0.2
127.14	Fenamidone	Fenamidone	Garlic, Great-headed	0.2
127.15	Fenamidone	Fenamidone	Leek	1.5
127.16	Fenamidone	Fenamidone	Onion, Bulb	0.2
127.17	Fenamidone	Fenamidone	Onion, Welsh	1.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
127.18	Fenamidone	Fenamidone	Shallot	0.2
127.19	Fenamidone	Fenamidone	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
127.20	Fenamidone	Fenamidone	Fruiting vegetables, Cucurbits	0.15
127.21	Fenamidone	Fenamidone	Leafy vegetables, except brassica leafy vegetables	60
127.22	Fenamidone	Fenamidone	Brassica leafy vegetables	55
127.23	Fenamidone	Fenamidone	Okra	3.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
127.24	Fenamidone	Fenamidone	Potato	0.02
127.25	Fenamidone	Fenamidone	Tomato paste	2.2
128.1	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Banana	0.05
128.2	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Apple	0.05
128.3	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Milks	0.005
128.4	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Meat (from mammals other than marine mammals)	0.01
128.5	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Edible offal (Mammalian)	0.01



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
128.6	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Cotton seed oil, crude	0.05
128.7	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Peanut oil, crude	0.05
128.8	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Peanut oil, edible	0.05
128.9	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Eggs	0.01
128.10	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Poultry meat	0.01
128.11	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Edible offal of poultry	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
128.12	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Cotton seed	0.05
128.13	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Peanut	0.05
128.14	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Cabbages, Head	0.05
128.15	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Brussels sprouts	0.05
128.16	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Melons, except watermelon	0.05
128.17	Fenamiphos	Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos	Carrot	0.2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
129.1	Fenarimol	Fenarimol	Dried grapes (Currants, Raisins and Sultanas)	0.2
129.2	Fenarimol	Fenarimol	Hops, dry	5
129.3	Fenarimol	Fenarimol	Blueberries	0.1
129.4	Fenarimol	Fenarimol	Grapes	0.3
129.5	Fenarimol	Fenarimol	Strawberry	1
129.6	Fenarimol	Fenarimol	Banana	0.2
129.7	Fenarimol	Fenarimol	Pome fruits	0.3
129.8	Fenarimol	Fenarimol	Cherries	1
129.9	Fenarimol	Fenarimol	Peach	0.5
129.10	Fenarimol	Fenarimol	Peppers, Chili (dry)	5
129.11	Fenarimol	Fenarimol	Cattle fat	0.01
129.12	Fenarimol	Fenarimol	Goat fat	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
129.13	Fenarimol	Fenarimol	Horse fat	0.01
129.14	Fenarimol	Fenarimol	Sheep fat	0.01
129.15	Fenarimol	Fenarimol	Cattle meat	0.02
129.16	Fenarimol	Fenarimol	Goat meat	0.01
129.17	Fenarimol	Fenarimol	Horse meat	0.01
129.18	Fenarimol	Fenarimol	Sheep meat	0.01
129.19	Fenarimol	Fenarimol	Cattle kidney	0.02
129.20	Fenarimol	Fenarimol	Cattle liver	0.05
129.21	Fenarimol	Fenarimol	Sheep kidney	0.01
129.22	Fenarimol	Fenarimol	Horse kidney	0.01
129.23	Fenarimol	Fenarimol	Hazelnuts	0.02
129.24	Fenarimol	Fenarimol	Pecan	0.02
129.25	Fenarimol	Fenarimol	Melons, except watermelon	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
129.26	Fenarimol	Fenarimol	Peppers, Sweet (including pimiento or pimiento)	0.5
129.27	Fenarimol	Fenarimol	Artichoke, Globe	0.1
130.1	Fenbuconazole	Fenbuconazole	Rice, husked	0.1
130.2	Fenbuconazole	Fenbuconazole	Tea, Green, Black	10
130.3	Fenbuconazole	Fenbuconazole	Grapes	1
130.4	Fenbuconazole	Fenbuconazole	Banana	0.05
130.5	Fenbuconazole	Fenbuconazole	Pome fruits	0.1
130.6	Fenbuconazole	Fenbuconazole	Cherries	1
130.7	Fenbuconazole	Fenbuconazole	Apricot	0.5
130.8	Fenbuconazole	Fenbuconazole	Peach	0.5
130.9	Fenbuconazole	Fenbuconazole	Barley	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
130.10	Fenbuconazole	Fenbuconazole	Rye	0.1
130.11	Fenbuconazole	Fenbuconazole	Wheat	0.1
130.12	Fenbuconazole	Fenbuconazole	Cattle fat	0.05
130.13	Fenbuconazole	Fenbuconazole	Milks	0.01
130.14	Fenbuconazole	Fenbuconazole	Cattle meat	0.05
130.15	Fenbuconazole	Fenbuconazole	Cattle kidney	0.05
130.16	Fenbuconazole	Fenbuconazole	Cattle liver	0.05
130.17	Fenbuconazole	Fenbuconazole	Eggs	0.01
130.18	Fenbuconazole	Fenbuconazole	Poultry meat	0.01
130.19	Fenbuconazole	Fenbuconazole	Edible offal of poultry	0.01
130.20	Fenbuconazole	Fenbuconazole	Rape seed	0.05
130.21	Fenbuconazole	Fenbuconazole	Sunflower seed	0.05
130.22	Fenbuconazole	Fenbuconazole	Tree nuts	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
130.23	Fenbuconazole	Fenbuconazole	Melons, except watermelon	0.2
130.24	Fenbuconazole	Fenbuconazole	Cucumber	0.2
130.25	Fenbuconazole	Fenbuconazole	Summer squash	0.05
131.1	Fenbutatin oxide	Fenbutatin oxide	Prunes	10
131.2	Fenbutatin oxide	Fenbutatin oxide	Raisins	20
131.3	Fenbutatin oxide	Fenbutatin oxide	Grapes	5
131.4	Fenbutatin oxide	Fenbutatin oxide	Raspberries, Red, Black	10
131.5	Fenbutatin oxide	Fenbutatin oxide	Strawberry	10
131.6	Fenbutatin oxide	Fenbutatin oxide	Citrus fruits	5
131.7	Fenbutatin oxide	Fenbutatin oxide	Avocado	5
131.8	Fenbutatin oxide	Fenbutatin oxide	Banana	10
131.9	Fenbutatin oxide	Fenbutatin oxide	Papaya	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
131.10	Fenbutatin oxide	Fenbutatin oxide	Pome fruits, except apple and pear	5
131.11	Fenbutatin oxide	Fenbutatin oxide	Apple	15
131.12	Fenbutatin oxide	Fenbutatin oxide	Pear	15
131.13	Fenbutatin oxide	Fenbutatin oxide	Cherries	10
131.14	Fenbutatin oxide	Fenbutatin oxide	Plums (including Prunes)	3
131.15	Fenbutatin oxide	Fenbutatin oxide	Peach	7
131.16	Fenbutatin oxide	Fenbutatin oxide	Milks	0.05
131.17	Fenbutatin oxide	Fenbutatin oxide	Meat (from mammals other than marine mammals)	0.05
131.18	Fenbutatin oxide	Fenbutatin oxide	Edible offal (Mammalian)	0.2

## Pesticide Residues in Food Regulation

524

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
131.19	Fenbutatin oxide	Fenbutatin oxide	Citrus oil	140
131.20	Fenbutatin oxide	Fenbutatin oxide	Eggs	0.05
131.21	Fenbutatin oxide	Fenbutatin oxide	Chicken meat	0.05
131.22	Fenbutatin oxide	Fenbutatin oxide	Edible offal of chicken	0.05
131.23	Fenbutatin oxide	Fenbutatin oxide	Tree nuts	0.5
131.24	Fenbutatin oxide	Fenbutatin oxide	Cucumber	0.5
131.25	Fenbutatin oxide	Fenbutatin oxide	Egg plant	6
131.26	Fenbutatin oxide	Fenbutatin oxide	Tomato	1
132.1	Fenhexamid	Fenhexamid	Prunes	2.5
132.2	Fenhexamid	Fenhexamid	Dried grapes (Currants, Raisins and Sultanas)	25
132.3	Fenhexamid	Fenhexamid	Blueberries	5

## Pesticide Residues in Food Regulation

525

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
132.4	Fenhexamid	Fenhexamid	Currants, Black, Red, White	5
132.5	Fenhexamid	Fenhexamid	Bilberry, Red	5
132.6	Fenhexamid	Fenhexamid	Blackberries	15
132.7	Fenhexamid	Fenhexamid	Dewberries (including Boysenberry and Loganberry)	15
132.8	Fenhexamid	Fenhexamid	Elderberries	5
132.9	Fenhexamid	Fenhexamid	Gooseberry	5
132.10	Fenhexamid	Fenhexamid	Grapes	15
132.11	Fenhexamid	Fenhexamid	Juneberries	5
132.12	Fenhexamid	Fenhexamid	Raspberries, Red, Black	15
132.13	Fenhexamid	Fenhexamid	Strawberry	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
132.14	Fenhexamid	Fenhexamid	Kiwi fruit	15
132.15	Fenhexamid	Fenhexamid	Pomegranate	2
132.16	Fenhexamid	Fenhexamid	Pear	10
132.17	Fenhexamid	Fenhexamid	Stone fruits, except plums (including prunes)	10
132.18	Fenhexamid	Fenhexamid	Plums (including Prunes)	1
132.19	Fenhexamid	Fenhexamid	Milks (F)	0.01
132.20	Fenhexamid	Fenhexamid	Meat (from mammals other than marine mammals) (Fat)	0.05
132.21	Fenhexamid	Fenhexamid	Edible offal (Mammalian)	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
132.22	Fenhexamid	Fenhexamid	Almonds	0.02
132.23	Fenhexamid	Fenhexamid	Pistachio nut	0.02
132.24	Fenhexamid	Fenhexamid	Cucumber	1
132.25	Fenhexamid	Fenhexamid	Gherkin	1
132.26	Fenhexamid	Fenhexamid	Summer squash	1
132.27	Fenhexamid	Fenhexamid	Lettuce, Head	30
132.28	Fenhexamid	Fenhexamid	Lettuce, Leaf	30
132.29	Fenhexamid	Fenhexamid	Peppers (including Peppers, Chili and Peppers, Sweet)	2
132.30	Fenhexamid	Fenhexamid	Egg plant	2
132.31	Fenhexamid	Fenhexamid	Tomato	2
132.32	Fenhexamid	Fenhexamid	Asparagus	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
133.1	Fenitrothion	Fenitrothion	Wheat bran, processed	2
133.2	Fenitrothion	Fenitrothion	Wheat flour	2
133.3	Fenitrothion	Fenitrothion	Wheat wholemeal	5
133.4	Fenitrothion	Fenitrothion	Rice, husked	1
133.5	Fenitrothion	Fenitrothion	Wheat bran, unprocessed	25
133.6	Fenitrothion	Fenitrothion	Rice, polished	1
133.7	Fenitrothion	Fenitrothion	Rice bran, unprocessed	40
133.8	Fenitrothion	Fenitrothion	Tea, Green, Black	0.5
133.9	Fenitrothion	Fenitrothion	Berries and other small fruits	0.5
133.10	Fenitrothion	Fenitrothion	Citrus fruits	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
133.11	Fenitrothion	Fenitrothion	Assorted tropical and sub-tropical fruits—inedible peel	0.5
133.12	Fenitrothion	Fenitrothion	Pome fruits	0.5
133.13	Fenitrothion	Fenitrothion	Stone fruits	0.5
133.14	Fenitrothion	Fenitrothion	Assorted tropical and sub-tropical fruits—edible peel	0.5
133.15	Fenitrothion	Fenitrothion	Cereal grains	6
133.16	Fenitrothion	Fenitrothion	Spices, Seeds	7
133.17	Fenitrothion	Fenitrothion	Spices, Fruits and Berries	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
133.18	Fenitrothion	Fenitrothion	Spices, Roots and Rhizomes	0.1
133.19	Fenitrothion	Fenitrothion	Milks	0.01
133.20	Fenitrothion	Fenitrothion	Meat (from mammals other than marine mammals)	0.05
133.21	Fenitrothion	Fenitrothion	Edible offal (Mammalian)	0.05
133.22	Fenitrothion	Fenitrothion	Eggs	0.05
133.23	Fenitrothion	Fenitrothion	Poultry meat	0.05
133.24	Fenitrothion	Fenitrothion	Coffee beans	0.05
133.25	Fenitrothion	Fenitrothion	Cotton seed	0.1
133.26	Fenitrothion	Fenitrothion	Bulb vegetables	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
133.27	Fenitrothion	Fenitrothion	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except head cabbages	0.5
133.28	Fenitrothion	Fenitrothion	Cabbages, Head	0.2
133.29	Fenitrothion	Fenitrothion	Fruiting vegetables, Cucurbits	0.5
133.30	Fenitrothion	Fenitrothion	Pulses	5
133.31	Fenitrothion	Fenitrothion	Leafy vegetables	0.5



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
133.32	Fenitrothion	Fenitrothion	Fruiting vegetables, other than Cucurbits	0.5
133.33	Fenitrothion	Fenitrothion	Legume vegetables	0.5
133.34	Fenitrothion	Fenitrothion	Root and tuber vegetables	5
133.35	Fenitrothion	Fenitrothion	Stalk and stem vegetables	0.5
134.1	Fenobucarb (BPMC)	Fenobucarb (BPMC)	Rice	0.5
135.1	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyloxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Barley	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
135.2	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyloxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Rice	0.05
135.3	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyloxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Wheat	0.05
135.4	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyloxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Cattle fat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
135.5	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyloxy)phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Goat fat	0.05
135.6	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyloxy)phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Horse fat	0.05
135.7	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyloxy)phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Pig fat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
135.8	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyloxy)phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Sheep fat	0.05
135.9	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyloxy)phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Milks	0.02
135.10	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyloxy)phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Cattle meat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
135.11	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyl)oxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Goat meat	0.05
135.12	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyl)oxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Horse meat	0.05
135.13	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyl)oxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Pig meat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
135.14	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyl)oxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Sheep meat	0.05
135.15	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyl)oxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Edible offal of cattle	0.05
135.16	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-(6-chloro-2-benzoxazolyl)oxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Edible offal of goat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
135.17	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-[(6-chloro-2-benzoxazolyloxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Edible offal of horse	0.05
135.18	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-[(6-chloro-2-benzoxazolyloxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Edible offal of pig	0.05
135.19	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-[(6-chloro-2-benzoxazolyloxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Edible offal of sheep	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
135.20	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-[(6-chloro-2-benzoxazolyloxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Cotton seed	0.05
135.21	Fenoxaprop ethyl	Sum of fenoxaprop-ethyl, 2-[4-[(6-chloro-2-benzoxazolyloxy]phenoxy]propanoic acid and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl	Peanut	0.05
136.1	Fenpropathrin	Fenpropathrin	Tea, Green, Black	2
136.2	Fenpropathrin	Fenpropathrin	Berries and other small fruits	5
136.3	Fenpropathrin	Fenpropathrin	Citrus fruits	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
136.4	Fenpropathrin	Fenpropathrin	Assorted tropical and sub-tropical fruits—inedible peel	5
136.5	Fenpropathrin	Fenpropathrin	Pome fruits	5
136.6	Fenpropathrin	Fenpropathrin	Stone fruits	5
136.7	Fenpropathrin	Fenpropathrin	Assorted tropical and sub-tropical fruits—edible peel	5
136.8	Fenpropathrin	Fenpropathrin	Peppers, Chili (dry)	10
136.9	Fenpropathrin	Fenpropathrin	Cattle fat	1
136.10	Fenpropathrin	Fenpropathrin	Goat fat	1
136.11	Fenpropathrin	Fenpropathrin	Horse fat	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
136.12	Fenpropathrin	Fenpropathrin	Pig fat	1
136.13	Fenpropathrin	Fenpropathrin	Sheep fat	1
136.14	Fenpropathrin	Fenpropathrin	Cattle milk (F)	0.1
136.15	Fenpropathrin	Fenpropathrin	Cattle meat (Fat)	0.5
136.16	Fenpropathrin	Fenpropathrin	Goat meat	0.1
136.17	Fenpropathrin	Fenpropathrin	Horse meat	0.1
136.18	Fenpropathrin	Fenpropathrin	Pig meat	0.1
136.19	Fenpropathrin	Fenpropathrin	Sheep meat	0.1
136.20	Fenpropathrin	Fenpropathrin	Edible offal of cattle	0.05
136.21	Fenpropathrin	Fenpropathrin	Edible offal of goat	0.1
136.22	Fenpropathrin	Fenpropathrin	Edible offal of horse	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
136.23	Fenpropathrin	Fenpropathrin	Edible offal of pig	0.1
136.24	Fenpropathrin	Fenpropathrin	Edible offal of sheep	0.1
136.25	Fenpropathrin	Fenpropathrin	Cotton seed oil, crude	3
136.26	Fenpropathrin	Fenpropathrin	Citrus oil	75
136.27	Fenpropathrin	Fenpropathrin	Cotton seed oil, edible	3
136.28	Fenpropathrin	Fenpropathrin	Eggs	0.01
136.29	Fenpropathrin	Fenpropathrin	Poultry fats	0.05
136.30	Fenpropathrin	Fenpropathrin	Poultry meat (Fat)	0.02
136.31	Fenpropathrin	Fenpropathrin	Edible offal of poultry	0.01
136.32	Fenpropathrin	Fenpropathrin	Cotton seed	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
136.33	Fenpropathrin	Fenpropathrin	Peanut	0.01
136.34	Fenpropathrin	Fenpropathrin	Tree nuts	0.1
136.35	Fenpropathrin	Fenpropathrin	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	3
136.36	Fenpropathrin	Fenpropathrin	Gherkin	0.2
136.37	Fenpropathrin	Fenpropathrin	Leafy vegetables	0.5
136.38	Fenpropathrin	Fenpropathrin	"Fruiting vegetables, other than Cucurbits", except egg plant	1
136.39	Fenpropathrin	Fenpropathrin	Egg plant	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
137.1	Fenpropimorph	Fenpropimorph	Banana	2
137.2	Fenpropimorph	Fenpropimorph	Barley	0.5
137.3	Fenpropimorph	Fenpropimorph	Oats	0.5
137.4	Fenpropimorph	Fenpropimorph	Rye	0.5
137.5	Fenpropimorph	Fenpropimorph	Wheat	0.5
137.6	Fenpropimorph	Fenpropimorph	Sugar beet	0.05
138.1	Fenpyroximate	Fenpyroximate	Dried grapes (Currants, Raisins and Sultanas)	0.3
138.2	Fenpyroximate	Fenpyroximate	Hops, dry	10
138.3	Fenpyroximate	Fenpyroximate	Grapes	0.1
138.4	Fenpyroximate	Fenpyroximate	Citrus fruits	0.5
138.5	Fenpyroximate	Fenpyroximate	Pome fruits	0.3
138.6	Fenpyroximate	Fenpyroximate	Peppers, Chili (dry)	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
138.7	Fenpyroximate	Fenpyroximate	Cattle milk (F)	0.005
138.8	Fenpyroximate	Fenpyroximate	Cattle meat (Fat)	0.02
138.9	Fenpyroximate	Fenpyroximate	Cattle kidney	0.01
138.10	Fenpyroximate	Fenpyroximate	Cattle liver	0.01
138.11	Fenpyroximate	Fenpyroximate	Tree nuts	0.05
138.12	Fenpyroximate	Fenpyroximate	Melons, except watermelon	0.05
138.13	Fenpyroximate	Fenpyroximate	Cucumber	0.03
138.14	Fenpyroximate	Fenpyroximate	Fruiting vegetables, other than Cucurbits	0.2
139.1	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Rice, husked	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
139.2	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Berries and other small fruits	0.05
139.3	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Citrus fruits	2
139.4	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	"Assorted tropical and sub-tropical fruits—inedible peel", except avocado and litchi	0.05
139.5	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Avocado	5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
139.6	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Litchi	5
139.7	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Pome fruits	0.05
139.8	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Stone fruits, except cherries	0.05
139.9	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Cherries	2



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
139.10	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	"Assorted tropical and sub-tropical fruits—edible peel", except olives	0.05
139.11	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Olives	1
139.12	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Rice	0.05
139.13	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Wheat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
139.14	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Milks	0.2
139.15	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Olive oil, virgin	1
139.16	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Vegetable oils, edible	0.01
139.17	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Bulb vegetables	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
139.18	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.05
139.19	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Fruiting vegetables, Cucurbits	0.05
139.20	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Leafy vegetables	0.05
139.21	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Fruiting vegetables, other than Cucurbits	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
139.22	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Legume vegetables	0.05
139.23	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Root and tuber vegetables	0.05
139.24	Fenthion	Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion	Stalk and stem vegetables	0.05
140.1	Fenvalerate	Fenvalerate	Wheat flour	0.2
140.2	Fenvalerate	Fenvalerate	Wheat wholemeal	2
140.3	Fenvalerate	Fenvalerate	Wheat bran, unprocessed	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
140.4	Fenvalerate	Fenvalerate	Berries and other small fruits	1
140.5	Fenvalerate	Fenvalerate	Citrus fruits	2
140.6	Fenvalerate	Fenvalerate	"Assorted tropical and sub-tropical fruits—inedible peel", except kiwifruit	0.2
140.7	Fenvalerate	Fenvalerate	Kiwifruit	5
140.8	Fenvalerate	Fenvalerate	Pome fruits	2
140.9	Fenvalerate	Fenvalerate	Stone fruits, except cherries and peach	0.2
140.10	Fenvalerate	Fenvalerate	Cherries	2
140.11	Fenvalerate	Fenvalerate	Peach	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
140.12	Fenvalerate	Fenvalerate	Assorted tropical and sub-tropical fruits—edible peel	0.2
140.13	Fenvalerate	Fenvalerate	Cereal grains	2
140.14	Fenvalerate	Fenvalerate	Spices, Fruits and Berries	0.03
140.15	Fenvalerate	Fenvalerate	Spices, Roots and Rhizomes	0.05
140.16	Fenvalerate	Fenvalerate	Peppers, Chili (dry)	5
140.17	Fenvalerate	Fenvalerate	Milks (F)	0.1
140.18	Fenvalerate	Fenvalerate	Meat (from mammals other than marine mammals) (Fat)	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
140.19	Fenvalerate	Fenvalerate	Edible offal (Mammalian)	0.02
140.20	Fenvalerate	Fenvalerate	Cotton seed oil, crude	0.1
140.21	Fenvalerate	Fenvalerate	Cotton seed oil, edible	0.1
140.22	Fenvalerate	Fenvalerate	Cotton seed	0.2
140.23	Fenvalerate	Fenvalerate	Palm nut	0.5
140.24	Fenvalerate	Fenvalerate	Peanut	0.1
140.25	Fenvalerate	Fenvalerate	Sunflower seed	0.1
140.26	Fenvalerate	Fenvalerate	Peanut, whole	0.1
140.27	Fenvalerate	Fenvalerate	Tree nuts	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
140.28	Fenvalerate	Fenvalerate	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli, brussels sprouts, cauliflower and head cabbages	0.5
140.29	Fenvalerate	Fenvalerate	Cabbages, Head	3
140.30	Fenvalerate	Fenvalerate	Broccoli	2
140.31	Fenvalerate	Fenvalerate	Brussels sprouts	2
140.32	Fenvalerate	Fenvalerate	Cauliflower	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
140.33	Fenvalerate	Fenvalerate	"Fruiting vegetables, Cucurbits", except summer squash, watermelon and winter squash	0.2
140.34	Fenvalerate	Fenvalerate	Summer squash	0.5
140.35	Fenvalerate	Fenvalerate	Watermelon	0.5
140.36	Fenvalerate	Fenvalerate	Winter squash	0.5
140.37	Fenvalerate	Fenvalerate	Soya bean (dry)	0.1
140.38	Fenvalerate	Fenvalerate	Leafy vegetables, except Chinese cabbage (type Pe-tsai), head lettuce and kale	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
140.39	Fenvalerate	Fenvalerate	Chinese cabbage (type Pe-tsai)	1
140.40	Fenvalerate	Fenvalerate	Kale	10
140.41	Fenvalerate	Fenvalerate	Lettuce, Head	2
140.42	Fenvalerate	Fenvalerate	"Fruiting vegetables, other than Cucurbits", except sweet peppers and tomato	0.2
140.43	Fenvalerate	Fenvalerate	Peppers, Sweet (including pimento or pimiento)	0.5
140.44	Fenvalerate	Fenvalerate	Tomato	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
140.45	Fenvalerate	Fenvalerate	Beans, except broad bean and soya bean	1
140.46	Fenvalerate	Fenvalerate	Beans, shelled	0.1
140.47	Fenvalerate	Fenvalerate	Peas, shelled (succulent seeds)	0.1
140.48	Fenvalerate	Fenvalerate	Yard-long bean (young pods)	1
140.49	Fenvalerate	Fenvalerate	Root and tuber Vegetables	0.05
140.50	Fenvalerate	Fenvalerate	Celery	2
141.1	Fipronil	Fipronil	Rice, husked	0.02
141.2	Fipronil	Fipronil	Banana	0.005
141.3	Fipronil	Fipronil	Barley	0.002
141.4	Fipronil	Fipronil	Maize	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
141.5	Fipronil	Fipronil	Oats	0.002
141.6	Fipronil	Fipronil	Rice	0.01
141.7	Fipronil	Fipronil	Rye	0.002
141.8	Fipronil	Fipronil	Triticale	0.002
141.9	Fipronil	Fipronil	Wheat	0.002
141.10	Fipronil	Sum of fipronil and MB 46136 (5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulphonyl-pyrazole), expressed as fipronil	Cattle milk	0.02
141.11	Fipronil	Sum of fipronil and MB 46136 (5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulphonyl-pyrazole), expressed as fipronil	Cattle meat (Fat)	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
141.12	Fipronil	Sum of fipronil and MB 46136 (5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulphonylpyrazole), expressed as fipronil	Cattle kidney	0.02
141.13	Fipronil	Sum of fipronil and MB 46136 (5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulphonylpyrazole), expressed as fipronil	Cattle liver	0.1
141.14	Fipronil	Sum of fipronil and MB 46136 (5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulphonylpyrazole), expressed as fipronil	Eggs	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
141.15	Fipronil	Sum of fipronil and MB 46136 (5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulphonylpyrazole), expressed as fipronil	Poultry meat	0.01
141.16	Fipronil	Sum of fipronil and MB 46136 (5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulphonylpyrazole), expressed as fipronil	Edible offal of poultry	0.02
141.17	Fipronil	Fipronil	Sunflower seed	0.002
141.18	Fipronil	Fipronil	Cabbages, Head	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
141.19	Fipronil	Fipronil	Flowerhead brassicas (includes Broccoli, Chinese Broccoli and Cauliflower)	0.02
141.20	Fipronil	Fipronil	Potato	0.02
141.21	Fipronil	Fipronil	Sugar beet	0.2
142.1	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Hops, dry	7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
142.2	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Pome fruits	0.2
142.3	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Stone fruits	0.6
142.4	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Cattle fat	0.03



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
142.5	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Goat fat	0.03
142.6	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Horse fat	0.03
142.7	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Sheep fat	0.03
142.8	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Milks	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
142.9	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Cattle meat	0.08
142.10	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Goat meat	0.08
142.11	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Horse meat	0.08
142.12	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Sheep meat	0.08

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
142.13	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Edible offal of cattle	0.08
142.14	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Edible offal of goat	0.08
142.15	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Edible offal of horse	0.08
142.16	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Edible offal of sheep	0.08

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
142.17	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Eggs	0.04
142.18	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Poultry fats	0.03
142.19	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Poultry meat	0.03
142.20	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid) and TFNA-AM (4-trifluoromethylnicotinamide)	Edible offal of poultry	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
142.21	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Cotton seed	0.5
142.22	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
142.23	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Fruiting vegetables, Cucurbits	0.4
142.24	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Leafy vegetables, except brassica leafy vegetables, radish leaves (including radish tops) and spinach	4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
142.25	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Brassica leafy vegetables	16
142.26	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Radish leaves (including Radish tops)	16

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
142.27	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Spinach	9
142.28	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Fruiting vegetables, other than Cucurbits	0.4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
142.29	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Potato	0.2
142.30	Flonicamid	Sum of flonicamid, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide) and TFNG (N-(4-trifluoromethylnicotinoyl)-glycine)	Tomato paste	2
143.1	Florasulam	Florasulam	Barley	0.01
143.2	Florasulam	Florasulam	Oats	0.01
143.3	Florasulam	Florasulam	Rye	0.01
143.4	Florasulam	Florasulam	Wheat	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
144.1	Fluazifop butyl	Fluazifop-butyl and fluazifop acid	Cotton seed	0.1
144.2	Fluazifop butyl	Fluazifop-butyl and fluazifop acid	Soya bean (dry)	0.5
144.3	Fluazifop butyl	Fluazifop-butyl and fluazifop acid	Sugar beet	0.5
145.1	Fluazifop-P-butyl	Fluazifop-butyl and fluazifop acid	Cotton seed	0.1
145.2	Fluazifop-P-butyl	Fluazifop-butyl and fluazifop acid	Soya bean (dry)	0.5
145.3	Fluazifop-P-butyl	Fluazifop-butyl and fluazifop acid	Sugar beet	0.5
146.1	Fluazinam	Fluazinam	Tea, Green, Black	5
146.2	Fluazinam	Fluazinam	Grapes	0.5
146.3	Fluazinam	Fluazinam	Apple	2
146.4	Fluazinam	Fluazinam	Pear	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
146.5	Fluazinam	Fluazinam	Persimmon, Japanese	0.5
146.6	Fluazinam	Fluazinam	Peanut	0.02
146.7	Fluazinam	Fluazinam	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	0.01
146.8	Fluazinam	Fluazinam	Pulses, except dried peas and dried soya bean	0.02
146.9	Fluazinam	Fluazinam	Brassica leafy vegetables	0.01
146.10	Fluazinam	Fluazinam	Lettuce, Head	0.02
146.11	Fluazinam	Fluazinam	Lettuce, Leaf	2
146.12	Fluazinam	Fluazinam	Carrot	0.7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
146.13	Fluazinam	Fluazinam	Potato	0.02
147.1	Flubendiamide	Flubendiamide	Tea, Green, Black	50
147.2	Flubendiamide	Flubendiamide	Cranberry	1.5
147.3	Flubendiamide	Flubendiamide	Grapes	2
147.4	Flubendiamide	Flubendiamide	Strawberry	2
147.5	Flubendiamide	Flubendiamide	Milk fats	5
147.6	Flubendiamide	Flubendiamide	Pome fruits, except apple and pear	0.8
147.7	Flubendiamide	Flubendiamide	Apple	1
147.8	Flubendiamide	Flubendiamide	Pear	1
147.9	Flubendiamide	Flubendiamide	Stone fruits	2
147.10	Flubendiamide	Flubendiamide	Persimmon, Japanese	0.3
147.11	Flubendiamide	Flubendiamide	Maize	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
147.12	Flubendiamide	Flubendiamide	Sorghum	5
147.13	Flubendiamide	Flubendiamide	Popcorn	0.02
147.14	Flubendiamide	Flubendiamide	Sugar cane	0.3
147.15	Flubendiamide	Flubendiamide	Peppers, Chili (dry)	7
147.16	Flubendiamide	Flubendiamide	Cattle fat	0.7
147.17	Flubendiamide	Flubendiamide	Goat fat	0.7
147.18	Flubendiamide	Flubendiamide	Horse fat	0.7
147.19	Flubendiamide	Flubendiamide	Pig fat	0.15
147.20	Flubendiamide	Flubendiamide	Sheep fat	0.7
147.21	Flubendiamide	Flubendiamide	Milks	0.1
147.22	Flubendiamide	Flubendiamide	Meat (from mammals other than marine mammals) (Fat)	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
147.23	Flubendiamide	Flubendiamide	Edible offal (Mammalian)	1
147.24	Flubendiamide	Flubendiamide	Peanut oil, edible	0.03
147.25	Flubendiamide	Flubendiamide	Eggs	0.4
147.26	Flubendiamide	Flubendiamide	Poultry fats	3
147.27	Flubendiamide	Flubendiamide	Poultry meat	0.1
147.28	Flubendiamide	Flubendiamide	Cotton seed	1.5
147.29	Flubendiamide	Flubendiamide	Safflower seed	5
147.30	Flubendiamide	Flubendiamide	Sunflower seed	5
147.31	Flubendiamide	Flubendiamide	Tree nuts	0.1
147.32	Flubendiamide	Flubendiamide	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
147.33	Flubendiamide	Flubendiamide	Fruiting vegetables, Cucurbits	0.2
147.34	Flubendiamide	Flubendiamide	Pulses	1
147.35	Flubendiamide	Flubendiamide	Leafy vegetables, except brassica leafy	11
			vegetables, cos lettuce, head lettuce and leaf lettuce	
147.36	Flubendiamide	Flubendiamide	Brassica leafy vegetables	25
147.37	Flubendiamide	Flubendiamide	Lettuce, Head	15
147.38	Flubendiamide	Flubendiamide	Lettuce, Leaf	15
147.39	Flubendiamide	Flubendiamide	Cos lettuce	15

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
147.40	Flubendiamide	Flubendiamide	"Fruiting vegetables, other than Cucurbits", except okra, peppers, sweet corn (corn-on-the-cob) and tomato	0.6
147.41	Flubendiamide	Flubendiamide	Peppers (including Peppers, Chili and Peppers, Sweet)	0.7
			Okra	0.3
147.42	Flubendiamide	Flubendiamide	Sweet corn (corn-on-the-cob)	0.02
147.43	Flubendiamide	Flubendiamide		



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
147.44	Flubendiamide	Flubendiamide	Tomato	2
147.45	Flubendiamide	Flubendiamide	Legume vegetables	2
147.46	Flubendiamide	Flubendiamide	Artichoke, Globe	1.6
147.47	Flubendiamide	Flubendiamide	Celery	5
148.1	Flucythrinate	Flucythrinate	Tea, Green, Black	20
148.2	Flucythrinate	Flucythrinate	Pome fruits	0.5
148.3	Flucythrinate	Flucythrinate	Cotton seed oil, edible	0.2
148.4	Flucythrinate	Flucythrinate	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
148.5	Flucythrinate	Flucythrinate	Pulses	0.05
148.6	Flucythrinate	Flucythrinate	Fruiting vegetables, other than Cucurbits	0.2
148.7	Flucythrinate	Flucythrinate	Root and tuber vegetables	0.05
149.1	Fludioxonil	Fludioxonil	Dried herbs, except dried basil and dried chives	65
149.2	Fludioxonil	Fludioxonil	Basil, dry	50
149.3	Fludioxonil	Fludioxonil	Chives, dry	50
149.4	Fludioxonil	Fludioxonil	Blueberries	2
149.5	Fludioxonil	Fludioxonil	Bilberry, Red	2
149.6	Fludioxonil	Fludioxonil	Blackberries	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
149.7	Fludioxonil	Fludioxonil	Dewberries (including Boysenberry and Loganberry)	5
149.8	Fludioxonil	Fludioxonil	Grapes	2
149.9	Fludioxonil	Fludioxonil	Juneberries	2
149.10	Fludioxonil	Fludioxonil	Raspberries, Red, Black	5
149.11	Fludioxonil	Fludioxonil	Strawberry	3
149.12	Fludioxonil	Fludioxonil	Citrus fruits	10
149.13	Fludioxonil	Fludioxonil	Avocado	0.45
149.14	Fludioxonil	Fludioxonil	Canistel	0.45
149.15	Fludioxonil	Fludioxonil	Kiwifruit	20
149.16	Fludioxonil	Fludioxonil	Longan	1
149.17	Fludioxonil	Fludioxonil	Litchi	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
149.18	Fludioxonil	Fludioxonil	Mango	0.45
149.19	Fludioxonil	Fludioxonil	Papaya	0.45
149.20	Fludioxonil	Fludioxonil	Pomegranate	5
149.21	Fludioxonil	Fludioxonil	Pulasan	1
149.22	Fludioxonil	Fludioxonil	Rambutan	1
149.23	Fludioxonil	Fludioxonil	Sapodilla	0.45
149.24	Fludioxonil	Fludioxonil	Sapote, Black	0.45
149.25	Fludioxonil	Fludioxonil	Sapote, Marmey	0.45
149.26	Fludioxonil	Fludioxonil	Spanish lime	1
149.27	Fludioxonil	Fludioxonil	Star apple	0.45
149.28	Fludioxonil	Fludioxonil	Pome fruits, except pear	5
149.29	Fludioxonil	Fludioxonil	Pear	0.7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
149.30	Fludioxonil	Fludioxonil	Stone fruits, except apricot and peach	5
149.31	Fludioxonil	Fludioxonil	Apricot	10
149.32	Fludioxonil	Fludioxonil	Peach	10
149.33	Fludioxonil	Fludioxonil	Cereal grains	0.05
149.34	Fludioxonil	Fludioxonil	Herbs	10
149.35	Fludioxonil	Fludioxonil	Spices	0.02
149.36	Fludioxonil	Sum of fludioxonil and its metabolites determined as 2,2-difluoro-1,3-benzodioxole-4-carboxylic acid and expressed as fludioxonil	Milks	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
149.37	Fludioxonil	Sum of fludioxonil and its metabolites determined as 2,2-difluoro-1,3-benzodioxole-4-carboxylic acid and expressed as fludioxonil	Meat (from mammals other than marine mammals)	0.01
149.38	Fludioxonil	Sum of fludioxonil and its metabolites determined as 2,2-difluoro-1,3-benzodioxole-4-carboxylic acid and expressed as fludioxonil	Edible offal (Mammalian)	0.05
149.39	Fludioxonil	Fludioxonil	Citrus oil	500
149.40	Fludioxonil	Sum of fludioxonil and its metabolites determined as 2,2-difluoro-1,3-benzodioxole-4-carboxylic acid and expressed as fludioxonil	Eggs	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
149.41	Fludioxonil	Sum of fludioxonil and its metabolites determined as 2,2-difluoro-1,3-benzodioxole-4-carboxylic acid and expressed as fludioxonil	Poultry meat	0.01
149.42	Fludioxonil	Sum of fludioxonil and its metabolites determined as 2,2-difluoro-1,3-benzodioxole-4-carboxylic acid and expressed as fludioxonil	Edible offal of poultry	0.05
149.43	Fludioxonil	Fludioxonil	Rape seed	0.02
149.44	Fludioxonil	Fludioxonil	Cotton seed	0.05
149.45	Fludioxonil	Fludioxonil	Flaxseed	0.05
149.46	Fludioxonil	Fludioxonil	Peanut	0.01
149.47	Fludioxonil	Fludioxonil	Safflower seed	0.01
149.48	Fludioxonil	Fludioxonil	Sunflower seed	0.01
149.49	Fludioxonil	Fludioxonil	Pistachio nut	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
149.50	Fludioxonil	Fludioxonil	Bulb vegetables, except bulb onion and spring onion	0.02
149.51	Fludioxonil	Fludioxonil	Onion, Bulb	0.5
149.52	Fludioxonil	Fludioxonil	Spring onion	7
149.53	Fludioxonil	Fludioxonil	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
149.54	Fludioxonil	Fludioxonil	Fruiting vegetables, Cucurbits	0.45

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
149.55	Fludioxonil	Fludioxonil	Pulses, except dried beans and dried peas	0.01
149.56	Fludioxonil	Fludioxonil	Beans (dry)	0.4
149.57	Fludioxonil	Fludioxonil	Peas (dry), except dried cowpea	0.07
149.58	Fludioxonil	Fludioxonil	Cowpea (dry)	0.4
149.59	Fludioxonil	Fludioxonil	Leafy vegetables, except brassica leafy vegetables, head lettuce and watercress	0.01
149.60	Fludioxonil	Fludioxonil	Brassica leafy vegetables	10
149.61	Fludioxonil	Fludioxonil	Watercress	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
149.62	Fludioxonil	Fludioxonil	Lettuce, Head	10
149.63	Fludioxonil	Fludioxonil	"Fruiting vegetables, other than Cucurbits", except egg plant, sweet peppers and tomato	0.01
149.64	Fludioxonil	Fludioxonil	Egg plant	0.3
149.65	Fludioxonil	Fludioxonil	Peppers, Sweet (including pimento or pimiento)	1
149.66	Fludioxonil	Fludioxonil	Tomato	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
149.67	Fludioxonil	Fludioxonil	Legume vegetables, except "beans other than broad bean and soya bean", "shelled beans", "peas (young pods and succulent seeds)" and "shelled peas (succulent seeds)"	0.01
149.68	Fludioxonil	Fludioxonil	Beans, except broad bean and soya bean	0.3
149.69	Fludioxonil	Fludioxonil	Beans, shelled	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
149.70	Fludioxonil	Fludioxonil	Peas (young pods and succulent seeds)	0.3
149.71	Fludioxonil	Fludioxonil	Peas, shelled (succulent seeds)	0.03
149.72	Fludioxonil	Fludioxonil	Root and tuber vegetables, except carrot, sweet potato and yams	0.02
149.73	Fludioxonil	Fludioxonil	Sweet potato	10
149.74	Fludioxonil	Fludioxonil	Carrot	0.7
149.75	Fludioxonil	Fludioxonil	Yams	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
150.1	Flufenacet	Sum of flufenacet and its metabolites containing the 4-fluoro-N-methylethyl benzenamine moiety	Maize	0.05
150.2	Flufenacet	Sum of flufenacet and its metabolites containing the 4-fluoro-N-methylethyl benzenamine moiety	Wheat	0.6
150.3	Flufenacet	Sum of flufenacet and its metabolites containing the 4-fluoro-N-methylethyl benzenamine moiety	Cattle kidney	0.05
150.4	Flufenacet	Sum of flufenacet and its metabolites containing the 4-fluoro-N-methylethyl benzenamine moiety	Pig kidney	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
150.5	Flufenacet	Sum of flufenacet and its metabolites containing the 4-fluoro-N-methylethyl benzenamine moiety	Sheep kidney	0.05
150.6	Flufenacet	Sum of flufenacet and its metabolites containing the 4-fluoro-N-methylethyl benzenamine moiety	Horse kidney	0.05
150.7	Flufenacet	Sum of flufenacet and its metabolites containing the 4-fluoro-N-methylethyl benzenamine moiety	Sweet corn (corn-on-the-cob)	0.05
150.8	Flufenacet	Sum of flufenacet and its metabolites containing the 4-fluoro-N-methylethyl benzenamine moiety	Soya bean (succulent seeds)	0.1
151.1	Flufenoxuron	Flufenoxuron	Tea, Green, Black	15

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
151.2	Flufenoxuron	Flufenoxuron	Strawberry	0.5
151.3	Flufenoxuron	Flufenoxuron	Apple	1
151.4	Flufenoxuron	Flufenoxuron	Pear	0.5
151.5	Flufenoxuron	Flufenoxuron	Milks	0.2
151.6	Flufenoxuron	Flufenoxuron	Beefsteak plant	10
152.1	Flufenpyr ethyl	Flufenpyr ethyl	Maize	0.01
152.2	Flufenpyr ethyl	Flufenpyr ethyl	Sugar cane	0.01
152.3	Flufenpyr ethyl	Flufenpyr ethyl	Soya bean (succulent seeds)	0.01
153.1	Flumethrin	Flumethrin	Cattle milk (F)	0.05
153.2	Flumethrin	Flumethrin	Cattle meat (Fat)	0.2
154.1	Flumetsulam	Flumetsulam	Maize	0.05
154.2	Flumetsulam	Flumetsulam	Beans (dry)	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
154.3	Flumetsulam	Flumetsulam	Soya bean (succulent seeds)	0.05
155.1	Flumiclorac pentyl	Flumiclorac pentyl	Maize	0.01
155.2	Flumiclorac pentyl	Flumiclorac pentyl	Cotton seed	0.2
155.3	Flumiclorac pentyl	Flumiclorac pentyl	Soya bean (succulent seeds)	0.01
156.1	Flumioxazin	Flumioxazin	Hops, dry	0.05
156.2	Flumioxazin	Flumioxazin	Grapes	0.02
156.3	Flumioxazin	Flumioxazin	Strawberry	0.07
156.4	Flumioxazin	Flumioxazin	Pome fruits	0.02
156.5	Flumioxazin	Flumioxazin	Stone fruits	0.02
156.6	Flumioxazin	Flumioxazin	Maize	0.02
156.7	Flumioxazin	Flumioxazin	Sugar cane	0.2
156.8	Flumioxazin	Flumioxazin	Peppermint	0.04



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
156.9	Flumioxazin	Flumioxazin	Spearmint	0.04
156.10	Flumioxazin	Flumioxazin	Cotton seed	0.02
156.11	Flumioxazin	Flumioxazin	Peanut	0.02
156.12	Flumioxazin	Flumioxazin	Tree nuts	0.02
156.13	Flumioxazin	Flumioxazin	Garlic	0.02
156.14	Flumioxazin	Flumioxazin	Onion, Bulb	0.02
156.15	Flumioxazin	Flumioxazin	Shallot	0.02
156.16	Flumioxazin	Flumioxazin	Fruiting vegetables, Cucurbits	0.03
156.17	Flumioxazin	Flumioxazin	Beans (dry)	0.05
156.18	Flumioxazin	Flumioxazin	Fruiting vegetables, other than Cucurbits	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
156.19	Flumioxazin	Flumioxazin	Soya bean (succulent seeds)	0.02
156.20	Flumioxazin	Flumioxazin	Potato	0.02
156.21	Flumioxazin	Flumioxazin	Asparagus	0.02
157.1	Fluometuron	Sum of fluometuron and trifluoromethylaniline (TFMA) determined as TFMA	Rice hulls	1
157.2	Fluometuron	Sum of fluometuron and trifluoromethylaniline (TFMA) determined as TFMA	Cereal grains	0.5
157.3	Fluometuron	Sum of fluometuron and trifluoromethylaniline (TFMA) determined as TFMA	Cotton seed	1
157.4	Fluometuron	Sum of fluometuron and trifluoromethylaniline (TFMA) determined as TFMA	Peanut	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
157.5	Fluometuron	Sum of fluometuron and trifluoromethylaniline (TFMA) determined as TFMA	Soya bean (succulent seeds)	2
158.1	Fluopicolide	Fluopicolide	Dried grapes (Currants, Raisins and Sultanas)	10
158.2	Fluopicolide	Fluopicolide	Grapes	2
158.3	Fluopicolide	Fluopicolide	Peppers, Chili (dry)	7
158.4	Fluopicolide	Fluopicolide	Milks	0.02
158.5	Fluopicolide	Fluopicolide	Meat (from mammals other than marine mammals) (Fat)	0.01
158.6	Fluopicolide	Fluopicolide	Edible offal (Mammalian)	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
158.7	Fluopicolide	Fluopicolide	Eggs	0.01
158.8	Fluopicolide	Fluopicolide	Poultry meat	0.01
158.9	Fluopicolide	Fluopicolide	Edible offal of poultry	0.01
158.10	Fluopicolide	Fluopicolide	Bulb vegetables, except bulb onion and Welsh onion	7
158.11	Fluopicolide	Fluopicolide	Onion, Bulb	1
158.12	Fluopicolide	Fluopicolide	Onion, Welsh	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
158.13	Fluopicolide	Fluopicolide	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except brussels sprouts, flowerhead brassicas and head cabbages	5
158.14	Fluopicolide	Fluopicolide	Cabbages, Head	7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
158.15	Fluopicolide	Fluopicolide	Flowerhead brassicas (includes Broccoli, Chinese Broccoli and Cauliflower)	2
158.16	Fluopicolide	Fluopicolide	Brussels sprouts	0.2
158.17	Fluopicolide	Fluopicolide	Fruiting vegetables, Cucurbits	0.5
158.18	Fluopicolide	Fluopicolide	Leafy vegetables	30

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
158.19	Fluopicolide	Fluopicolide	"Fruiting vegetables, other than Cucurbits", except mushrooms, sweet corn (corn-on-the-cob) and sweet corn (kernels)	1
158.20	Fluopicolide	Fluopicolide	Celery	20
159.1	Fluopyram	Fluopyram	Dried grapes (Currants, Raisins and Sultanas)	5
159.2	Fluopyram	Fluopyram	Grapes	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
159.3	Fluopyram	Sum of fluopyram and 2-(trifluoromethyl)benzamide, expressed as fluopyram	Milks	0.07
159.4	Fluopyram	Sum of fluopyram and 2-(trifluoromethyl)benzamide, expressed as fluopyram	Meat (from mammals other than marine mammals)	0.1
159.5	Fluopyram	Sum of fluopyram and 2-(trifluoromethyl)benzamide, expressed as fluopyram	Edible offal (Mammalian)	0.7
159.6	Fluopyram	Fluopyram	Cucumber	0.5
160.1	Fluridone	Fluridone	Cranberry	0.1
160.2	Fluridone	Fluridone	Grapes	0.1
160.3	Fluridone	Fluridone	Cherries	0.1
160.4	Fluridone	Fluridone	Cattle fat	0.05
160.5	Fluridone	Fluridone	Goat fat	0.05
160.6	Fluridone	Fluridone	Horse fat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
160.7	Fluridone	Fluridone	Pig fat	0.05
160.8	Fluridone	Fluridone	Sheep fat	0.05
160.9	Fluridone	Fluridone	Milks	0.05
160.10	Fluridone	Fluridone	Cattle meat	0.05
160.11	Fluridone	Fluridone	Goat meat	0.05
160.12	Fluridone	Fluridone	Horse meat	0.05
160.13	Fluridone	Fluridone	Pig meat	0.05
160.14	Fluridone	Fluridone	Sheep meat	0.05
160.15	Fluridone	Fluridone	Edible offal of cattle, except kidney and liver	0.05
160.16	Fluridone	Fluridone	Edible offal of goat, except kidney and liver	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
160.17	Fluridone	Fluridone	Edible offal of horse, except kidney and liver	0.05
160.18	Fluridone	Fluridone	Edible offal of pig, except kidney and liver	0.05
160.19	Fluridone	Fluridone	Edible offal of sheep, except kidney and liver	0.05
160.20	Fluridone	Fluridone	Cattle kidney	0.1
160.21	Fluridone	Fluridone	Cattle liver	0.1
160.22	Fluridone	Fluridone	Pig kidney	0.1
160.23	Fluridone	Fluridone	Pig liver	0.1
160.24	Fluridone	Fluridone	Sheep kidney	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
160.25	Fluridone	Fluridone	Sheep liver	0.1
160.26	Fluridone	Fluridone	Horse kidney	0.1
160.27	Fluridone	Fluridone	Horse liver	0.1
160.28	Fluridone	Fluridone	Eggs	0.05
160.29	Fluridone	Fluridone	Poultry fats	0.05
160.30	Fluridone	Fluridone	Poultry meat	0.05
160.31	Fluridone	Fluridone	Edible offal of poultry, except kidney and liver	0.05
160.32	Fluridone	Fluridone	Almonds	0.1
160.33	Fluridone	Fluridone	Hazelnuts	0.1
160.34	Fluridone	Fluridone	Potato	0.1
161.1	Fluroxypyr	Fluroxypyr	Rice	0.2
161.2	Fluroxypyr	Fluroxypyr	Wheat	0.2
161.3	Fluroxypyr	Fluroxypyr	Milks	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
162.1	Flusilazole	Flusilazole	Dried grapes (Currants, Raisins and Sultanas)	0.3
162.2	Flusilazole	Flusilazole	Grapes	0.5
162.3	Flusilazole	Flusilazole	Banana	1
162.4	Flusilazole	Flusilazole	Pome fruits	0.3
162.5	Flusilazole	Flusilazole	Apricot	0.2
162.6	Flusilazole	Flusilazole	Nectarine	0.2
162.7	Flusilazole	Flusilazole	Peach	0.2
162.8	Flusilazole	Flusilazole	Cereal grains, except rice	0.2
162.9	Flusilazole	Flusilazole	Milks	0.05
162.10	Flusilazole	Flusilazole	Meat (from mammals other than marine mammals) (Fat)	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
162.11	Flusilazole	Flusilazole	Edible offal (Mammalian)	2
162.12	Flusilazole	Flusilazole	Soya bean oil, edible	0.1
162.13	Flusilazole	Flusilazole	Eggs	0.1
162.14	Flusilazole	Flusilazole	Poultry meat	0.2
162.15	Flusilazole	Flusilazole	Edible offal of poultry	0.2
162.16	Flusilazole	Flusilazole	Rape seed	0.1
162.17	Flusilazole	Flusilazole	Sunflower seed	0.1
162.18	Flusilazole	Flusilazole	Cucumber	1
162.19	Flusilazole	Flusilazole	Soya bean (dry)	0.05
162.20	Flusilazole	Flusilazole	Sweet corn (corn-on-the-cob)	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
162.21	Flusilazole	Flusilazole	Sword bean (young pods and succulent seeds)	0.2
162.22	Flusilazole	Flusilazole	Sugar beet	0.05
163.1	Fluthiacet methyl	Fluthiacet methyl	Maize	0.01
163.2	Fluthiacet methyl	Fluthiacet methyl	Popcorn	0.01
163.3	Fluthiacet methyl	Fluthiacet methyl	Sweet corn (corn-on-the-cob)	0.01
163.4	Fluthiacet methyl	Fluthiacet methyl	Soya bean (succulent seeds)	0.01
164.1	Flutolanil	Flutolanil	Rice, husked	2
164.2	Flutolanil	Flutolanil	Rice, polished	1
164.3	Flutolanil	Flutolanil	Rice bran, unprocessed	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
164.4	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Cattle fat	0.1
164.5	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Goat fat	0.1
164.6	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Horse fat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
164.7	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Pig fat	0.1
164.8	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Sheep fat	0.1
164.9	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Milks	0.05



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
164.10	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Meat (from mammals other than marine mammals)	0.05
164.11	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Kidney of cattle, goats, pigs and sheep	0.1
164.12	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Liver of cattle, goats, pigs and sheep	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
164.13	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Edible offal of cattle, except kidney and liver	0.05
164.14	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Edible offal of goat, except kidney and liver	0.05
164.15	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Edible offal of horse, except kidney and liver	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
164.16	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Edible offal of pig, except kidney and liver	0.05
164.17	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Edible offal of sheep, except kidney and liver	0.05
164.18	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Horse kidney	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
164.19	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Horse liver	2
164.20	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Eggs	0.05
164.21	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Poultry fats	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
164.22	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Poultry meat	0.05
164.23	Flutolanil	Sum of flutolanil and transformation products containing the 2-trifluoromethyl-benzoic acid moiety, expressed as flutolanil	Edible offal of poultry	0.05
165.1	Flutriafol	Flutriafol	Apple	0.2
165.2	Flutriafol	Flutriafol	Cattle liver	0.02
165.3	Flutriafol	Flutriafol	Pig liver	0.02
165.4	Flutriafol	Flutriafol	Sheep liver	0.02
165.5	Flutriafol	Flutriafol	Horse liver	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
165.6	Flutriafol	Flutriafol	Soya bean (succulent seeds)	0.35
166.1	Fluvalinate	Fluvalinate	Cotton seed oil, edible	0.2
166.2	Fluvalinate	Fluvalinate	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
167.1	Folpet	Folpet	Dried grapes (Currants, Raisins and Sultanas)	40
167.2	Folpet	Folpet	Hops, dry	120
167.3	Folpet	Folpet	Grapes	10
167.4	Folpet	Folpet	Strawberry	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
167.5	Folpet	Folpet	Avocado	25
167.6	Folpet	Folpet	Rambutan	0.1
167.7	Folpet	Folpet	Apple	10
167.8	Folpet	Folpet	Onion, Bulb	1
167.9	Folpet	Folpet	Melons, except watermelon	3
167.10	Folpet	Folpet	Cucumber	1
167.11	Folpet	Folpet	Lettuce, Head	50
167.12	Folpet	Folpet	Tomato	3
167.13	Folpet	Folpet	Potato	0.1
168.1	Fomesafen	Fomesafen	Cotton seed	0.025
168.2	Fomesafen	Fomesafen	Beans (dry)	0.05
168.3	Fomesafen	Fomesafen	Soya bean (dry)	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
168.4	Fomesafen	Fomesafen	Peppers (including Peppers, Chili and Peppers, Sweet)	0.025
168.5	Fomesafen	Fomesafen	Tomato	0.025
168.6	Fomesafen	Fomesafen	Potato	0.025
169.1	Fonofos	Fonofos	Sugar cane	0.1
169.2	Fonofos	Fonofos	Peanut	0.1
170.1	Forchlorfenuron	Forchlorfenuron	Grapes	0.03
170.2	Forchlorfenuron	Forchlorfenuron	Kiwifruit	0.04
171.1	Formetanate hydrochloride	Formetanate hydrochloride	Grapefruit	1.5
171.2	Formetanate hydrochloride	Formetanate hydrochloride	Lemon	0.6
171.3	Formetanate hydrochloride	Formetanate hydrochloride	Lime	0.03
171.4	Formetanate hydrochloride	Formetanate hydrochloride	Orange, Sweet	1.5
171.5	Formetanate hydrochloride	Formetanate hydrochloride	Tangerine	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
171.6	Formetanate hydrochloride	Formetanate hydrochloride	Apple	0.5
171.7	Formetanate hydrochloride	Formetanate hydrochloride	Nectarine	0.4
171.8	Formetanate hydrochloride	Formetanate hydrochloride	Peach	0.4
172.1	Fosetyl aluminium	Fosetyl aluminium	Hops, dry	45
172.2	Fosetyl aluminium	Fosetyl aluminium	Bilberry, Red	40
172.3	Fosetyl aluminium	Fosetyl aluminium	Cranberry	0.5
172.4	Fosetyl aluminium	Fosetyl aluminium	Grapes	10
172.5	Fosetyl aluminium	Fosetyl aluminium	Juneberries	40
172.6	Fosetyl aluminium	Fosetyl aluminium	Strawberry	75
172.7	Fosetyl aluminium	Fosetyl aluminium	Citrus fruits	5
172.8	Fosetyl aluminium	Fosetyl aluminium	Avocado	25
172.9	Fosetyl aluminium	Fosetyl aluminium	Banana	3
172.10	Fosetyl aluminium	Fosetyl aluminium	Pineapple	0.1
172.11	Fosetyl aluminium	Fosetyl aluminium	Pome fruits	10
172.12	Fosetyl aluminium	Fosetyl aluminium	Peach	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
172.13	Fosetyl aluminium	Fosetyl aluminium	Macadamia nuts	0.2
172.14	Fosetyl aluminium	Fosetyl aluminium	Onion, Bulb	0.5
172.15	Fosetyl aluminium	Fosetyl aluminium	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	60
172.16	Fosetyl aluminium	Fosetyl aluminium	Fruiting vegetables, Cucurbits	15
172.17	Fosetyl aluminium	Fosetyl aluminium	Leafy vegetables, except brassica leafy vegetables	100

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
172.18	Fosetyl aluminium	Fosetyl aluminium	Brassica leafy vegetables, except turnip greens	60
172.19	Fosetyl aluminium	Fosetyl aluminium	Turnip greens	40
172.20	Fosetyl aluminium	Fosetyl aluminium	Tomato	3
172.21	Fosetyl aluminium	Fosetyl aluminium	Turnip, Garden	15
172.22	Fosetyl aluminium	Fosetyl aluminium	Asparagus	0.1
173.1	Fosthiazate	Fosthiazate	Cucumber	0.2
174.1	Fthalide	Fthalide	Rice	0.5
175.1	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Rice hulls	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.2	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Sugar beet molasses	5
175.3	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Berries and other small fruits, except "black, red and white currants"	0.1
175.4	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Currants, Black, Red, White	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.5	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Citrus fruits	0.1
175.6	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	"Assorted tropical and sub-tropical fruits—inedible peel", except avocado, banana and litchi	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.7	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Avocado	0.2
175.8	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Banana	0.2
175.9	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Litchi	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.10	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Pome fruits	0.05
175.11	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Stone fruits	0.05
175.12	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Maize	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.13	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Rice	1
175.14	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Cattle fat	0.4
175.15	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Goat fat	0.4



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.16	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Horse fat	0.4
175.17	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Pig fat	0.4
175.18	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Sheep fat	0.4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.19	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Milks	0.02
175.20	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Meat (from mammals other than marine mammals)	0.05
175.21	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Edible offal (Mammalian)	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.22	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Rape seed oil, crude	0.05
175.23	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Sunflower seed oil, crude	0.05
175.24	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Eggs	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.25	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Poultry fats	0.15
175.26	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Poultry meat	0.05
175.27	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Edible offal of poultry	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.28	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Rape seed	5
175.29	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Cotton seed	4
175.30	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Sunflower seed	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.31	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Tree nuts	0.1
175.32	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Onion, Bulb	0.05
175.33	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Peas (dry)	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.34	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Broad bean (dry)	2
175.35	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Common bean (dry)	2
175.36	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Soya bean (dry)	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.37	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Corn salad	0.05
175.38	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Common bean (young pods and/or succulent seeds)	0.05
175.39	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Carrot	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
175.40	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Potato	0.5
175.41	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Sugar beet	0.05
175.42	Glufosinate ammonium	Sum of glufosinate-ammonium, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetylglufosinate, expressed as glufosinate (free acid)	Asparagus	0.05
176.1	Glyphosate	Glyphosate	Wheat flour	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
176.2	Glyphosate	Glyphosate	Wheat wholemeal	5
176.3	Glyphosate	Glyphosate	Wheat bran, unprocessed	30
176.4	Glyphosate	Glyphosate	Dates, dried or dried and candied	0.2
176.5	Glyphosate	Glyphosate	Dried herbs, except dried hops	0.2
176.6	Glyphosate	Glyphosate	Hops, dry	7
176.7	Glyphosate	Glyphosate	Sugar cane molasses	10
176.8	Glyphosate	Glyphosate	Tea, Green, Black	1

## Pesticide Residues in Food Regulation

638

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
176.9	Glyphosate	Glyphosate	Berries and other small fruits	0.2
176.10	Glyphosate	Glyphosate	Citrus fruits	0.5
176.11	Glyphosate	Glyphosate	"Assorted tropical and sub-tropical fruits—inedible peel", except banana	0.1
176.12	Glyphosate	Glyphosate	Banana	0.2
176.13	Glyphosate	Glyphosate	Pome fruits, except apple	0.2
176.14	Glyphosate	Glyphosate	Apple	0.5
176.15	Glyphosate	Glyphosate	Stone fruits	0.2

## Pesticide Residues in Food Regulation

639

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
176.16	Glyphosate	Glyphosate	Assorted tropical and sub-tropical fruits—edible peel	0.1
176.17	Glyphosate	Glyphosate	Cereal grains, except maize and rice	30
176.18	Glyphosate	Glyphosate	Maize	5
176.19	Glyphosate	Glyphosate	Rice	0.1
176.20	Glyphosate	Glyphosate	Sugar cane	2
176.21	Glyphosate	Glyphosate	Herbs, except peppermint and spearmint	0.2
176.22	Glyphosate	Glyphosate	Peppermint	200
176.23	Glyphosate	Glyphosate	Spearmint	200
176.24	Glyphosate	Glyphosate	Milks	0.05

## Pesticide Residues in Food Regulation

640

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
176.25	Glyphosate	Glyphosate	Meat (from mammals other than marine mammals)	0.05
176.26	Glyphosate	Glyphosate	Edible offal (Mammalian), except edible offal of pig	5
176.27	Glyphosate	Glyphosate	Edible offal of pig	0.5
176.28	Glyphosate	Glyphosate	Cotton seed oil, edible	0.05
176.29	Glyphosate	Glyphosate	Eggs	0.05
176.30	Glyphosate	Glyphosate	Poultry meat	0.05
176.31	Glyphosate	Glyphosate	Edible offal of poultry	0.5
176.32	Glyphosate	Glyphosate	Cacao beans	0.2

## Pesticide Residues in Food Regulation

641

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
176.33	Glyphosate	Glyphosate	Coffee beans	1
176.34	Glyphosate	Glyphosate	Mustard seed	0.1
176.35	Glyphosate	Glyphosate	Rape seed	20
176.36	Glyphosate	Glyphosate	Cotton seed	40
176.37	Glyphosate	Glyphosate	Flaxseed	4
176.38	Glyphosate	Glyphosate	Peanut	0.1
176.39	Glyphosate	Glyphosate	Safflower seed	85
176.40	Glyphosate	Glyphosate	Sesame seed	0.1
176.41	Glyphosate	Glyphosate	Sunflower seed	85
176.42	Glyphosate	Glyphosate	Tree nuts, except coconut	1
176.43	Glyphosate	Glyphosate	Coconut	0.1
176.44	Glyphosate	Glyphosate	Bulb vegetables	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
176.45	Glyphosate	Glyphosate	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	0.2
176.46	Glyphosate	Glyphosate	Fruiting vegetables, Cucurbits	0.5
176.47	Glyphosate	Glyphosate	Pulses, except dried peas and dried soya bean	5
176.48	Glyphosate	Glyphosate	Peas (dry)	8
176.49	Glyphosate	Glyphosate	Soya bean (dry)	20
176.50	Glyphosate	Glyphosate	Leafy vegetables	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
176.51	Glyphosate	Glyphosate	"Fruiting vegetables, other than Cucurbits", except okra and sweet corn (corn-on-the-cob)	0.1
176.52	Glyphosate	Glyphosate	Okra	0.5
176.53	Glyphosate	Glyphosate	Sweet corn (corn-on-the-cob)	3.5
176.54	Glyphosate	Glyphosate	Legume vegetables, except soya bean (succulent seeds)	5



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
176.55	Glyphosate	Glyphosate	Root and tuber vegetables, except sugar beet	0.2
176.56	Glyphosate	Glyphosate	Sugar beet	10
176.57	Glyphosate	Glyphosate	Artichoke, Globe	0.2
176.58	Glyphosate	Glyphosate	Asparagus	0.5
176.59	Glyphosate	Glyphosate	Bamboo shoots	0.2
177.1	Halosulfuron methyl	Halosulfuron methyl	Apple	0.05
177.2	Halosulfuron methyl	Halosulfuron methyl	Maize	0.05
177.3	Halosulfuron methyl	Halosulfuron methyl	Rice	0.05
177.4	Halosulfuron methyl	Halosulfuron methyl	Sorghum	0.05
177.5	Halosulfuron methyl	Halosulfuron methyl	Popcorn	0.05
177.6	Halosulfuron methyl	Halosulfuron methyl	Sugar cane	0.05
177.7	Halosulfuron methyl	Halosulfuron methyl	Cotton seed	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
177.8	Halosulfuron methyl	Halosulfuron methyl	Tree nuts	0.05
177.9	Halosulfuron methyl	Halosulfuron methyl	Beans (dry)	0.05
177.10	Halosulfuron methyl	Halosulfuron methyl	Fruiting vegetables, other than Cucurbits	0.05
177.11	Halosulfuron methyl	Halosulfuron methyl	Soya bean (succulent seeds)	0.05
177.12	Halosulfuron methyl	Halosulfuron methyl	Potato	0.05
177.13	Halosulfuron methyl	Halosulfuron methyl	Asparagus	0.8
177.14	Halosulfuron methyl	Halosulfuron methyl	Rhubarb	0.05
178.1	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Grapes	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
178.2	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Citrus fruits	0.02
178.3	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Banana	0.02
178.4	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Milk fats	7
178.5	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Pome fruits	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
178.6	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Stone fruits	0.02
178.7	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Milks	0.3
178.8	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Meat (from mammals other than marine mammals) (Fat)	0.5
178.9	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Edible offal (Mammalian)	2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
178.10	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Vegetable oils, edible	1
178.11	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Eggs	0.1
178.12	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Poultry meat (Fat)	0.7
178.13	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Edible offal of poultry	0.7

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
178.14	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Coffee beans	0.02
178.15	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Rape seed	3
178.16	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Cotton seed	0.7
178.17	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Peanut	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
178.18	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Sunflower seed	0.3
178.19	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Onion, Bulb	0.2
178.20	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Beans (dry)	3
178.21	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Peas (dry)	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
178.22	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Chickpea (dry)	0.05
178.23	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Soya bean (dry)	2
178.24	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Beans, except broad bean and soya bean	0.5
178.25	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Peas (young pods and succulent seeds)	0.7

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
178.26	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Peas, shelled (succulent seeds)	1
178.27	Haloxypop	Sum of haloxypop (including haloxypop-P), its esters and its conjugates, expressed as haloxypop	Sugar beet	0.4
179.1	Hexythiazox	Hexythiazox	Prunes	1
179.2	Hexythiazox	Hexythiazox	Dried grapes (Currants, Raisins and Sultanas)	1
179.3	Hexythiazox	Hexythiazox	Hops, dry	2
179.4	Hexythiazox	Hexythiazox	Grapes	1
179.5	Hexythiazox	Hexythiazox	Strawberry	0.5
179.6	Hexythiazox	Hexythiazox	Citrus fruits	0.5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
179.7	Hexythiazox	Hexythiazox	Pome fruits, except pear	0.5
179.8	Hexythiazox	Hexythiazox	Pear	1
179.9	Hexythiazox	Hexythiazox	Stone fruits	1
179.10	Hexythiazox	Hexythiazox	Date	2
179.11	Hexythiazox	Hexythiazox	Tree nuts	0.05
179.12	Hexythiazox	Hexythiazox	"Fruiting vegetables, Cucurbits", except watermelon	0.05
179.13	Hexythiazox	Hexythiazox	Egg plant	0.1
179.14	Hexythiazox	Hexythiazox	Tomato	0.1
180.1	Hydramethylnon	Hydramethylnon	Pineapple	0.05
181.1	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Dried fruits	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
181.2	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Dried vegetables	0.01
181.3	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Grapes	0.01
181.4	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Citron	0.01
181.5	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Grapefruit	0.01
181.6	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Lemon	0.01
181.7	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Lime	0.01
181.8	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Orange, Sweet	0.01
181.9	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Tangerine	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
181.10	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Avocado	0.01
181.11	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Banana	0.01
181.12	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Mango	0.01
181.13	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Papaya	0.01
181.14	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Kumquats	0.01
181.15	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Cereal grains	0.1
181.16	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Sugar cane	0.01
181.17	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Spices	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
181.18	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Cacao beans	0.01
181.19	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Coffee beans	0.1
181.20	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Cotton seed	0.1
181.21	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Peanut	0.01
181.22	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Safflower seed	0.1
181.23	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Sesame seed	0.1
181.24	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Sunflower seed	0.1
181.25	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Tree nuts	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
181.26	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Pulses	0.05
181.27	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Pak-choi	0.01
181.28	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Chinese cabbage (type Pe-tsai)	0.01
181.29	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Endive	0.01
181.30	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Lettuce, Head	0.01
181.31	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Lettuce, Leaf	0.01
181.32	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Salsify leaves	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
181.33	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Peppers (including Peppers, Chili and Peppers, Sweet)	0.01
181.34	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Egg plant	0.01
181.35	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Okra	0.01
181.36	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Tomato	0.01
181.37	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Mushrooms	0.01
181.38	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Legume vegetables, except soya bean (succulent seeds)	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
181.39	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Soya bean (succulent seeds)	0.1
181.40	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Root and tuber vegetables	0.05
181.41	Hydrogen phosphide	All phosphides, expressed as hydrogen phosphide	Artichoke, Globe	0.01
182.1	Hymexazol	Hymexazol	Rice, husked	0.1
183.1	Imazalil	Imazalil	Raspberries, Red, Black	2
183.2	Imazalil	Imazalil	Strawberry	2
183.3	Imazalil	Imazalil	Citrus fruits	10
183.4	Imazalil	Imazalil	Banana	2
183.5	Imazalil	Imazalil	Pome fruits	5
183.6	Imazalil	Imazalil	Persimmon, Japanese	2



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
183.7	Imazalil	Imazalil	Wheat	0.01
183.8	Imazalil	Imazalil	Melons, except watermelon	2
183.9	Imazalil	Imazalil	Cucumber	0.5
183.10	Imazalil	Imazalil	Gherkin	0.5
183.11	Imazalil	Imazalil	Potato	5
184.1	Imazamethabenz methyl	Sum of methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate and methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate	Barley	0.1
184.2	Imazamethabenz methyl	Sum of methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate and methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate	Wheat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
184.3	Imazamethabenz methyl	Sum of methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate and methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate	Sunflower seed	0.1
185.1	Imazapyr	Imazapyr	Maize	0.05
185.2	Imazapyr	Imazapyr	Cattle fat	0.05
185.3	Imazapyr	Imazapyr	Goat fat	0.05
185.4	Imazapyr	Imazapyr	Horse fat	0.05
185.5	Imazapyr	Imazapyr	Sheep fat	0.05
185.6	Imazapyr	Imazapyr	Milks	0.01
185.7	Imazapyr	Imazapyr	Cattle meat	0.05
185.8	Imazapyr	Imazapyr	Goat meat	0.05
185.9	Imazapyr	Imazapyr	Horse meat	0.05
185.10	Imazapyr	Imazapyr	Sheep meat	0.05
185.11	Imazapyr	Imazapyr	Cattle kidney	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
185.12	Imazapyr	Imazapyr	Sheep kidney	0.2
185.13	Imazapyr	Imazapyr	Horse kidney	0.2
186.1	Imazethapyr	Imazethapyr, applied as its acid or ammonium salt	Pulses	0.1
186.2	Imazethapyr	Imazethapyr, applied as its acid or ammonium salt	Legume vegetables	0.1
187.1	Imazosulfuron	Imazosulfuron	Rice	0.02
187.2	Imazosulfuron	Imazosulfuron	Peppers (including Peppers, Chili and Peppers, Sweet)	0.02
187.3	Imazosulfuron	Imazosulfuron	Tomato	0.02
188.1	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Wheat flour	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.2	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Wheat bran, unprocessed	0.3
188.3	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Dried herbs, except dried hops	48
188.4	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Hops, dry	10
188.5	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Sugar beet molasses	0.3

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

664

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.6	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Berries and other small fruits, except cranberry, grapes and strawberry	5
188.7	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Cranberry	0.05
188.8	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Grapes	1
188.9	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Strawberry	0.5

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

665

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.10	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Citrus fruits	2
188.11	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Avocado	1
188.12	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Banana	0.05
188.13	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Canistel	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.14	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Cherimoya	0.3
188.15	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Custard apple	0.3
188.16	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Feijoa	1
188.17	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Guava	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.18	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Ilama	0.3
188.19	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Java apple	1
188.20	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Longan	3
188.21	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Litchi	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.22	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Mango	0.2
188.23	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Papaya	1
188.24	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Passion fruit	1
188.25	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Pomegranate	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.26	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Pulasan	3
188.27	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Rambutan	3
188.28	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Sapodilla	1
188.29	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Sapote, Black	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.30	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Sapote, Mamme	1
188.31	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Soursop	0.3
188.32	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Spanish lime	3
188.33	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Star apple	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.34	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Sugar apple	0.3
188.35	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Pome fruits, except apple and pear	0.6
188.36	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Apple	0.5
188.37	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Pear	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.38	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Stone fruits, except apricot, nectarine, peach, plums (including prunes) and sweet cherry	3
188.39	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Plums (including Prunes)	0.5
188.40	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Apricot	0.5
188.41	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Cherry, Sweet	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.42	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Nectarine	0.5
188.43	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Peach	0.5
188.44	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Barbados cherry	1
188.45	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Carambola	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.46	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Jaboticaba	1
188.47	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Cereal grains	0.05
188.48	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Herbs	8
188.49	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Peppers, Chili (dry)	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.50	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Grape juice	1.5
188.51	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Cattle fat	0.3
188.52	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Goat fat	0.3
188.53	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Horse fat	0.3



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.54	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Pig fat	0.3
188.55	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Sheep fat	0.3
188.56	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Milks	0.1
188.57	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Meat (from mammals other than marine mammals)	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.58	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Edible offal (Mammalian)	0.3
188.59	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Eggs	0.02
188.60	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Poultry fats	0.05
188.61	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Poultry meat	0.02

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
188.62	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Edible offal of poultry	0.05
188.63	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Coffee beans	1
188.64	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Mustard seed, Indian	0.05
188.65	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Mustard seed	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
188.66	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Rape seed	0.05
188.67	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Cotton seed	6
188.68	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Flaxseed	0.05
188.69	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Mustard seed, Field	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.70	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Peanut	1
188.71	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Safflower seed	0.05
188.72	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Sunflower seed	0.05
188.73	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Tree nuts	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.74	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Leek	0.05
188.75	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Onion, Bulb	0.1
188.76	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli, brussels sprouts, cauliflower and head cabbages	3.5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
188.77	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Cabbages, Head	0.5
188.78	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Broccoli	0.5
188.79	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Brussels sprouts	0.5
188.80	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Cauliflower	0.5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
188.81	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	"Fruiting vegetables, Cucurbits", except cucumber, "melons other than watermelon", summer squash and watermelon	0.5
188.82	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Melons, except watermelon	0.2
188.83	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Cucumber	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.84	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Summer squash	1
188.85	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Watermelon	0.2
188.86	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Pulses, except dried peas and dried soya bean	4
188.87	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Peas (dry)	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.88	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Brassica leafy vegetables	3.5
188.89	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Watercress	3.5
188.90	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Lettuce, Head	2
188.91	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Lettuce, Leaf	3.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.92	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Radish leaves (including Radish tops)	5
188.93	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	"Fruiting vegetables, other than Cucurbits", except egg plant, sweet corn (corn-on-the-cob) and tomato	1
188.94	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Egg plant	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.95	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Sweet corn (corn-on-the-cob)	0.02
188.96	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Tomato	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.97	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Legume vegetables, except "beans other than broad bean and soya bean", "peas (young pods and succulent seeds)", "shelled peas (succulent seeds)" and soya bean (succulent seeds)	4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.98	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Beans, except broad bean and soya bean	2
188.99	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Peas (young pods and succulent seeds)	5
188.100	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Peas, shelled (succulent seeds)	2
188.101	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Soya bean (succulent seeds)	3.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
188.102	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Root and tuber vegetables	0.5
188.103	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Artichoke, Globe	2.5
188.104	Imidacloprid	Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid	Tomato paste	6
189.1	Indoxacarb	Sum of indoxacarb and its R enantiomer	Prunes	3
189.2	Indoxacarb	Sum of indoxacarb and its R enantiomer	Dried grapes (Currants, Raisins and Sultanas)	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
189.3	Indoxacarb	Sum of indoxacarb and its R enantiomer	Blueberries	1
189.4	Indoxacarb	Sum of indoxacarb and its R enantiomer	Cranberry	1
189.5	Indoxacarb	Sum of indoxacarb and its R enantiomer	Grapes	2
189.6	Indoxacarb	Sum of indoxacarb and its R enantiomer	Milk fats	2
189.7	Indoxacarb	Sum of indoxacarb and its R enantiomer	Pome fruits, except pear	1
189.8	Indoxacarb	Sum of indoxacarb and its R enantiomer	Pear	2
189.9	Indoxacarb	Sum of indoxacarb and its R enantiomer	Stone fruits	2
189.10	Indoxacarb	Sum of indoxacarb and its R enantiomer	Mints	15



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
189.11	Indoxacarb	Sum of indoxacarb and its R enantiomer	Cattle fat	1.5
189.12	Indoxacarb	Sum of indoxacarb and its R enantiomer	Goat fat	1.5
189.13	Indoxacarb	Sum of indoxacarb and its R enantiomer	Horse fat	1.5
189.14	Indoxacarb	Sum of indoxacarb and its R enantiomer	Pig fat	1.5
189.15	Indoxacarb	Sum of indoxacarb and its R enantiomer	Sheep fat	1.5
189.16	Indoxacarb	Sum of indoxacarb and its R enantiomer	Milks	0.1
189.17	Indoxacarb	Sum of indoxacarb and its R enantiomer	Meat (from mammals other than marine mammals) (Fat)	2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
189.18	Indoxacarb	Sum of indoxacarb and its R enantiomer	Edible offal (Mammalian)	0.05
189.19	Indoxacarb	Sum of indoxacarb and its R enantiomer	Eggs	0.02
189.20	Indoxacarb	Sum of indoxacarb and its R enantiomer	Poultry meat (Fat)	0.01
189.21	Indoxacarb	Sum of indoxacarb and its R enantiomer	Edible offal of poultry	0.01
189.22	Indoxacarb	Sum of indoxacarb and its R enantiomer	Cotton seed	1
189.23	Indoxacarb	Sum of indoxacarb and its R enantiomer	Peanut	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
189.24	Indoxacarb	Sum of indoxacarb and its R enantiomer	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli, cauliflower and head cabbages	12
189.25	Indoxacarb	Sum of indoxacarb and its R enantiomer	Cabbages, Head	3
189.26	Indoxacarb	Sum of indoxacarb and its R enantiomer	Broccoli	0.2
189.27	Indoxacarb	Sum of indoxacarb and its R enantiomer	Cauliflower	0.2
189.28	Indoxacarb	Sum of indoxacarb and its R enantiomer	Fruiting vegetables, Cucurbits	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
189.29	Indoxacarb	Sum of indoxacarb and its R enantiomer	Chickpea (dry)	0.2
189.30	Indoxacarb	Sum of indoxacarb and its R enantiomer	Cowpea (dry)	0.1
189.31	Indoxacarb	Sum of indoxacarb and its R enantiomer	Soya bean (dry)	0.5
189.32	Indoxacarb	Sum of indoxacarb and its R enantiomer	Lettuce, Head	7
189.33	Indoxacarb	Sum of indoxacarb and its R enantiomer	Lettuce, Leaf	15
189.34	Indoxacarb	Sum of indoxacarb and its R enantiomer	Turnip greens	12

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
189.35	Indoxacarb	Sum of indoxacarb and its R enantiomer	"Fruiting vegetables, other than Cucurbits", except peppers and sweet corn (corn-on-the-cob)	0.5
189.36	Indoxacarb	Sum of indoxacarb and its R enantiomer	Peppers (including Peppers, Chili and Peppers, Sweet)	0.3
189.37	Indoxacarb	Sum of indoxacarb and its R enantiomer	Sweet corn (corn-on-the-cob)	0.02
189.38	Indoxacarb	Sum of indoxacarb and its R enantiomer	Soya bean (succulent seeds)	0.8

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
189.39	Indoxacarb	Sum of indoxacarb and its R enantiomer	Beetroot	0.3
189.40	Indoxacarb	Sum of indoxacarb and its R enantiomer	Potato	0.02
190.1	Iodosulfuron-methyl sodium	Iodosulfuron-methyl sodium	Maize	0.03
190.2	Iodosulfuron-methyl sodium	Iodosulfuron-methyl sodium	Wheat	0.02
191.1	Ipconazole	Ipconazole	Cereal grains, except rice	0.01
191.2	Ipconazole	Ipconazole	Cotton seed	0.01
191.3	Ipconazole	Ipconazole	Peanut	0.01
191.4	Ipconazole	Ipconazole	Pulses, except dried soya bean	0.01
191.5	Ipconazole	Ipconazole	Soya bean (succulent seeds)	0.01
192.1	Iprodione	Iprodione	Rice, husked	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
192.2	Iprodione	Iprodione	Blueberries	12
192.3	Iprodione	Iprodione	Blackberries	30
192.4	Iprodione	Iprodione	Grapes	20
192.5	Iprodione	Iprodione	Raspberries, Red, Black	30
192.6	Iprodione	Iprodione	Strawberry	10
192.7	Iprodione	Iprodione	Mandarins (including Mandarin-like hybrids)	5
192.8	Iprodione	Iprodione	Banana	10
192.9	Iprodione	Iprodione	Kiwifruit	5
192.10	Iprodione	Iprodione	Pome fruits	5
192.11	Iprodione	Iprodione	Cherries	10
192.12	Iprodione	Iprodione	Peach	10
192.13	Iprodione	Iprodione	Barley	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
192.14	Iprodione	Iprodione	Spices, Seeds	0.05
192.15	Iprodione	Iprodione	Spices, Roots and Rhizomes	0.1
192.16	Iprodione	Iprodione	Rape seed	2
192.17	Iprodione	Iprodione	Sunflower seed	0.5
192.18	Iprodione	Iprodione	Almonds	0.2
192.19	Iprodione	Iprodione	Onion, Bulb	0.2
192.20	Iprodione	Iprodione	Broccoli	25
192.21	Iprodione	Iprodione	Cucumber	2
192.22	Iprodione	Iprodione	Beans (dry)	0.1
192.23	Iprodione	Iprodione	Lettuce, Head	10
192.24	Iprodione	Iprodione	Lettuce, Leaf	25
192.25	Iprodione	Iprodione	Tomato	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
192.26	Iprodione	Iprodione	Common bean (young pods and/or succulent seeds)	2
192.27	Iprodione	Iprodione	Carrot	10
192.28	Iprodione	Iprodione	Sugar beet	0.1
192.29	Iprodione	Iprodione	Witloof chicory (sprouts)	1
193.1	Isocarbophos	Isocarbophos	Mandarins (including Mandarin-like hybrids)	0.02
193.2	Isocarbophos	Isocarbophos	Rice	0.1
194.1	Isofenphos methyl	Isofenphos methyl	Cereal grains	0.02
194.2	Isofenphos methyl	Isofenphos methyl	Sugar cane	0.02
194.3	Isofenphos methyl	Isofenphos methyl	Peanut	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
194.4	Isofenphos methyl	Isofenphos methyl	Pulses	0.02
194.5	Isofenphos methyl	Isofenphos methyl	Root and tuber vegetables, except sugar beet and sweet potato	0.02
194.6	Isofenphos methyl	Isofenphos methyl	Sweet potato	0.05
194.7	Isofenphos methyl	Isofenphos methyl	Sugar beet	0.05
195.1	Isoprocab	Isoprocab	Rice, polished	0.2
196.1	Isoprothiolane	Isoprothiolane	Rice, polished	1
197.1	Isoxaben	Isoxaben	Grapes	0.01
197.2	Isoxaben	Isoxaben	Tree nuts	0.02
198.1	Kasugamycin	Kasugamycin	Rice, husked	0.1
198.2	Kasugamycin	Kasugamycin	Tea, Green, Black	0.04

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
198.3	Kasugamycin	Kasugamycin	Cabbages, Head	0.04
198.4	Kasugamycin	Kasugamycin	Tomato	0.05
199.1	Kresoxim methyl	Kresoxim methyl	Dried grapes (Currants, Raisins and Sultanas)	2
199.2	Kresoxim methyl	Kresoxim methyl	Tea, Green, Black	20
199.3	Kresoxim methyl	Kresoxim methyl	Grapes	1
199.4	Kresoxim methyl	Kresoxim methyl	Strawberry	5
199.5	Kresoxim methyl	Kresoxim methyl	Oranges, Sweet, Sour	0.5
199.6	Kresoxim methyl	Kresoxim methyl	Grapefruit	0.5
199.7	Kresoxim methyl	Kresoxim methyl	Pome fruits	0.2
199.8	Kresoxim methyl	Kresoxim methyl	Olives	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
199.9	Kresoxim methyl	Kresoxim methyl	Persimmon, Japanese	5
199.10	Kresoxim methyl	Kresoxim methyl	Barley	0.1
199.11	Kresoxim methyl	Kresoxim methyl	Rye	0.05
199.12	Kresoxim methyl	Kresoxim methyl	Wheat	0.05
199.13	Kresoxim methyl	Kresoxim methyl	Olive oil, virgin	0.7
199.14	Kresoxim methyl	Kresoxim methyl	Cucumber	0.05
200.1	Lactofen	Lactofen	Cotton seed	0.01
200.2	Lactofen	Lactofen	Peanut	0.01
200.3	Lactofen	Lactofen	Fruiting vegetables, other than Cucurbits	0.02
200.4	Lactofen	Lactofen	Soya bean (succulent seeds)	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
201.1	Lindane	Lindane	Barley	0.01
201.2	Lindane	Lindane	Maize	0.01
201.3	Lindane	Lindane	Oats	0.01
201.4	Lindane	Lindane	Rye	0.01
201.5	Lindane	Lindane	Sorghum	0.01
201.6	Lindane	Lindane	Wheat	0.05
201.7	Lindane	Lindane	Mammalian fats (except milk fats)	1
201.8	Lindane	Lindane	Milks	0.01
201.9	Lindane	Lindane	Meat (from mammals other than marine mammals) (Fat)	0.1
201.10	Lindane	Lindane	Edible offal (Mammalian)	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
201.11	Lindane	Lindane	Eggs	0.1
201.12	Lindane	Lindane	Poultry meat (Fat)	0.05
201.13	Lindane	Lindane	Edible offal of poultry	0.01
201.14	Lindane	Lindane	Sweet corn (kernels)	0.01
202.1	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Maize	0.1
202.2	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Sorghum	0.25

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
202.3	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Wheat	0.05
202.4	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Parsley	0.25
202.5	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Cattle fat	0.2
202.6	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Goat fat	0.2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
202.7	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Horse fat	0.2
202.8	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Pig fat	0.05
202.9	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Sheep fat	0.2
202.10	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Milks	0.05



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
202.11	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Cattle meat	0.1
202.12	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Goat meat	0.1
202.13	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Horse meat	0.1
202.14	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Pig meat	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
202.15	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Sheep meat	0.1
202.16	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Edible offal of pig	0.1
202.17	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Cattle kidney	2
202.18	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Cattle liver	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
202.19	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Sheep kidney	2
202.20	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Sheep liver	2
202.21	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Horse kidney	2
202.22	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Horse liver	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
202.23	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Cotton seed	0.25
202.24	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Sweet corn (corn-on-the-cob)	0.25
202.25	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Soya bean (succulent seeds)	1
202.26	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Carrot	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
202.27	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Celeriac	1
202.28	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Parsnip	0.05
202.29	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Potato	0.2
202.30	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Asparagus	7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
202.31	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Celery	0.5
202.32	Linuron	Sum of linuron and its metabolites convertible to 3,4-dichloroaniline, expressed as linuron	Rhubarb	0.5
203.1	Malathion	Malathion	Rice, husked	1
203.2	Malathion	Malathion	Wheat bran, unprocessed	25
203.3	Malathion	Malathion	Dates, dried or dried and candied	8
203.4	Malathion	Malathion	Hops, dry	1
203.5	Malathion	Malathion	Blueberries	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
203.6	Malathion	Malathion	Currants, Black, Red, White	8
203.7	Malathion	Malathion	Blackberries	8
203.8	Malathion	Malathion	Cranberry	8
203.9	Malathion	Malathion	Dewberries (including Boysenberry and Loganberry)	8
203.10	Malathion	Malathion	Gooseberry	8
203.11	Malathion	Malathion	Grapes	8
203.12	Malathion	Malathion	Raspberries, Red, Black	8
203.13	Malathion	Malathion	Strawberry	1
203.14	Malathion	Malathion	Citrus fruits	7
203.15	Malathion	Malathion	Avocado	8

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
203.16	Malathion	Malathion	Guava	8
203.17	Malathion	Malathion	Longan	8
203.18	Malathion	Malathion	Litchi	8
203.19	Malathion	Malathion	Mango	8
203.20	Malathion	Malathion	Papaya	1
203.21	Malathion	Malathion	Passion fruit	8
203.22	Malathion	Malathion	Pineapple	8
203.23	Malathion	Malathion	Milk fats	0.5
203.24	Malathion	Malathion	Pome fruits, except apple and pear	2
203.25	Malathion	Malathion	Apple	8
203.26	Malathion	Malathion	Pear	8
203.27	Malathion	Malathion	Stone fruits, except cherries	6
203.28	Malathion	Malathion	Cherries	8

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
203.29	Malathion	Malathion	Fig	8
203.30	Malathion	Malathion	Kumquats	8
203.31	Malathion	Malathion	Cereal grains, except wheat	8
203.32	Malathion	Malathion	Wheat	10
203.33	Malathion	Malathion	Rue	2
203.34	Malathion	Malathion	Lemongrass	2
203.35	Malathion	Malathion	Peppermint	8
203.36	Malathion	Malathion	Spearmint	8
203.37	Malathion	Malathion	Spices, Seeds	2
203.38	Malathion	Malathion	Spices, Fruits and Berries	1
203.39	Malathion	Malathion	Spices, Roots and Rhizomes	0.5
203.40	Malathion	Malathion	Peppers, Chili (dry)	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
203.41	Malathion	Malathion	Tomato juice	0.01
203.42	Malathion	Malathion	Cattle fat	4
203.43	Malathion	Malathion	Goat fat	4
203.44	Malathion	Malathion	Horse fat	4
203.45	Malathion	Malathion	Pig fat	4
203.46	Malathion	Malathion	Sheep fat	4
203.47	Malathion	Malathion	Cattle meat	4
203.48	Malathion	Malathion	Goat meat	4
203.49	Malathion	Malathion	Horse meat	4
203.50	Malathion	Malathion	Pig meat	4
203.51	Malathion	Malathion	Sheep meat	4
203.52	Malathion	Malathion	Edible offal of cattle	4
203.53	Malathion	Malathion	Edible offal of goat	4

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
203.54	Malathion	Malathion	Edible offal of horse	4
203.55	Malathion	Malathion	Edible offal of pig	4
203.56	Malathion	Malathion	Edible offal of sheep	4
203.57	Malathion	Malathion	Cotton seed oil, crude	13
203.58	Malathion	Malathion	Cotton seed oil, edible	13
203.59	Malathion	Malathion	Safflower seed oil, edible	0.6
203.60	Malathion	Malathion	Eggs	0.1
203.61	Malathion	Malathion	Poultry fats	4
203.62	Malathion	Malathion	Poultry meat	4
203.63	Malathion	Malathion	Edible offal of poultry	4

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
203.64	Malathion	Malathion	Cotton seed	20
203.65	Malathion	Malathion	Flaxseed	0.1
203.66	Malathion	Malathion	Peanut	8
203.67	Malathion	Malathion	Safflower seed	0.2
203.68	Malathion	Malathion	Sunflower seed	8
203.69	Malathion	Malathion	Almonds	8
203.70	Malathion	Malathion	Chestnuts	1
203.71	Malathion	Malathion	Hazelnuts	1
203.72	Malathion	Malathion	Macadamia nuts	1
203.73	Malathion	Malathion	Pecan	8
203.74	Malathion	Malathion	Walnuts	8
203.75	Malathion	Malathion	Bulb vegetables	8

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
203.76	Malathion	Malathion	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
203.77	Malathion	Malathion	Fruiting vegetables, Cucurbits	8
203.78	Malathion	Malathion	Pulses	8
203.79	Malathion	Malathion	Leafy vegetables	8
203.80	Malathion	Malathion	Fruiting vegetables, other than Cucurbits	0.5
203.81	Malathion	Malathion	Legume vegetables	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
203.82	Malathion	Malathion	Root and tuber vegetables	8
203.83	Malathion	Malathion	Asparagus	1
203.84	Malathion	Malathion	Celery	1
204.1	Maleic hydrazide	Maleic hydrazide	Garlic	15
204.2	Maleic hydrazide	Maleic hydrazide	Onion, Bulb	15
204.3	Maleic hydrazide	Maleic hydrazide	Shallot	15
204.4	Maleic hydrazide	Maleic hydrazide	Potato	50
205.1	Mandipropamid	Mandipropamid	Dried grapes (Currants, Raisins and Sultanas)	5
205.2	Mandipropamid	Mandipropamid	Hops, dry	50
205.3	Mandipropamid	Mandipropamid	Grapes	2
205.4	Mandipropamid	Mandipropamid	Peppers, Chili (dry)	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
205.5	Mandipropamid	Mandipropamid	Onion, Bulb	0.1
205.6	Mandipropamid	Mandipropamid	Spring onion	7
205.7	Mandipropamid	Mandipropamid	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli	3
205.8	Mandipropamid	Mandipropamid	Broccoli	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
205.9	Mandipropamid	Mandipropamid	"Fruiting vegetables, Cucurbits", except cucumber, "melons other than watermelon" and summer squash	0.6
205.10	Mandipropamid	Mandipropamid	Melons, except watermelon	0.5
205.11	Mandipropamid	Mandipropamid	Cucumber	0.2
205.12	Mandipropamid	Mandipropamid	Summer squash	0.2
205.13	Mandipropamid	Mandipropamid	Leafy vegetables	25



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
205.14	Mandipropamid	Mandipropamid	"Fruiting vegetables, other than Cucurbits", except tomato	1
205.15	Mandipropamid	Mandipropamid	Tomato	0.3
205.16	Mandipropamid	Mandipropamid	Potato	0.01
205.17	Mandipropamid	Mandipropamid	Celery	20
206.1	MCPB (4-(2-methyl-4-chlorophenoxy)butyric acid)	Sum of MCPB and MCPA, free and conjugated	Peppermint	0.2
206.2	MCPB (4-(2-methyl-4-chlorophenoxy)butyric acid)	Sum of MCPB and MCPA, free and conjugated	Spearmint	0.2
207.1	Mepiquat chloride	Mepiquat chloride	Grapes	1
207.2	Mepiquat chloride	Mepiquat chloride	Cattle fat	0.1
207.3	Mepiquat chloride	Mepiquat chloride	Goat fat	0.1
207.4	Mepiquat chloride	Mepiquat chloride	Horse fat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
207.5	Mepiquat chloride	Mepiquat chloride	Pig fat	0.1
207.6	Mepiquat chloride	Mepiquat chloride	Sheep fat	0.1
207.7	Mepiquat chloride	Mepiquat chloride	Cattle meat	0.1
207.8	Mepiquat chloride	Mepiquat chloride	Goat meat	0.1
207.9	Mepiquat chloride	Mepiquat chloride	Horse meat	0.1
207.10	Mepiquat chloride	Mepiquat chloride	Pig meat	0.1
207.11	Mepiquat chloride	Mepiquat chloride	Sheep meat	0.1
208.1	Mepronil	Mepronil	Rice, husked	0.2
209.1	Meptyldinocap	Sum of meptyldinocap and 2,4-DNOP, expressed as meptyldinocap	Grapes	0.2
209.2	Meptyldinocap	Sum of meptyldinocap and 2,4-DNOP, expressed as meptyldinocap	Strawberry	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
209.3	Meptyldinocap	Sum of meptyldinocap and 2,4-DNOP, expressed as meptyldinocap	Melons, except watermelon	0.5
209.4	Meptyldinocap	Sum of meptyldinocap and 2,4-DNOP, expressed as meptyldinocap	Cucumber	0.07
209.5	Meptyldinocap	Sum of meptyldinocap and 2,4-DNOP, expressed as meptyldinocap	Summer squash	0.07
210.1	Mesosulfuron methyl	Mesosulfuron methyl	Wheat germ	0.1
210.2	Mesosulfuron methyl	Mesosulfuron methyl	Wheat	0.03
210.3	Mesosulfuron methyl	Mesosulfuron methyl	Edible offal of cattle	0.01
210.4	Mesosulfuron methyl	Mesosulfuron methyl	Edible offal of goat	0.01
210.5	Mesosulfuron methyl	Mesosulfuron methyl	Edible offal of horse	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
210.6	Mesosulfuron methyl	Mesosulfuron methyl	Edible offal of sheep	0.01
211.1	Mesotrione	Mesotrione	Berries and other small fruits, except cranberry	0.01
211.2	Mesotrione	Mesotrione	Cranberry	0.02
211.3	Mesotrione	Mesotrione	Maize	0.01
211.4	Mesotrione	Mesotrione	Millet	0.01
211.5	Mesotrione	Mesotrione	Oats	0.01
211.6	Mesotrione	Mesotrione	Sorghum	0.01
211.7	Mesotrione	Mesotrione	Popcorn	0.01
211.8	Mesotrione	Mesotrione	Sorgo (Sorghum, Sweet)	0.01
211.9	Mesotrione	Mesotrione	Sugar cane	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
211.10	Mesotrione	Mesotrione	Flaxseed	0.01
211.11	Mesotrione	Mesotrione	Okra	0.01
211.12	Mesotrione	Mesotrione	Sweet corn (corn-on-the-cob)	0.01
211.13	Mesotrione	Mesotrione	Soya bean (succulent seeds)	0.01
211.14	Mesotrione	Mesotrione	Asparagus	0.01
211.15	Mesotrione	Mesotrione	Rhubarb	0.01
212.1	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Milk fats	0.02
212.2	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Peppers, Chili (dry)	6

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
212.3	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Milks	0.01
212.4	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Meat (from mammals other than marine mammals) (Fat)	0.02
212.5	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Edible offal (Mammalian)	0.02
212.6	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Brussels sprouts	0.8
212.7	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Pak-choi	6

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
212.8	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Lettuce, Head	7
212.9	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Peppers (including Peppers, Chili and Peppers, Sweet)	0.6
212.10	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Egg plant	0.6
212.11	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Tomato	0.6
212.12	Metaflumizone	Sum of metaflumizone E-isomer and metaflumizone Z-isomer	Potato	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
213.1	Metalaxyl	Metalaxyl	Dried herbs, except dried hops	55
213.2	Metalaxyl	Metalaxyl	Hops, dry	10
213.3	Metalaxyl	Metalaxyl	Blueberries	0.5
213.4	Metalaxyl	Metalaxyl	Grapes	1
213.5	Metalaxyl	Metalaxyl	Raspberries, Red, Black	0.2
213.6	Metalaxyl	Metalaxyl	Citrus fruits	5
213.7	Metalaxyl	Metalaxyl	Avocado	0.5
213.8	Metalaxyl	Metalaxyl	Canistel	0.4
213.9	Metalaxyl	Metalaxyl	Custard apple	0.2
213.10	Metalaxyl	Metalaxyl	Durian	1
213.11	Metalaxyl	Metalaxyl	Kiwifruit	0.1
213.12	Metalaxyl	Metalaxyl	Longan	0.05
213.13	Metalaxyl	Metalaxyl	Litchi	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
213.14	Metolaxyl	Metolaxyl	Mango	0.4
213.15	Metolaxyl	Metolaxyl	Papaya	0.4
213.16	Metolaxyl	Metolaxyl	Pineapple	1
213.17	Metolaxyl	Metolaxyl	Sapodilla	0.4
213.18	Metolaxyl	Metolaxyl	Sapote, Black	0.4
213.19	Metolaxyl	Metolaxyl	Sapote, Mamme	0.4
213.20	Metolaxyl	Metolaxyl	Star apple	0.4
213.21	Metolaxyl	Metolaxyl	Sugar apple	0.2
213.22	Metolaxyl	Metolaxyl	Pome fruits	1
213.23	Metolaxyl	Metolaxyl	Peach	0.2
213.24	Metolaxyl	Metolaxyl	Carambola	0.2
213.25	Metolaxyl	Metolaxyl	Cereal grains	0.05
213.26	Metolaxyl	Metolaxyl	Herbs	8
213.27	Metolaxyl	Metolaxyl	Spices, Seeds	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
213.28	Metolaxyl	Metolaxyl	Peppers, Chili (dry)	10
213.29	Metolaxyl	Metolaxyl	Cacao beans	0.2
213.30	Metolaxyl	Metolaxyl	Cotton seed	0.05
213.31	Metolaxyl	Metolaxyl	Peanut	0.1
213.32	Metolaxyl	Metolaxyl	Sunflower seed	0.05
213.33	Metolaxyl	Metolaxyl	Macadamia nuts	1
213.34	Metolaxyl	Metolaxyl	Onion, Bulb	3
213.35	Metolaxyl	Metolaxyl	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
213.36	Metolaxyl	Metolaxyl	Melons, except watermelon	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
213.37	Metolaxyl	Metolaxyl	Cucumber	0.5
213.38	Metolaxyl	Metolaxyl	Gherkin	0.5
213.39	Metolaxyl	Metolaxyl	Loofah, Angled	0.2
213.40	Metolaxyl	Metolaxyl	Summer squash	0.2
213.41	Metolaxyl	Metolaxyl	Watermelon	0.2
213.42	Metolaxyl	Metolaxyl	Winter squash	0.2
213.43	Metolaxyl	Metolaxyl	Wax gourd	0.2
213.44	Metolaxyl	Metolaxyl	Soya bean (dry)	0.05
213.45	Metolaxyl	Metolaxyl	Brassica leafy vegetables	2
213.46	Metolaxyl	Metolaxyl	Betel leaves	0.05
213.47	Metolaxyl	Metolaxyl	Watercress	2
213.48	Metolaxyl	Metolaxyl	Lettuce, Head	2
213.49	Metolaxyl	Metolaxyl	Spinach	10
213.50	Metolaxyl	Metolaxyl	Water spinach	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
213.51	Metolaxyl	Metolaxyl	Peppers (including Peppers, Chili and Peppers, Sweet)	1
213.52	Metolaxyl	Metolaxyl	Sweet corn (corn-on-the-cob)	0.05
213.53	Metolaxyl	Metolaxyl	Tomato	0.5
213.54	Metolaxyl	Metolaxyl	Peas, shelled (succulent seeds)	0.05
213.55	Metolaxyl	Metolaxyl	Root and tuber vegetables, except taro	0.1
213.56	Metolaxyl	Metolaxyl	Taro	0.5
213.57	Metolaxyl	Metolaxyl	Artichoke, Globe	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
213.58	Metaxyl	Metaxyl	Asparagus	0.05
214.1	Metalddehyde	Metalddehyde	Berries and other small fruits, except strawberry	0.15
214.2	Metalddehyde	Metalddehyde	Strawberry	6.25
214.3	Metalddehyde	Metalddehyde	Citrus fruits	0.26
214.4	Metalddehyde	Metalddehyde	Avocado	1
214.5	Metalddehyde	Metalddehyde	Litchi	1
214.6	Metalddehyde	Metalddehyde	Stone fruits	1
214.7	Metalddehyde	Metalddehyde	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2.5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
214.8	Metalddehyde	Metalddehyde	Brassica leafy vegetables	2.5
214.9	Metalddehyde	Metalddehyde	Watercress	3.2
214.10	Metalddehyde	Metalddehyde	Lettuce, Head	1.73
214.11	Metalddehyde	Metalddehyde	Lettuce, Leaf	1.73
214.12	Metalddehyde	Metalddehyde	Tomato	0.24
214.13	Metalddehyde	Metalddehyde	Artichoke, Globe	0.07
215.1	Metconazole	Metconazole	Sugar beet molasses	0.08
215.2	Metconazole	Metconazole	Stone fruits	0.2
215.3	Metconazole	Metconazole	Barley	2.5
215.4	Metconazole	Metconazole	Maize	0.02
215.5	Metconazole	Metconazole	Oats	1
215.6	Metconazole	Metconazole	Rye	0.25
215.7	Metconazole	Metconazole	Wheat	0.15

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
215.8	Metconazole	Metconazole	Popcorn	0.02
215.9	Metconazole	Metconazole	Edible offal of cattle	0.04
215.10	Metconazole	Metconazole	Edible offal of goat	0.04
215.11	Metconazole	Metconazole	Edible offal of horse	0.04
215.12	Metconazole	Metconazole	Edible offal of sheep	0.04
215.13	Metconazole	Metconazole	Peanut oil, edible	0.05
215.14	Metconazole	Metconazole	Eggs	0.04
215.15	Metconazole	Metconazole	Cotton seed	0.25
215.16	Metconazole	Metconazole	Peanut	0.04
215.17	Metconazole	Metconazole	Tree nuts	0.04

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
215.18	Metconazole	Metconazole	Sweet corn (corn-on-the-cob)	0.01
215.19	Metconazole	Metconazole	Soya bean (succulent seeds)	0.05
215.20	Metconazole	Metconazole	Sugar beet	0.07
216.1	Methamidophos	Methamidophos	Rice, husked	0.5
216.2	Methamidophos	Methamidophos	Cranberry	0.1
216.3	Methamidophos	Methamidophos	Peach	1
216.4	Methamidophos	Methamidophos	Spices	0.1
216.5	Methamidophos	Methamidophos	Milks	0.02
216.6	Methamidophos	Methamidophos	Meat (from mammals other than marine mammals)	0.01



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
216.7	Methamidophos	Methamidophos	Edible offal (Mammalian)	0.01
216.8	Methamidophos	Methamidophos	Eggs	0.01
216.9	Methamidophos	Methamidophos	Poultry meat	0.01
216.10	Methamidophos	Methamidophos	Edible offal of poultry	0.01
216.11	Methamidophos	Methamidophos	Cotton seed	0.2
216.12	Methamidophos	Methamidophos	Bulb vegetables	0.05
216.13	Methamidophos	Methamidophos	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.05
216.14	Methamidophos	Methamidophos	Fruiting vegetables, Cucurbits	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
216.15	Methamidophos	Methamidophos	Soya bean (dry)	0.1
216.16	Methamidophos	Methamidophos	Leafy vegetables	0.05
216.17	Methamidophos	Methamidophos	Fruiting vegetables, other than Cucurbits	0.05
216.18	Methamidophos	Methamidophos	Legume vegetables, except "beans other than broad bean and soya bean"	0.05
216.19	Methamidophos	Methamidophos	Beans, except broad bean and soya bean	1
216.20	Methamidophos	Methamidophos	Root and tuber vegetables	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
216.21	Methamidophos	Methamidophos	Stalk and stem vegetables, except globe artichoke	0.05
216.22	Methamidophos	Methamidophos	Artichoke, Globe	0.2
217.1	Methanearsonic acid	Methanearsonic acid, calculated as $As_2O_3$	Citrus fruits	1.4
217.2	Methanearsonic acid	Methanearsonic acid, calculated as $As_2O_3$	Cotton seed	1.4
218.1	Methidathion	Methidathion	Hops, dry	5
218.2	Methidathion	Methidathion	Tea, Green, Black	0.5
218.3	Methidathion	Methidathion	Grapes	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
218.4	Methidathion	Methidathion	Citrus fruits, except grapefruit, "lemons and limes", mandarins, "sweet and sour oranges" and tangerine	4
218.5	Methidathion	Methidathion	Lemons and Limes	2
218.6	Methidathion	Methidathion	Mandarins (including Mandarin-like hybrids)	5
218.7	Methidathion	Methidathion	Oranges, Sweet, Sour	2
218.8	Methidathion	Methidathion	Grapefruit	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
218.9	Methidathion	Methidathion	Tangerine	6
218.10	Methidathion	Methidathion	Avocado	0.5
218.11	Methidathion	Methidathion	Custard apple	0.5
218.12	Methidathion	Methidathion	Durian	0.5
218.13	Methidathion	Methidathion	Kiwifruit	0.1
218.14	Methidathion	Methidathion	Longan	0.1
218.15	Methidathion	Methidathion	Mango	0.05
218.16	Methidathion	Methidathion	Pineapple	0.05
218.17	Methidathion	Methidathion	Rambutan	0.5
218.18	Methidathion	Methidathion	Sugar apple	0.2
218.19	Methidathion	Methidathion	Pome fruits, except apple and pear	0.05
218.20	Methidathion	Methidathion	Apple	0.5
218.21	Methidathion	Methidathion	Pear	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
218.22	Methidathion	Methidathion	Stone fruits, except cherries, nectarine and plums (including prunes)	0.05
218.23	Methidathion	Methidathion	Cherries	0.2
218.24	Methidathion	Methidathion	Plums (including Prunes)	0.2
218.25	Methidathion	Methidathion	Nectarine	0.2
218.26	Methidathion	Methidathion	Carambola	0.1
218.27	Methidathion	Methidathion	Olives	1
218.28	Methidathion	Methidathion	Persimmon, Japanese	0.2
218.29	Methidathion	Methidathion	Maize	0.1
218.30	Methidathion	Methidathion	Sorghum	0.2

## Pesticide Residues in Food Regulation

746

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
218.31	Methidathion	Methidathion	Spices, Fruits and Berries	0.02
218.32	Methidathion	Methidathion	Spices, Roots and Rhizomes	0.05
218.33	Methidathion	Methidathion	Cattle fat	0.02
218.34	Methidathion	Methidathion	Goat fat	0.02
218.35	Methidathion	Methidathion	Pig fat	0.02
218.36	Methidathion	Methidathion	Sheep fat	0.02
218.37	Methidathion	Methidathion	Milks	0.001
218.38	Methidathion	Methidathion	Meat (from mammals other than marine mammals)	0.02
218.39	Methidathion	Methidathion	Edible offal (Mammalian)	0.02
218.40	Methidathion	Methidathion	Cotton seed oil, crude	2

## Pesticide Residues in Food Regulation

747

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
218.41	Methidathion	Methidathion	Citrus oil	420
218.42	Methidathion	Methidathion	Eggs	0.02
218.43	Methidathion	Methidathion	Poultry fats	0.02
218.44	Methidathion	Methidathion	Poultry meat	0.02
218.45	Methidathion	Methidathion	Edible offal of poultry	0.02
218.46	Methidathion	Methidathion	Rape seed	0.1
218.47	Methidathion	Methidathion	Cotton seed	1
218.48	Methidathion	Methidathion	Safflower seed	0.1
218.49	Methidathion	Methidathion	Sunflower seed	0.5
218.50	Methidathion	Methidathion	Tree nuts, except macadamia nuts	0.05
218.51	Methidathion	Methidathion	Macadamia nuts	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
218.52	Methidathion	Methidathion	Onion, Bulb	0.1
218.53	Methidathion	Methidathion	Cabbages, Head	0.1
218.54	Methidathion	Methidathion	Cucumber	0.05
218.55	Methidathion	Methidathion	Beans (dry)	0.1
218.56	Methidathion	Methidathion	Peas (dry)	0.1
218.57	Methidathion	Methidathion	Tomato	0.1
218.58	Methidathion	Methidathion	Peas (young pods and succulent seeds)	0.1
218.59	Methidathion	Methidathion	Radish	0.05
218.60	Methidathion	Methidathion	Potato	0.02
218.61	Methidathion	Methidathion	Sugar beet	0.05
218.62	Methidathion	Methidathion	Artichoke, Globe	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
219.1	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Blueberries	0.1
219.2	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Strawberry	1
219.3	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Stone fruits	0.1
219.4	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Barley	0.05
219.5	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Maize	0.05
219.6	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Wheat	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
219.7	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Spices, Fruits and Berries	0.07
219.8	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Spices, Roots and Rhizomes	0.1
219.9	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Rape seed	0.05
219.10	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Sunflower seed	0.05
219.11	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Hazelnuts	0.05
219.12	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Leek	0.5

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
219.13	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Onion, Bulb	0.5
219.14	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Cabbages, Head	0.1
219.15	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Brussels sprouts	0.05
219.16	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Cauliflower	0.1
219.17	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Melons, except watermelon	0.2
219.18	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Peas (dry)	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
219.19	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Lettuce, Head	0.05
219.20	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Peppers, Sweet (including pimento or pimiento)	2
219.21	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Peas (young pods and succulent seeds)	0.1
219.22	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Potato	0.05
219.23	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Sugar beet	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
219.24	Methiocarb	Sum of methiocarb and its sulphoxide and sulphone, expressed as methiocarb	Artichoke, Globe	0.05
220.1	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Wheat germ	2
220.2	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Wheat flour	0.03
220.3	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Wheat bran, unprocessed	3
220.4	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Tea, Green, Black	3
220.5	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Blueberries	6

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.6	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Grapes	0.3
220.7	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Citrus fruits	1
220.8	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Avocado	2
220.9	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Pomegranate	0.2
220.10	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Apple	2
220.11	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Pear	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.12	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Plums (including Prunes)	1
220.13	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Nectarine	0.2
220.14	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Peach	0.2
220.15	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Barley	2
220.16	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Maize	0.05
220.17	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Oats	0.02



## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

756

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
220.18	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Rye	1
220.19	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Sorghum	0.2
220.20	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Wheat	2
220.21	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Popcorn	0.1
220.22	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Parsley	6
220.23	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Peppermint	2

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

757

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
220.24	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Spearmint	2
220.25	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Spices, Fruits and Berries	0.07
220.26	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Peppers, Chili (dry)	10
220.27	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Milks	0.02
220.28	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Meat (from mammals other than marine mammals)	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.29	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Edible offal (Mammalian)	0.02
220.30	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Soya bean oil, crude	0.2
220.31	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Soya bean oil, edible	0.2
220.32	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Maize oil, edible	0.02
220.33	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Cotton seed oil, edible	0.04
220.34	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Eggs	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.35	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Poultry meat	0.02
220.36	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Edible offal of poultry	0.02
220.37	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Rape seed	0.05
220.38	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Cotton seed	0.5
220.39	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Peanut	0.1
220.40	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Sesame seed	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.41	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Pecan	0.1
220.42	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Onion, Bulb	0.2
220.43	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Shallot	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.44	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli, brussels sprouts, cauliflower and head cabbages	6
220.45	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Cabbages, Head	2
220.46	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Broccoli	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.47	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Brussels sprouts	2
220.48	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Cauliflower	2
220.49	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Fructing vegetables, Cucurbits	0.1
220.50	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Beans (dry)	0.05
220.51	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Soya bean (dry)	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.52	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Leafy vegetables, except brassica leafy vegetables, chard, dandelion, endive, head lettuce, leaf lettuce and spinach	0.2
220.53	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Brassica leafy vegetables, except Chinese cabbage (type Pe-tsai), Choisum and Pak-choi	6

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.54	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Chard	6
220.55	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Pak-choi	5
220.56	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Chinese cabbage (type Pe-tsai)	5
220.57	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Choisum	1
220.58	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Dandelion	6
220.59	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Endive	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.60	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Lettuce, Head	0.2
220.61	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Lettuce, Leaf	0.2
220.62	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Spinach	6
220.63	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	"Fruiting vegetables, other than Cucurbits", except okra, peppers, sweet corn (corn-on-the-cob) and tomato	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.64	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Peppers (including Peppers, Chili and Peppers, Sweet)	0.7
220.65	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Okra	2
220.66	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Sweet corn (corn-on-the-cob)	0.1
220.67	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Tomato	1
220.68	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Beans, except broad bean and soya bean	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
220.69	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Peas (young pods and succulent seeds)	5
220.70	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Soya bean (succulent seeds)	0.1
220.71	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Potato	0.02
220.72	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Asparagus	2
220.73	Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Celery	3
221.1	Methoprene	Methoprene	Wheat bran, unprocessed	25

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
221.2	Methoprene	Methoprene	Rice hulls	40
221.3	Methoprene	Methoprene	Cereal grains	10
221.4	Methoprene	Methoprene	Milks (F)	0.1
221.5	Methoprene	Methoprene	Meat (from mammals other than marine mammals) (Fat)	0.2
221.6	Methoprene	Methoprene	Edible offal (Mammalian)	0.02
221.7	Methoprene	Methoprene	Maize oil, crude	200
221.8	Methoprene	Methoprene	Eggs	0.02
221.9	Methoprene	Methoprene	Poultry meat	0.02
221.10	Methoprene	Methoprene	Edible offal of poultry	0.02
222.1	Methoxyfenoxide	Methoxyfenoxide	Prunes	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
222.2	Methoxyfenoxide	Methoxyfenoxide	Dried grapes (Currants, Raisins and Sultanas)	2
222.3	Methoxyfenoxide	Methoxyfenoxide	Tea, Green, Black	20
222.4	Methoxyfenoxide	Methoxyfenoxide	Blueberries	4
222.5	Methoxyfenoxide	Methoxyfenoxide	Cranberry	0.7
222.6	Methoxyfenoxide	Methoxyfenoxide	Grapes	2
222.7	Methoxyfenoxide	Methoxyfenoxide	Strawberry	2
222.8	Methoxyfenoxide	Methoxyfenoxide	Citrus fruits	1
222.9	Methoxyfenoxide	Methoxyfenoxide	Avocado	0.7
222.10	Methoxyfenoxide	Methoxyfenoxide	Canistel	0.6
222.11	Methoxyfenoxide	Methoxyfenoxide	Feijoa	0.4
222.12	Methoxyfenoxide	Methoxyfenoxide	Guava	0.4
222.13	Methoxyfenoxide	Methoxyfenoxide	Java apple	0.4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
222.14	Methoxyfenoxide	Methoxyfenoxide	Longan	2
222.15	Methoxyfenoxide	Methoxyfenoxide	Litchi	2
222.16	Methoxyfenoxide	Methoxyfenoxide	Mango	0.6
222.17	Methoxyfenoxide	Methoxyfenoxide	Papaya	1
222.18	Methoxyfenoxide	Methoxyfenoxide	Passion fruit	0.4
222.19	Methoxyfenoxide	Methoxyfenoxide	Pomegranate	0.6
222.20	Methoxyfenoxide	Methoxyfenoxide	Pulasan	2
222.21	Methoxyfenoxide	Methoxyfenoxide	Rambutan	2
222.22	Methoxyfenoxide	Methoxyfenoxide	Sapodilla	0.6
222.23	Methoxyfenoxide	Methoxyfenoxide	Sapote, Black	0.6
222.24	Methoxyfenoxide	Methoxyfenoxide	Sapote, Mammey	0.6
222.25	Methoxyfenoxide	Methoxyfenoxide	Spanish lime	2
222.26	Methoxyfenoxide	Methoxyfenoxide	Star apple	0.6

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
222.27	Methoxyfenoxide	Methoxyfenoxide	Pome fruits, except apple	2
222.28	Methoxyfenoxide	Methoxyfenoxide	Apple	3
222.29	Methoxyfenoxide	Methoxyfenoxide	Stone fruits, except cherries	2
222.30	Methoxyfenoxide	Methoxyfenoxide	Cherries	3
222.31	Methoxyfenoxide	Methoxyfenoxide	Barbados cherry	0.4
222.32	Methoxyfenoxide	Methoxyfenoxide	Carambola	0.4
222.33	Methoxyfenoxide	Methoxyfenoxide	Jaboticaba	0.4
222.34	Methoxyfenoxide	Methoxyfenoxide	Maize	0.02
222.35	Methoxyfenoxide	Methoxyfenoxide	Popcorn	0.05
222.36	Methoxyfenoxide	Methoxyfenoxide	Peppermint	7
222.37	Methoxyfenoxide	Methoxyfenoxide	Spearmint	7
222.38	Methoxyfenoxide	Methoxyfenoxide	Peppers, Chili (dry)	20



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
222.39	Methoxyfenoxide	Methoxyfenoxide	Mammalian fats (except milk fats)	0.2
222.40	Methoxyfenoxide	Methoxyfenoxide	Milks	0.05
222.41	Methoxyfenoxide	Methoxyfenoxide	Meat (from mammals other than marine mammals) (Fat)	0.2
222.42	Methoxyfenoxide	Methoxyfenoxide	Edible offal (Mammalian)	0.1
222.43	Methoxyfenoxide	Methoxyfenoxide	Maize oil, edible	0.2
222.44	Methoxyfenoxide	Methoxyfenoxide	Peanut oil, edible	0.1
222.45	Methoxyfenoxide	Methoxyfenoxide	Eggs	0.01
222.46	Methoxyfenoxide	Methoxyfenoxide	Poultry fats	0.02
222.47	Methoxyfenoxide	Methoxyfenoxide	Poultry meat	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
222.48	Methoxyfenoxide	Methoxyfenoxide	Edible offal of poultry	0.01
222.49	Methoxyfenoxide	Methoxyfenoxide	Cotton seed	7
222.50	Methoxyfenoxide	Methoxyfenoxide	Peanut	0.03
222.51	Methoxyfenoxide	Methoxyfenoxide	Tree nuts	0.1
222.52	Methoxyfenoxide	Methoxyfenoxide	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli	7
222.53	Methoxyfenoxide	Methoxyfenoxide	Broccoli	3
222.54	Methoxyfenoxide	Methoxyfenoxide	Fruiting vegetables, Cucurbits	0.3
222.55	Methoxyfenoxide	Methoxyfenoxide	Beans (dry)	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
222.56	Methoxyfenoxide	Methoxyfenoxide	Peas (dry), except dried cowpea	2.5
222.57	Methoxyfenoxide	Methoxyfenoxide	Cowpea (dry)	5
222.58	Methoxyfenoxide	Methoxyfenoxide	Brassica leafy vegetables	30
222.59	Methoxyfenoxide	Methoxyfenoxide	Lettuce, Head	15
222.60	Methoxyfenoxide	Methoxyfenoxide	Lettuce, Leaf	30
222.61	Methoxyfenoxide	Methoxyfenoxide	Radish leaves (including Radish tops)	7
222.62	Methoxyfenoxide	Methoxyfenoxide	"Fruiting vegetables, other than Cucurbits", except sweet corn (corn-on-the-cob)	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
222.63	Methoxyfenoxide	Methoxyfenoxide	Sweet corn (corn-on-the-cob)	0.02
222.64	Methoxyfenoxide	Methoxyfenoxide	Beans, shelled	0.3
222.65	Methoxyfenoxide	Methoxyfenoxide	Peas, shelled (succulent seeds)	0.3
222.66	Methoxyfenoxide	Methoxyfenoxide	Common bean (young pods and/or succulent seeds)	2
222.67	Methoxyfenoxide	Methoxyfenoxide	Soya bean (succulent seeds)	1
222.68	Methoxyfenoxide	Methoxyfenoxide	Radish	0.4
222.69	Methoxyfenoxide	Methoxyfenoxide	Sweet potato	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
222.70	Methoxyfenoxide	Methoxyfenoxide	Carrot	0.5
222.71	Methoxyfenoxide	Methoxyfenoxide	Sugar beet	0.3
222.72	Methoxyfenoxide	Methoxyfenoxide	Artichoke, Globe	3
222.73	Methoxyfenoxide	Methoxyfenoxide	Celery	15
223.1	Methyl bromide	Methyl bromide	Cereal grains	5
223.2	Methyl bromide	Methyl bromide	Pulses	5
223.3	Methyl bromide	Methyl bromide	Root and tuber vegetables	5
224.1	Metolachlor	Metolachlor	Rice, husked	0.1
224.2	Metolachlor	Metolachlor	Maize	0.1
224.3	Metolachlor	Metolachlor	Sugar cane	0.05
224.4	Metolachlor	Metolachlor	Peanut	0.5
224.5	Metolachlor	Metolachlor	Soya bean (dry)	0.5
225.1	Metrafenone	Metrafenone	Grapes	4.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
226.1	Metribuzin	Metribuzin	Maize	0.05
226.2	Metribuzin	Metribuzin	Soya bean (dry)	0.05
227.1	Metsulfuron methyl	Metsulfuron methyl	Cattle fat	0.1
227.2	Metsulfuron methyl	Metsulfuron methyl	Goat fat	0.1
227.3	Metsulfuron methyl	Metsulfuron methyl	Horse fat	0.1
227.4	Metsulfuron methyl	Metsulfuron methyl	Pig fat	0.1
227.5	Metsulfuron methyl	Metsulfuron methyl	Sheep fat	0.1
227.6	Metsulfuron methyl	Metsulfuron methyl	Milks	0.05
227.7	Metsulfuron methyl	Metsulfuron methyl	Cattle meat	0.1
227.8	Metsulfuron methyl	Metsulfuron methyl	Goat meat	0.1
227.9	Metsulfuron methyl	Metsulfuron methyl	Horse meat	0.1
227.10	Metsulfuron methyl	Metsulfuron methyl	Pig meat	0.1
227.11	Metsulfuron methyl	Metsulfuron methyl	Sheep meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
227.12	Metsulfuron methyl	Metsulfuron methyl	Edible offal of cattle, except kidney	0.1
227.13	Metsulfuron methyl	Metsulfuron methyl	Edible offal of goat, except kidney	0.1
227.14	Metsulfuron methyl	Metsulfuron methyl	Edible offal of horse, except kidney	0.1
227.15	Metsulfuron methyl	Metsulfuron methyl	Edible offal of pig, except kidney	0.1
227.16	Metsulfuron methyl	Metsulfuron methyl	Edible offal of sheep, except kidney	0.1
227.17	Metsulfuron methyl	Metsulfuron methyl	Cattle kidney	0.5
227.18	Metsulfuron methyl	Metsulfuron methyl	Pig kidney	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
227.19	Metsulfuron methyl	Metsulfuron methyl	Sheep kidney	0.5
227.20	Metsulfuron methyl	Metsulfuron methyl	Horse kidney	0.5
228.1	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Grapes	0.5
228.2	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Strawberry	1
228.3	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Broccoli	1
228.4	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Cauliflower	1
228.5	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Cucumber	0.2
228.6	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Summer squash	0.25
228.7	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Watermelon	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
228.8	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Lettuce, Head	0.5
228.9	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Lettuce, Leaf	0.5
228.10	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Spinach	1
228.11	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Peppers (including Peppers, Chili and Peppers, Sweet)	0.25
228.12	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Tomato	0.2
228.13	Mevinphos	Sum of (E)-mevinphos and (Z)-mevinphos	Celery	1
229.1	Molinate	Molinate	Rice, polished	0.1
230.1	Monocrotophos	Monocrotophos	Rice	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
230.2	Monocrotophos	Monocrotophos	Wheat	0.02
230.3	Monocrotophos	Monocrotophos	Sugar cane	0.02
230.4	Monocrotophos	Monocrotophos	Cotton seed oil, edible	0.05
231.1	Myclobutanil	Myclobutanil	Prunes	0.5
231.2	Myclobutanil	Myclobutanil	Hops, dry	2
231.3	Myclobutanil	Myclobutanil	Grapes	1
231.4	Myclobutanil	Myclobutanil	Strawberry	1
231.5	Myclobutanil	Myclobutanil	Currant, Black	0.5
231.6	Myclobutanil	Myclobutanil	Banana	2
231.7	Myclobutanil	Myclobutanil	Pome fruits	0.5
231.8	Myclobutanil	Myclobutanil	Stone fruits, except plums (including prunes)	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
231.9	Myclobutanil	Myclobutanil	Plums (including Prunes)	0.2
231.10	Myclobutanil	Myclobutanil	Cattle milk	0.01
231.11	Myclobutanil	Myclobutanil	Cattle meat	0.01
231.12	Myclobutanil	Myclobutanil	Edible offal of cattle	0.01
231.13	Myclobutanil	Myclobutanil	Eggs	0.01
231.14	Myclobutanil	Myclobutanil	Poultry meat	0.01
231.15	Myclobutanil	Myclobutanil	Edible offal of poultry	0.01
231.16	Myclobutanil	Myclobutanil	Tomato	0.3
232.1	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Hops, dry	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
232.2	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Grapes	0.5
232.3	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Strawberry	1
232.4	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Grapefruit	3
232.5	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Lemon	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
232.6	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Orange, Sweet	3
232.7	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Tangerine	3
232.8	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Peach	0.5
232.9	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Cotton seed	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
232.10	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Safflower seed	0.5
232.11	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Almonds	0.5
232.12	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Walnuts	0.5
232.13	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Broccoli	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
232.14	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Brussels sprouts	1
232.15	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Cauliflower	1
232.16	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Cucumber	0.5
232.17	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Summer squash	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
232.18	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Winter squash	0.5
232.19	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Beans (dry)	0.5
232.20	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Chard	3
232.21	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Kale	3



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
232.22	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Lettuce, Head	1
232.23	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Lettuce, Leaf	1
232.24	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Spinach	3
232.25	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Turnip greens	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
232.26	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Collard	3
232.27	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Peppers (including Peppers, Chili and Peppers, Sweet)	0.5
232.28	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Egg plant	0.5
232.29	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Tomato	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
232.30	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Sugar beet	0.5
232.31	Naled	Sum of naled and its conversion product 2,2-dichlorovinyl dimethyl phosphate, expressed as naled	Celery	3
233.1	Napropamide	Napropamide	Basil, dry	0.1
233.2	Napropamide	Napropamide	Marjoram, dry	0.1
233.3	Napropamide	Napropamide	Rosemary, dry	0.1
233.4	Napropamide	Napropamide	Savory, Summer; Winter, dry	0.1
233.5	Napropamide	Napropamide	Berries and other small fruits	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
233.6	Napropamide	Napropamide	Kiwifruit	0.1
233.7	Napropamide	Napropamide	Basil	0.1
233.8	Napropamide	Napropamide	Marjoram	0.1
233.9	Napropamide	Napropamide	Rosemary	0.1
233.10	Napropamide	Napropamide	Savory, Summer; Winter	0.1
233.11	Napropamide	Napropamide	Peppermint	0.1
233.12	Napropamide	Napropamide	Spearmint	0.1
233.13	Napropamide	Napropamide	Coffee beans	0.1
233.14	Napropamide	Napropamide	Tree nuts	0.1
233.15	Napropamide	Napropamide	Fruiting vegetables, other than Cucurbits	0.1
233.16	Napropamide	Napropamide	Sweet potato	0.1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
233.17	Napropamide	Napropamide	Asparagus	0.1
233.18	Napropamide	Napropamide	Rhubarb	0.1
234.1	Naptalam	Naptalam	Cucumber	0.1
234.2	Naptalam	Naptalam	Watermelon	0.1
234.3	Naptalam	Naptalam	Cantaloupe	0.1
234.4	Naptalam	Naptalam	Muskmelon	0.1
235.1	Nicosulfuron	Nicosulfuron	Maize	0.1
235.2	Nicosulfuron	Nicosulfuron	Popcorn	0.1
235.3	Nicosulfuron	Nicosulfuron	Cattle fat	0.01
235.4	Nicosulfuron	Nicosulfuron	Goat fat	0.01
235.5	Nicosulfuron	Nicosulfuron	Horse fat	0.01
235.6	Nicosulfuron	Nicosulfuron	Sheep fat	0.01
235.7	Nicosulfuron	Nicosulfuron	Milks	0.01
235.8	Nicosulfuron	Nicosulfuron	Cattle meat	0.01
235.9	Nicosulfuron	Nicosulfuron	Goat meat	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
235.10	Nicosulfuron	Nicosulfuron	Horse meat	0.01
235.11	Nicosulfuron	Nicosulfuron	Sheep meat	0.01
235.12	Nicosulfuron	Nicosulfuron	Edible offal of cattle	0.05
235.13	Nicosulfuron	Nicosulfuron	Edible offal of goat	0.05
235.14	Nicosulfuron	Nicosulfuron	Edible offal of horse	0.05
235.15	Nicosulfuron	Nicosulfuron	Edible offal of sheep	0.05
235.16	Nicosulfuron	Nicosulfuron	Sweet corn (corn-on-the-cob)	0.1
236.1	Nitrapyrin	Sum of nitrapyrin and 6-chloropicolinic acid	Maize	0.1
236.2	Nitrapyrin	Sum of nitrapyrin and 6-chloropicolinic acid	Sorghum	0.1

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

794

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
236.3	Nitrapyrin	Sum of nitrapyrin and 6-chloropicolinic acid	Wheat	0.5
236.4	Nitrapyrin	Sum of nitrapyrin and 6-chloropicolinic acid	Popcorn	0.1
236.5	Nitrapyrin	Sum of nitrapyrin and 6-chloropicolinic acid	Sweet corn (corn-on-the-cob)	0.1
237.1	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Hops, dry	3
237.2	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Citrus molasses	1

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

795

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
237.3	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Blueberries	0.2
237.4	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Blackberries	0.1
237.5	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Cranberry	0.1
237.6	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Grapes	0.1

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

796

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
237.7	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Citrus fruits	0.2
237.8	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Avocado	0.2
237.9	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Apple	0.1
237.10	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Pear	0.1

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

797

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
237.11	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Cherries	0.1
237.12	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Plums (including Prunes)	0.1
237.13	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Apricot	0.1
237.14	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Nectarine	0.1

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

798

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
237.15	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Peach	0.1
237.16	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Cattle fat	0.1
237.17	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Goat fat	0.1
237.18	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Horse fat	0.1

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

799

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
237.19	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Pig fat	0.1
237.20	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Sheep fat	0.1
237.21	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Milks	0.1
237.22	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Cattle meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
237.23	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Goat meat	0.1
237.24	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Horse meat	0.1
237.25	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Pig meat	0.1
237.26	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Sheep meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
237.27	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Cattle liver	0.25
237.28	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Pig liver	0.25
237.29	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Sheep liver	0.25
237.30	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Horse liver	0.25

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
237.31	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Poultry fats	0.1
237.32	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Poultry meat	0.1
237.33	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Edible offal of poultry	0.1
237.34	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Cotton seed	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
237.35	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Peanut	0.05
237.36	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Almonds	0.1
237.37	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Hazelnuts	0.1
237.38	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha,alpha,alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Pecan	0.1



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
237.39	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha.alpha.alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Walnuts	0.1
237.40	Norflurazon	Sum of norflurazon and 4-chloro-5-(amino)-2-(alpha.alpha.alpha-trifluoro-m-tolyl)-3(2H)-pyridazinone	Asparagus	0.05
238.1	Novaluron	Novaluron	Prunes	3
238.2	Novaluron	Novaluron	Blueberries	7
238.3	Novaluron	Novaluron	Cranberry	0.45
238.4	Novaluron	Novaluron	Strawberry	0.5
238.5	Novaluron	Novaluron	Milk fats	7
238.6	Novaluron	Novaluron	Pome fruits	3
238.7	Novaluron	Novaluron	Stone fruits, except cherries	7
238.8	Novaluron	Novaluron	Cherries	8

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
238.9	Novaluron	Novaluron	Sorghum	3
238.10	Novaluron	Novaluron	Sugar cane	0.5
238.11	Novaluron	Novaluron	Cattle fat	11
238.12	Novaluron	Novaluron	Goat fat	11
238.13	Novaluron	Novaluron	Horse fat	11
238.14	Novaluron	Novaluron	Pig fat	1.5
238.15	Novaluron	Novaluron	Sheep fat	11
238.16	Novaluron	Novaluron	Milks	0.4
238.17	Novaluron	Novaluron	Meat (from mammals other than marine mammals) (Fat)	10
238.18	Novaluron	Novaluron	Edible offal (Mammalian)	0.7
238.19	Novaluron	Novaluron	Eggs	0.1
238.20	Novaluron	Novaluron	Poultry fats	7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
238.21	Novaluron	Novaluron	Poultry meat (Fat)	0.5
238.22	Novaluron	Novaluron	Edible offal of poultry	0.1
238.23	Novaluron	Novaluron	Cotton seed	0.5
238.24	Novaluron	Novaluron	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	0.7
238.25	Novaluron	Novaluron	Fruiting vegetables, Cucurbits	0.2
238.26	Novaluron	Novaluron	Beans (dry)	0.1
238.27	Novaluron	Novaluron	Brassica leafy vegetables	25

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
238.28	Novaluron	Novaluron	Chard	15
238.29	Novaluron	Novaluron	"Fruiting vegetables, other than Cucurbits", except sweet corn (corn-on-the-cob) and sweet corn (kernels)	0.7
238.30	Novaluron	Novaluron	Common bean (young pods and/or succulent seeds)	0.7
238.31	Novaluron	Novaluron	Soya bean (succulent seeds)	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
238.32	Novaluron	Novaluron	Potato	0.01
239.1	Omethoate	Omethoate	Coffee beans	0.01
239.2	Omethoate	Omethoate	Cotton seed	0.05
239.3	Omethoate	Omethoate	Mung bean (dry)	0.05
239.4	Omethoate	Omethoate	Soya bean (dry)	0.05
239.5	Omethoate	Omethoate	Cassava	0.05
240.1	Orthosulfamuron	Orthosulfamuron	Rice	0.05
241.1	Oryzalin	Oryzalin	Berries and other small fruits	0.05
241.2	Oryzalin	Oryzalin	Citrus fruits	0.05
241.3	Oryzalin	Oryzalin	Avocado	0.05
241.4	Oryzalin	Oryzalin	Guava	0.05
241.5	Oryzalin	Oryzalin	Kiwifruit	0.05
241.6	Oryzalin	Oryzalin	Papaya	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
241.7	Oryzalin	Oryzalin	Pomegranate	0.05
241.8	Oryzalin	Oryzalin	Pome fruits	0.05
241.9	Oryzalin	Oryzalin	Stone fruits	0.05
241.10	Oryzalin	Oryzalin	Fig	0.05
241.11	Oryzalin	Oryzalin	Olives	0.05
241.12	Oryzalin	Oryzalin	Tree nuts	0.05
242.1	Oxadiazon	Oxadiazon	Rice, husked	0.05
242.2	Oxadiazon	Oxadiazon	Rice	0.05
242.3	Oxadiazon	Oxadiazon	Cotton seed	0.1
242.4	Oxadiazon	Oxadiazon	Peanut	0.1
243.1	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Banana	0.3
243.2	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Pineapple	1
243.3	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Peppermint	10

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
243.4	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Spearmint	10
243.5	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Spices, Fruits and Berries	0.07
243.6	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Spices, Roots and Rhizomes	0.05
243.7	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Milks	0.02
243.8	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Meat (from mammals other than marine mammals)	0.02
243.9	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Edible offal of cattle, goats, horses, pigs and sheep	0.02
243.10	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Eggs	0.02

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
243.11	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Poultry meat	0.02
243.12	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Edible offal of poultry	0.02
243.13	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Cotton seed	0.2
243.14	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Peanut	0.05
243.15	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Garlic	0.2
243.16	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Onion, Bulb	0.2
243.17	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Melons, except watermelon	2
243.18	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Cucumber	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
243.19	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Winter squash	2
243.20	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Peppers, Sweet (including pimiento or pimientito)	2
243.21	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Tomato	2
243.22	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Soya bean (succulent seeds)	0.1
243.23	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Carrot	0.1
243.24	Oxamyl	Sum of oxamyl and oxamyl oxime, expressed as oxamyl	Potato	0.1
244.1	Oxine copper	Oxine-copper	Apple	2
244.2	Oxine copper	Oxine-copper	Pear	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
244.3	Oxine copper	Oxine-copper	Persimmon, Japanese	2
244.4	Oxine copper	Oxine-copper	Cucumber	2
245.1	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Lemon	0.2
245.2	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Pear	0.05
245.3	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Barley	0.02

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

814

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
245.4	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Rye	0.02
245.5	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Wheat	0.02
245.6	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Cattle fat	0.05

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

815

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
245.7	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Pig fat	0.05
245.8	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Sheep fat	0.05
245.9	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Milks	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
245.10	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Meat of cattle, pigs and sheep	0.05
245.11	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Eggs	0.05
245.12	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Poultry fats	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
245.13	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Poultry meat	0.05
245.14	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Cotton seed	0.05
245.15	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Cauliflower	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
245.16	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Kohlrabi	0.05
245.17	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Common bean (dry)	0.1
245.18	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Kale	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
245.19	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Potato	0.01
245.20	Oxydemeton methyl	Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl	Sugar beet	0.01
246.1	Oxyfluorfen	Oxyfluorfen	Dates, dried or dried and candied	0.05
246.2	Oxyfluorfen	Oxyfluorfen	Blackberries	0.05
246.3	Oxyfluorfen	Oxyfluorfen	Grapes	0.05
246.4	Oxyfluorfen	Oxyfluorfen	Avocado	0.05
246.5	Oxyfluorfen	Oxyfluorfen	Banana	0.05



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
246.6	Oxyfluorfen	Oxyfluorfen	Feijoa	0.05
246.7	Oxyfluorfen	Oxyfluorfen	Guava	0.05
246.8	Oxyfluorfen	Oxyfluorfen	Kiwifruit	0.05
246.9	Oxyfluorfen	Oxyfluorfen	Papaya	0.05
246.10	Oxyfluorfen	Oxyfluorfen	Pomegranate	0.05
246.11	Oxyfluorfen	Oxyfluorfen	Pome fruits	0.05
246.12	Oxyfluorfen	Oxyfluorfen	Stone fruits	0.05
246.13	Oxyfluorfen	Oxyfluorfen	Fig	0.05
246.14	Oxyfluorfen	Oxyfluorfen	Olives	0.05
246.15	Oxyfluorfen	Oxyfluorfen	Maize	0.05
246.16	Oxyfluorfen	Oxyfluorfen	Peppermint	0.05
246.17	Oxyfluorfen	Oxyfluorfen	Spearmint	0.05
246.18	Oxyfluorfen	Oxyfluorfen	Cattle fat	0.01
246.19	Oxyfluorfen	Oxyfluorfen	Goat fat	0.01
246.20	Oxyfluorfen	Oxyfluorfen	Horse fat	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
246.21	Oxyfluorfen	Oxyfluorfen	Pig fat	0.01
246.22	Oxyfluorfen	Oxyfluorfen	Sheep fat	0.01
246.23	Oxyfluorfen	Oxyfluorfen	Milks	0.01
246.24	Oxyfluorfen	Oxyfluorfen	Cattle meat	0.01
246.25	Oxyfluorfen	Oxyfluorfen	Goat meat	0.01
246.26	Oxyfluorfen	Oxyfluorfen	Horse meat	0.01
246.27	Oxyfluorfen	Oxyfluorfen	Pig meat	0.01
246.28	Oxyfluorfen	Oxyfluorfen	Sheep meat	0.01
246.29	Oxyfluorfen	Oxyfluorfen	Edible offal of cattle	0.01
246.30	Oxyfluorfen	Oxyfluorfen	Edible offal of goat	0.01
246.31	Oxyfluorfen	Oxyfluorfen	Edible offal of horse	0.01
246.32	Oxyfluorfen	Oxyfluorfen	Edible offal of pig	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
246.33	Oxyfluorfen	Oxyfluorfen	Edible offal of sheep	0.01
246.34	Oxyfluorfen	Oxyfluorfen	Eggs	0.03
246.35	Oxyfluorfen	Oxyfluorfen	Poultry fats	0.2
246.36	Oxyfluorfen	Oxyfluorfen	Poultry meat	0.01
246.37	Oxyfluorfen	Oxyfluorfen	Edible offal of poultry	0.01
246.38	Oxyfluorfen	Oxyfluorfen	Cacao beans	0.05
246.39	Oxyfluorfen	Oxyfluorfen	Coffee beans	0.05
246.40	Oxyfluorfen	Oxyfluorfen	Cotton seed	0.05
246.41	Oxyfluorfen	Oxyfluorfen	Tree nuts	0.05
246.42	Oxyfluorfen	Oxyfluorfen	Onion, Bulb	0.05
246.43	Oxyfluorfen	Oxyfluorfen	Cabbages, Head	0.05
246.44	Oxyfluorfen	Oxyfluorfen	Broccoli	0.05
246.45	Oxyfluorfen	Oxyfluorfen	Cauliflower	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
246.46	Oxyfluorfen	Oxyfluorfen	Chickpea (dry)	0.05
246.47	Oxyfluorfen	Oxyfluorfen	Taro leaves	0.05
246.48	Oxyfluorfen	Oxyfluorfen	Taro	0.05
246.49	Oxyfluorfen	Oxyfluorfen	Horseradish	0.05
246.50	Oxyfluorfen	Oxyfluorfen	Artichoke, Globe	0.05
247.1	Oxytetracycline	Oxytetracycline	Apple	0.35
247.2	Oxytetracycline	Oxytetracycline	Pear	0.35
247.3	Oxytetracycline	Oxytetracycline	Peach	0.35
248.1	Paclobutrazol	Paclobutrazol	Apple	0.5
248.2	Paclobutrazol	Paclobutrazol	Pear	1
248.3	Paclobutrazol	Paclobutrazol	Rice	0.5
248.4	Paclobutrazol	Paclobutrazol	Wheat	0.5
248.5	Paclobutrazol	Paclobutrazol	Rape seed oil, edible	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
249.1	Paraquat	Paraquat	Wheat flour	0.5
249.2	Paraquat	Paraquat	Maize flour	0.05
249.3	Paraquat	Paraquat	Rice, husked	0.1
249.4	Paraquat	Paraquat	Rice, polished	0.1
249.5	Paraquat	Paraquat	Hops, dry	0.5
249.6	Paraquat	Paraquat	Sugar cane molasses	3
249.7	Paraquat	Paraquat	Tea, Green, Black	0.2
249.8	Paraquat	Paraquat	Berries and other small fruits	0.01
249.9	Paraquat	Paraquat	Citrus fruits, except mandarins	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
249.10	Paraquat	Paraquat	Mandarins (including Mandarin-like hybrids)	0.2
249.11	Paraquat	Paraquat	"Assorted tropical and sub-tropical fruits—inedible peel", except banana and guava	0.01
249.12	Paraquat	Paraquat	Banana	0.02
249.13	Paraquat	Paraquat	Guava	0.05
249.14	Paraquat	Paraquat	Pome fruits	0.05
249.15	Paraquat	Paraquat	Stone fruits	0.01
249.16	Paraquat	Paraquat	Barbados cherry	0.05

## Pesticide Residues in Food Regulation

826

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
249.17	Paraquat	Paraquat	Fig	0.05
249.18	Paraquat	Paraquat	Olives	0.1
249.19	Paraquat	Paraquat	Barley	0.05
249.20	Paraquat	Paraquat	Maize	0.1
249.21	Paraquat	Paraquat	Rice	0.05
249.22	Paraquat	Paraquat	Sorghum	0.03
249.23	Paraquat	Paraquat	Wheat	1.1
249.24	Paraquat	Paraquat	Popcorn	0.1
249.25	Paraquat	Paraquat	Sugar cane	0.5
249.26	Paraquat	Paraquat	Peppermint	0.5
249.27	Paraquat	Paraquat	Spearmint	0.5
249.28	Paraquat	Paraquat	Ginger root	0.1
249.29	Paraquat	Paraquat	Cattle fat	0.05
249.30	Paraquat	Paraquat	Goat fat	0.05
249.31	Paraquat	Paraquat	Horse fat	0.05

## Pesticide Residues in Food Regulation

827

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
249.32	Paraquat	Paraquat	Pig fat	0.05
249.33	Paraquat	Paraquat	Sheep fat	0.05
249.34	Paraquat	Paraquat	Milks	0.005
249.35	Paraquat	Paraquat	Meat (from mammals other than marine mammals)	0.05
249.36	Paraquat	Paraquat	Edible offal (Mammalian)	0.05
249.37	Paraquat	Paraquat	Rape seed oil, edible	0.05
249.38	Paraquat	Paraquat	Eggs	0.01
249.39	Paraquat	Paraquat	Poultry meat	0.005
249.40	Paraquat	Paraquat	Edible offal of poultry	0.005
249.41	Paraquat	Paraquat	Cacao beans	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
249.42	Paraquat	Paraquat	Coffee beans	0.05
249.43	Paraquat	Paraquat	Cotton seed	2
249.44	Paraquat	Paraquat	Peanut	0.05
249.45	Paraquat	Paraquat	Safflower seed	0.05
249.46	Paraquat	Paraquat	Sunflower seed	2
249.47	Paraquat	Paraquat	Tree nuts	0.05
249.48	Paraquat	Paraquat	Bulb vegetables, except bulb onion	0.05
249.49	Paraquat	Paraquat	Onion, Bulb	0.1
249.50	Paraquat	Paraquat	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
249.51	Paraquat	Paraquat	Fruiting vegetables, Cucurbits	0.05
249.52	Paraquat	Paraquat	Pulses	0.5
249.53	Paraquat	Paraquat	Leafy vegetables	0.07
249.54	Paraquat	Paraquat	Fruiting vegetables, other than Cucurbits	0.05
249.55	Paraquat	Paraquat	Legume vegetables	0.05
249.56	Paraquat	Paraquat	Root and tuber vegetables, except potato and sugar beet	0.05
249.57	Paraquat	Paraquat	Potato	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
249.58	Paraquat	Paraquat	Sugar beet	0.5
249.59	Paraquat	Paraquat	Stalk and stem vegetables	0.05
250.1	Parathion	Parathion	Berries and other small fruits	0.01
250.2	Parathion	Parathion	Citrus fruits	0.01
250.3	Parathion	Parathion	Assorted tropical and sub-tropical fruits—inedible peel	0.01
250.4	Parathion	Parathion	Pome fruits	0.01
250.5	Parathion	Parathion	Stone fruits	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
250.6	Parathion	Parathion	Assorted tropical and sub-tropical fruits—edible peel	0.01
250.7	Parathion	Parathion	Cereal grains	0.1
250.8	Parathion	Parathion	Spices, Seeds	0.1
250.9	Parathion	Parathion	Spices, Fruits and Berries	0.2
250.10	Parathion	Parathion	Spices, Roots and Rhizomes	0.2
250.11	Parathion	Parathion	Cotton seed oil, edible	0.1
250.12	Parathion	Parathion	Bulb vegetables	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
250.13	Parathion	Parathion	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	0.01
250.14	Parathion	Parathion	Fruiting vegetables, Cucurbits	0.01
250.15	Parathion	Parathion	Pulses	0.1
250.16	Parathion	Parathion	Leafy vegetables	0.01
250.17	Parathion	Parathion	Fruiting vegetables, other than Cucurbits	0.01
250.18	Parathion	Parathion	Legume vegetables	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
250.19	Parathion	Parathion	Root and tuber vegetables, except potato	0.1
250.20	Parathion	Parathion	Potato	0.05
250.21	Parathion	Parathion	Stalk and stem vegetables	0.01
251.1	Parathion methyl	Parathion-methyl	Dried grapes (Currants, Raisins and Sultanas)	1
251.2	Parathion methyl	Parathion-methyl	Grapes	0.5
251.3	Parathion methyl	Parathion-methyl	Apple	0.2
251.4	Parathion methyl	Parathion-methyl	Nectarine	0.3
251.5	Parathion methyl	Parathion-methyl	Peach	0.3
251.6	Parathion methyl	Parathion-methyl	Barley	1
251.7	Parathion methyl	Parathion-methyl	Maize	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
251.8	Parathion methyl	Parathion-methyl	Oats	1
251.9	Parathion methyl	Parathion-methyl	Rice	0.1
251.10	Parathion methyl	Parathion-methyl	Wheat	0.1
251.11	Parathion methyl	Parathion-methyl	Popcorn	1
251.12	Parathion methyl	Parathion-methyl	Spices, Seeds	5
251.13	Parathion methyl	Parathion-methyl	Spices, Fruits and Berries	5
251.14	Parathion methyl	Parathion-methyl	Spices, Roots and Rhizomes	3
251.15	Parathion methyl	Parathion-methyl	Cotton seed oil, edible	0.1
251.16	Parathion methyl	Parathion-methyl	Rape seed	0.2
251.17	Parathion methyl	Parathion-methyl	Cotton seed	0.75
251.18	Parathion methyl	Parathion-methyl	Peanut	1
251.19	Parathion methyl	Parathion-methyl	Sunflower seed	0.2
251.20	Parathion methyl	Parathion-methyl	Almonds	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
251.21	Parathion methyl	Parathion-methyl	Walnuts	0.1
251.22	Parathion methyl	Parathion-methyl	Cabbages, Head	0.05
251.23	Parathion methyl	Parathion-methyl	Beans (dry)	0.05
251.24	Parathion methyl	Parathion-methyl	Peas (dry)	0.3
251.25	Parathion methyl	Parathion-methyl	Sweet corn (corn-on-the-cob)	1
251.26	Parathion methyl	Parathion-methyl	Soya bean (succulent seeds)	0.1
251.27	Parathion methyl	Parathion-methyl	Sweet potato	0.1
251.28	Parathion methyl	Parathion-methyl	Potato	0.05
251.29	Parathion methyl	Parathion-methyl	Sugar beet	0.05



## Pesticide Residues in Food Regulation

836

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
252.1	Penconazole	Penconazole	Dried grapes (Currants, Raisins and Sultanas)	0.5
252.2	Penconazole	Penconazole	Hops, dry	0.5
252.3	Penconazole	Penconazole	Grapes	0.2
252.4	Penconazole	Penconazole	Strawberry	0.1
252.5	Penconazole	Penconazole	Pome fruits	0.2
252.6	Penconazole	Penconazole	Nectarine	0.1
252.7	Penconazole	Penconazole	Peach	0.1
252.8	Penconazole	Penconazole	Cattle milk	0.01
252.9	Penconazole	Penconazole	Cattle meat	0.05
252.10	Penconazole	Penconazole	Edible offal of cattle	0.05
252.11	Penconazole	Penconazole	Chicken eggs	0.05
252.12	Penconazole	Penconazole	Chicken meat	0.05

## Pesticide Residues in Food Regulation

837

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
252.13	Penconazole	Penconazole	Melons, except watermelon	0.1
252.14	Penconazole	Penconazole	Cucumber	0.1
252.15	Penconazole	Penconazole	Tomato	0.2
253.1	Pendimethalin	Pendimethalin	Leafy vegetables	0.1
254.1	Penoxsulam	Penoxsulam	Grapes	0.01
254.2	Penoxsulam	Penoxsulam	Rice	0.02
254.3	Penoxsulam	Penoxsulam	Tree nuts	0.01
255.1	Permethrin	Permethrin (sum of isomers)	Wheat germ	2
255.2	Permethrin	Permethrin (sum of isomers)	Wheat flour	0.5
255.3	Permethrin	Permethrin (sum of isomers)	Wheat wholemeal	2
255.4	Permethrin	Permethrin (sum of isomers)	Wheat bran, unprocessed	5
255.5	Permethrin	Permethrin (sum of isomers)	Hops, dry	50

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
255.6	Permethrin	Permethrin (sum of isomers)	Tea, Green, Black	20
255.7	Permethrin	Permethrin (sum of isomers)	Berries and other small fruits	2
255.8	Permethrin	Permethrin (sum of isomers)	Citrus fruits	2
255.9	Permethrin	Permethrin (sum of isomers)	Assorted tropical and sub-tropical fruits—inedible peel	2
255.10	Permethrin	Permethrin (sum of isomers)	Pome fruits	2
255.11	Permethrin	Permethrin (sum of isomers)	Stone fruits, except cherries	2
255.12	Permethrin	Permethrin (sum of isomers)	Cherries	4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
255.13	Permethrin	Permethrin (sum of isomers)	Assorted tropical and sub-tropical fruits—edible peel	2
255.14	Permethrin	Permethrin (sum of isomers)	Cereal grains	2
255.15	Permethrin	Permethrin (sum of isomers)	Spices	0.05
255.16	Permethrin	Permethrin (sum of isomers)	Peppers, Chili (dry)	10
255.17	Permethrin	Permethrin (sum of isomers)	Cattle fat	1.5
255.18	Permethrin	Permethrin (sum of isomers)	Goat fat	1.5
255.19	Permethrin	Permethrin (sum of isomers)	Horse fat	1.5
255.20	Permethrin	Permethrin (sum of isomers)	Pig fat	0.05
255.21	Permethrin	Permethrin (sum of isomers)	Sheep fat	1.5
255.22	Permethrin	Permethrin (sum of isomers)	Milks (F)	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
255.23	Permethrin	Permethrin (sum of isomers)	Meat (from mammals other than marine mammals) (Fat)	1
255.24	Permethrin	Permethrin (sum of isomers)	Edible offal (Mammalian)	0.1
255.25	Permethrin	Permethrin (sum of isomers)	Soya bean oil, crude	0.1
255.26	Permethrin	Permethrin (sum of isomers)	Sunflower seed oil, crude	1
255.27	Permethrin	Permethrin (sum of isomers)	Cotton seed oil, edible	0.1
255.28	Permethrin	Permethrin (sum of isomers)	Sunflower seed oil, edible	1
255.29	Permethrin	Permethrin (sum of isomers)	Eggs	0.1
255.30	Permethrin	Permethrin (sum of isomers)	Poultry fats	0.15
255.31	Permethrin	Permethrin (sum of isomers)	Poultry meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
255.32	Permethrin	Permethrin (sum of isomers)	Edible offal of poultry	0.05
255.33	Permethrin	Permethrin (sum of isomers)	Coffee beans	0.05
255.34	Permethrin	Permethrin (sum of isomers)	Rape seed	0.05
255.35	Permethrin	Permethrin (sum of isomers)	Cotton seed	0.5
255.36	Permethrin	Permethrin (sum of isomers)	Peanut	0.1
255.37	Permethrin	Permethrin (sum of isomers)	Sunflower seed	1
255.38	Permethrin	Permethrin (sum of isomers)	Almonds	0.1
255.39	Permethrin	Permethrin (sum of isomers)	Hazelnuts	0.05
255.40	Permethrin	Permethrin (sum of isomers)	Pistachio nut	0.05
255.41	Permethrin	Permethrin (sum of isomers)	Walnuts	0.05
255.42	Permethrin	Permethrin (sum of isomers)	Bulb vegetables	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
255.43	Permethrin	Permethrin (sum of isomers)	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli, head cabbages and savoy cabbage	1
255.44	Permethrin	Permethrin (sum of isomers)	Cabbages, Head	5
255.45	Permethrin	Permethrin (sum of isomers)	Broccoli	2
255.46	Permethrin	Permethrin (sum of isomers)	Cabbage, Savoy	5
255.47	Permethrin	Permethrin (sum of isomers)	Fruiting vegetables, Cucurbits	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
255.48	Permethrin	Permethrin (sum of isomers)	Pulses	2
255.49	Permethrin	Permethrin (sum of isomers)	Leafy vegetables, except Chinese cabbage (type pe-tsai), head lettuce, kale and spinach	1
255.50	Permethrin	Permethrin (sum of isomers)	Chinese cabbage (type Pe-tsai)	5
255.51	Permethrin	Permethrin (sum of isomers)	Kale	5
255.52	Permethrin	Permethrin (sum of isomers)	Lettuce, Head	2
255.53	Permethrin	Permethrin (sum of isomers)	Spinach	2
255.54	Permethrin	Permethrin (sum of isomers)	Fruiting vegetables, other than Cucurbits	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
255.55	Permethrin	Permethrin (sum of isomers)	Legume vegetables	1
255.56	Permethrin	Permethrin (sum of isomers)	Root and tuber vegetables	2
255.57	Permethrin	Permethrin (sum of isomers)	Stalk and stem vegetables, except celery	1
255.58	Permethrin	Permethrin (sum of isomers)	Celery	2
256.1	Phenmedipham	Phenmedipham	Sugar beet molasses	0.2
256.2	Phenmedipham	Phenmedipham	Spinach	4
256.3	Phenmedipham	Phenmedipham	Beetroot	0.2
256.4	Phenmedipham	Phenmedipham	Sugar beet	0.1
257.1	Phenthoate	Phenthoate	Rice, polished	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
257.2	Phenthoate	Phenthoate	Mandarins (including Mandarin-like hybrids)	1
257.3	Phenthoate	Phenthoate	Spices, Seeds	7
258.1	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Maize flour	0.05
258.2	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Hops, dry	2
258.3	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Maize	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
258.4	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Sorghum	0.05
258.5	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Wheat	0.02
258.6	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Sugar cane	0.05
258.7	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Spices, Seeds	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
258.8	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Spices, Fruits and Berries	0.1
258.9	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Spices, Roots and Rhizomes	0.1
258.10	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Milks	0.01
258.11	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Meat (from mammals other than marine mammals)	0.02

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
258.12	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Edible offal (Mammalian)	0.02
258.13	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Maize oil, crude	0.1
258.14	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Maize oil, edible	0.02
258.15	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Peanut oil, edible	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
258.16	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Eggs	0.05
258.17	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Poultry meat	0.05
258.18	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Coffee beans	0.05
258.19	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Cotton seed	0.05

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

850

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
258.20	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Peanut	0.1
258.21	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Beans (dry)	0.05
258.22	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Soya bean (dry)	0.05
258.23	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Sweet corn (corn-on-the-cob)	0.05

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

851

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
258.24	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Common bean (young pods and/or succulent seeds)	0.05
258.25	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Soya bean (succulent seeds)	0.05
258.26	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Carrot	0.5
258.27	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Potato	0.5



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
258.28	Phorate	Sum of phorate, its oxygen analogue, and their sulphoxides and sulphones, expressed as phorate	Sugar beet	0.05
259.1	Phosalone	Phosalone	Citrus fruits	1
259.2	Phosalone	Phosalone	Durian	1
259.3	Phosalone	Phosalone	Mangostan	1
259.4	Phosalone	Phosalone	Pome fruits	2
259.5	Phosalone	Phosalone	Stone fruits	2
259.6	Phosalone	Phosalone	Spices, Seeds	2
259.7	Phosalone	Phosalone	Spices, Fruits and Berries	2
259.8	Phosalone	Phosalone	Spices, Roots and Rhizomes	3
259.9	Phosalone	Phosalone	Peppers, Chili (dry)	7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
259.10	Phosalone	Phosalone	Cotton seed oil, edible	0.1
259.11	Phosalone	Phosalone	Cotton seed	1
259.12	Phosalone	Phosalone	Almonds	0.1
259.13	Phosalone	Phosalone	Hazelnuts	0.05
259.14	Phosalone	Phosalone	Walnuts	0.05
259.15	Phosalone	Phosalone	Onion, Bulb	1
259.16	Phosalone	Phosalone	Shallot	1
259.17	Phosalone	Phosalone	Spring onion	1
259.18	Phosalone	Phosalone	Soya bean (dry)	0.05
259.19	Phosalone	Phosalone	Leafy vegetables	1
259.20	Phosalone	Phosalone	Egg plant	0.5
259.21	Phosalone	Phosalone	Peppers, Chili	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
259.22	Phosalone	Phosalone	Peppers, Sweet (including pimento or pimiento)	1
259.23	Phosalone	Phosalone	Tomato	1
259.24	Phosalone	Phosalone	Garden pea (young pods)	1
259.25	Phosalone	Phosalone	Soya bean (succulent seeds)	0.5
259.26	Phosalone	Phosalone	Yard-long bean (young pods)	1
259.27	Phosalone	Phosalone	Asparagus	0.5
260.1	Phosmet	Phosmet	Blueberries	10
260.2	Phosmet	Phosmet	Grapes	10
260.3	Phosmet	Phosmet	Citrus fruits	5
260.4	Phosmet	Phosmet	Pome fruits	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
260.5	Phosmet	Phosmet	Apricot	10
260.6	Phosmet	Phosmet	Nectarine	10
260.7	Phosmet	Phosmet	Peach	10
260.8	Phosmet	Phosmet	Maize	0.05
260.9	Phosmet	Phosmet	Rice	0.5
260.10	Phosmet	Phosmet	Cotton seed	0.05
260.11	Phosmet	Phosmet	Tree nuts	0.2
260.12	Phosmet	Phosmet	Chinese cabbage (type Pe-tsai)	0.5
260.13	Phosmet	Phosmet	Potato	0.05
261.1	Phosphamidon	Sum of phosphamidon (E- and Z- isomers) and N-desethyl-phosphamidon (E- and Z- isomers)	Rice	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
262.1	Phoxim	Phoxim	Berries and other small fruits	0.05
262.2	Phoxim	Phoxim	Citrus fruits	0.05
262.3	Phoxim	Phoxim	Assorted tropical and sub-tropical fruits—inedible peel	0.05
262.4	Phoxim	Phoxim	Pome fruits	0.05
262.5	Phoxim	Phoxim	Stone fruits	0.05
262.6	Phoxim	Phoxim	Assorted tropical and sub-tropical fruits—edible peel	0.05
262.7	Phoxim	Phoxim	Cereal grains	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
262.8	Phoxim	Phoxim	Sugar cane	0.05
262.9	Phoxim	Phoxim	Peanut	0.05
262.10	Phoxim	Phoxim	Bulb vegetables, except garlic	0.05
262.11	Phoxim	Phoxim	Garlic	0.1
262.12	Phoxim	Phoxim	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except head cabbages	0.05
262.13	Phoxim	Phoxim	Cabbages, Head	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
262.14	Phoxim	Phoxim	Fruiting vegetables, Cucurbits	0.05
262.15	Phoxim	Phoxim	Pulses	0.05
262.16	Phoxim	Phoxim	Leafy vegetables, except Pak-choi	0.05
262.17	Phoxim	Phoxim	Pak-choi	0.1
262.18	Phoxim	Phoxim	Fruiting vegetables, other than Cucurbits	0.05
262.19	Phoxim	Phoxim	Legume vegetables	0.05
262.20	Phoxim	Phoxim	Root and tuber vegetables	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
262.21	Phoxim	Phoxim	Stalk and stem vegetables	0.05
263.1	Picloram	Picloram	Wheat germ	3
263.2	Picloram	Picloram	Barley	0.5
263.3	Picloram	Picloram	Oats	0.5
263.4	Picloram	Picloram	Wheat	0.5
263.5	Picloram	Picloram	Cattle fat	0.4
263.6	Picloram	Picloram	Goat fat	0.4
263.7	Picloram	Picloram	Horse fat	0.4
263.8	Picloram	Picloram	Pig fat	0.05
263.9	Picloram	Picloram	Sheep fat	0.4
263.10	Picloram	Picloram	Milks	0.25
263.11	Picloram	Picloram	Cattle meat	0.4
263.12	Picloram	Picloram	Goat meat	0.4
263.13	Picloram	Picloram	Horse meat	0.4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
263.14	Picloram	Picloram	Pig meat	0.05
263.15	Picloram	Picloram	Sheep meat	0.4
263.16	Picloram	Picloram	Edible offal of cattle	15
263.17	Picloram	Picloram	Edible offal of goat	15
263.18	Picloram	Picloram	Edible offal of horse	15
263.19	Picloram	Picloram	Edible offal of pig	0.05
263.20	Picloram	Picloram	Edible offal of sheep	15
263.21	Picloram	Picloram	Eggs	0.05
263.22	Picloram	Picloram	Poultry fats	0.05
263.23	Picloram	Picloram	Poultry meat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
263.24	Picloram	Picloram	Edible offal of poultry	0.05
264.1	Piperonyl butoxide	Piperonyl butoxide	Wheat germ	90
264.2	Piperonyl butoxide	Piperonyl butoxide	Wheat flour	10
264.3	Piperonyl butoxide	Piperonyl butoxide	Wheat wholemeal	30
264.4	Piperonyl butoxide	Piperonyl butoxide	Wheat bran, unprocessed	80
264.5	Piperonyl butoxide	Piperonyl butoxide	Dried fruits	0.2
264.6	Piperonyl butoxide	Piperonyl butoxide	Blueberries	8
264.7	Piperonyl butoxide	Piperonyl butoxide	Blackberries	8
264.8	Piperonyl butoxide	Piperonyl butoxide	Dewberries (including Boysenberry and Loganberry)	8
264.9	Piperonyl butoxide	Piperonyl butoxide	Gooseberry	8

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
264.10	Piperonyl butoxide	Piperonyl butoxide	Grapes	8
264.11	Piperonyl butoxide	Piperonyl butoxide	Citrus fruits	5
264.12	Piperonyl butoxide	Piperonyl butoxide	Guava	8
264.13	Piperonyl butoxide	Piperonyl butoxide	Mango	8
264.14	Piperonyl butoxide	Piperonyl butoxide	Pineapple	8
264.15	Piperonyl butoxide	Piperonyl butoxide	Apple	8
264.16	Piperonyl butoxide	Piperonyl butoxide	Crab-apple	8
264.17	Piperonyl butoxide	Piperonyl butoxide	Pear	8
264.18	Piperonyl butoxide	Piperonyl butoxide	Plums (including Prunes)	8
264.19	Piperonyl butoxide	Piperonyl butoxide	Cherry, Sour	8
264.20	Piperonyl butoxide	Piperonyl butoxide	Cherry, Sweet	8
264.21	Piperonyl butoxide	Piperonyl butoxide	Peach	8
264.22	Piperonyl butoxide	Piperonyl butoxide	Fig	8

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
264.23	Piperonyl butoxide	Piperonyl butoxide	Cereal grains	30
264.24	Piperonyl butoxide	Piperonyl butoxide	Peppers, Chili (dry)	20
264.25	Piperonyl butoxide	Piperonyl butoxide	Citrus juice	0.05
264.26	Piperonyl butoxide	Piperonyl butoxide	Tomato juice	0.3
264.27	Piperonyl butoxide	Piperonyl butoxide	Cattle fat	0.1
264.28	Piperonyl butoxide	Piperonyl butoxide	Goat fat	0.1
264.29	Piperonyl butoxide	Piperonyl butoxide	Horse fat	0.1
264.30	Piperonyl butoxide	Piperonyl butoxide	Pig fat	0.1
264.31	Piperonyl butoxide	Piperonyl butoxide	Sheep fat	0.1
264.32	Piperonyl butoxide	Piperonyl butoxide	Milks (F), except cattle milk (F)	0.05
264.33	Piperonyl butoxide	Piperonyl butoxide	Cattle milk (F)	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
264.34	Piperonyl butoxide	Piperonyl butoxide	Meat (from mammals other than marine mammals) (Fat) except cattle meat (Fat)	2
264.35	Piperonyl butoxide	Piperonyl butoxide	Cattle meat (Fat)	5
264.36	Piperonyl butoxide	Piperonyl butoxide	"Kidney of cattle, goats, pigs and sheep", except cattle kidney	0.2
264.37	Piperonyl butoxide	Piperonyl butoxide	Liver of cattle, goats, pigs and sheep	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
264.38	Piperonyl butoxide	Piperonyl butoxide	Edible offal of cattle, except kidney and liver	0.1
264.39	Piperonyl butoxide	Piperonyl butoxide	Edible offal of goat, except kidney and liver	0.1
264.40	Piperonyl butoxide	Piperonyl butoxide	Edible offal of horse	0.1
264.41	Piperonyl butoxide	Piperonyl butoxide	Edible offal of pig, except kidney and liver	0.1
264.42	Piperonyl butoxide	Piperonyl butoxide	Edible offal of sheep, except kidney and liver	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
264.43	Piperonyl butoxide	Piperonyl butoxide	Cattle kidney	0.3
264.44	Piperonyl butoxide	Piperonyl butoxide	Maize oil, crude	80
264.45	Piperonyl butoxide	Piperonyl butoxide	Eggs	1
264.46	Piperonyl butoxide	Piperonyl butoxide	Poultry fats	3
264.47	Piperonyl butoxide	Piperonyl butoxide	Poultry meat (Fat)	7
264.48	Piperonyl butoxide	Piperonyl butoxide	Edible offal of poultry	10
264.49	Piperonyl butoxide	Piperonyl butoxide	Cotton seed	8
264.50	Piperonyl butoxide	Piperonyl butoxide	Flaxseed	8
264.51	Piperonyl butoxide	Piperonyl butoxide	Peanut, whole	1
264.52	Piperonyl butoxide	Piperonyl butoxide	Almonds	8
264.53	Piperonyl butoxide	Piperonyl butoxide	Walnuts	8

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
264.54	Piperonyl butoxide	Piperonyl butoxide	Fruiting vegetables, Cucurbits	1
264.55	Piperonyl butoxide	Piperonyl butoxide	Pulses	0.2
264.56	Piperonyl butoxide	Piperonyl butoxide	Lettuce, Leaf	50
264.57	Piperonyl butoxide	Piperonyl butoxide	Mustard greens	50
264.58	Piperonyl butoxide	Piperonyl butoxide	Radish leaves (including Radish tops)	50
264.59	Piperonyl butoxide	Piperonyl butoxide	Spinach	50
264.60	Piperonyl butoxide	Piperonyl butoxide	Peppers (including Peppers, Chili and Peppers, Sweet)	2
264.61	Piperonyl butoxide	Piperonyl butoxide	Tomato	2



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
264.62	Piperonyl butoxide	Piperonyl butoxide	Root and tuber vegetables, except carrot	0.5
265.1	Pirimicarb	Pirimicarb	Berries and other small fruits, except grapes and strawberry	1
265.2	Pirimicarb	Pirimicarb	Citrus fruits	3
265.3	Pirimicarb	Pirimicarb	Pome fruits	1
265.4	Pirimicarb	Pirimicarb	Stone fruits	3
265.5	Pirimicarb	Pirimicarb	Jujube, Chinese	0.5
265.6	Pirimicarb	Pirimicarb	Cereal grains, except rice	0.05
265.7	Pirimicarb	Pirimicarb	Spices, Seeds	5
265.8	Pirimicarb	Pirimicarb	Peppers, Chili (dry)	20

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
265.9	Pirimicarb	Pirimicarb	Milks	0.01
265.10	Pirimicarb	Pirimicarb	Meat (from mammals other than marine mammals)	0.01
265.11	Pirimicarb	Pirimicarb	Edible offal (Mammalian)	0.01
265.12	Pirimicarb	Pirimicarb	Eggs	0.01
265.13	Pirimicarb	Pirimicarb	Poultry meat	0.01
265.14	Pirimicarb	Pirimicarb	Edible offal of poultry	0.01
265.15	Pirimicarb	Pirimicarb	Rape seed	0.2
265.16	Pirimicarb	Pirimicarb	Sunflower seed	0.1
265.17	Pirimicarb	Pirimicarb	Garlic	0.1
265.18	Pirimicarb	Pirimicarb	Onion, Bulb	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
265.19	Pirimicarb	Pirimicarb	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except cauliflower and head cabbage	0.5
265.20	Pirimicarb	Pirimicarb	Cabbages, Head	1
265.21	Pirimicarb	Pirimicarb	Cauliflower	1
265.22	Pirimicarb	Pirimicarb	"Fruiting vegetables, Cucurbits", except "melons other than watermelon"	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
265.23	Pirimicarb	Pirimicarb	Melons, except watermelon	0.2
265.24	Pirimicarb	Pirimicarb	Pulses, except dried soya bean	0.2
265.25	Pirimicarb	Pirimicarb	Soya bean (dry)	0.05
265.26	Pirimicarb	Pirimicarb	Kale	0.3
265.27	Pirimicarb	Pirimicarb	Lettuce, Head	5
265.28	Pirimicarb	Pirimicarb	Lettuce, Leaf	5
265.29	Pirimicarb	Pirimicarb	"Fruiting vegetables, other than Cucurbits", except edible fungi (not including mushrooms) and sweet corn (kernels)	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
265.30	Pirimicarb	Pirimicarb	Sweet corn (kernels)	0.05
265.31	Pirimicarb	Pirimicarb	Legume vegetables, except soya bean (succulent seeds)	0.7
265.32	Pirimicarb	Pirimicarb	Root and tuber vegetables	0.05
265.33	Pirimicarb	Pirimicarb	Artichoke, Globe	5
265.34	Pirimicarb	Pirimicarb	Asparagus	0.01
266.1	Pirimiphos methyl	Pirimiphos methyl	Wheat flour	2
266.2	Pirimiphos methyl	Pirimiphos methyl	Wheat wholemeal	5
266.3	Pirimiphos methyl	Pirimiphos methyl	Rice, husked	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
266.4	Pirimiphos methyl	Pirimiphos methyl	Wheat bran, unprocessed	15
266.5	Pirimiphos methyl	Pirimiphos methyl	Rice, polished	1
266.6	Pirimiphos methyl	Pirimiphos methyl	Tea, Green, Black	10
266.7	Pirimiphos methyl	Pirimiphos methyl	Cereal grains	7
266.8	Pirimiphos methyl	Pirimiphos methyl	Spices, Seeds	3
266.9	Pirimiphos methyl	Pirimiphos methyl	Spices, Fruits and Berries	0.5
266.10	Pirimiphos methyl	Pirimiphos methyl	Cattle fat	0.02
266.11	Pirimiphos methyl	Pirimiphos methyl	Goat fat	0.02
266.12	Pirimiphos methyl	Pirimiphos methyl	Horse fat	0.02
266.13	Pirimiphos methyl	Pirimiphos methyl	Pig fat	0.02
266.14	Pirimiphos methyl	Pirimiphos methyl	Sheep fat	0.02
266.15	Pirimiphos methyl	Pirimiphos methyl	Milks	0.01

## Pesticide Residues in Food Regulation

874

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
266.16	Pirimiphos methyl	Pirimiphos methyl	Meat (from mammals other than marine mammals)	0.01
266.17	Pirimiphos methyl	Pirimiphos methyl	Edible offal (Mammalian)	0.01
266.18	Pirimiphos methyl	Pirimiphos methyl	Eggs	0.01
266.19	Pirimiphos methyl	Pirimiphos methyl	Poultry fats	0.02
266.20	Pirimiphos methyl	Pirimiphos methyl	Poultry meat	0.01
266.21	Pirimiphos methyl	Pirimiphos methyl	Edible offal of poultry	0.01
266.22	Pirimiphos methyl	Pirimiphos methyl	Cacao beans	0.05
266.23	Pirimiphos methyl	Pirimiphos methyl	Kapok	0.1
266.24	Pirimiphos methyl	Pirimiphos methyl	Palm nut	0.1
266.25	Pirimiphos methyl	Pirimiphos methyl	Cashew nut	0.1

## Pesticide Residues in Food Regulation

875

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
266.26	Pirimiphos methyl	Pirimiphos methyl	Sweet corn (corn-on-the-cob)	1
267.1	Pretilachlor	Pretilachlor	Rice, polished	0.1
268.1	Primisulfuron methyl	Primisulfuron methyl	Maize	0.02
268.2	Primisulfuron methyl	Primisulfuron methyl	Popcorn	0.02
268.3	Primisulfuron methyl	Primisulfuron methyl	Cattle fat	0.1
268.4	Primisulfuron methyl	Primisulfuron methyl	Goat fat	0.1
268.5	Primisulfuron methyl	Primisulfuron methyl	Horse fat	0.1
268.6	Primisulfuron methyl	Primisulfuron methyl	Pig fat	0.1
268.7	Primisulfuron methyl	Primisulfuron methyl	Sheep fat	0.1
268.8	Primisulfuron methyl	Primisulfuron methyl	Milks	0.02
268.9	Primisulfuron methyl	Primisulfuron methyl	Cattle meat	0.1
268.10	Primisulfuron methyl	Primisulfuron methyl	Goat meat	0.1
268.11	Primisulfuron methyl	Primisulfuron methyl	Horse meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
268.12	Primisulfuron methyl	Primisulfuron methyl	Pig meat	0.1
268.13	Primisulfuron methyl	Primisulfuron methyl	Sheep meat	0.1
268.14	Primisulfuron methyl	Primisulfuron methyl	Edible offal of cattle	0.1
268.15	Primisulfuron methyl	Primisulfuron methyl	Edible offal of goat	0.1
268.16	Primisulfuron methyl	Primisulfuron methyl	Edible offal of horse	0.1
268.17	Primisulfuron methyl	Primisulfuron methyl	Edible offal of pig	0.1
268.18	Primisulfuron methyl	Primisulfuron methyl	Edible offal of sheep	0.1
268.19	Primisulfuron methyl	Primisulfuron methyl	Eggs	0.1
268.20	Primisulfuron methyl	Primisulfuron methyl	Poultry fats	0.1
268.21	Primisulfuron methyl	Primisulfuron methyl	Poultry meat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
268.22	Primisulfuron methyl	Primisulfuron methyl	Edible offal of poultry	0.1
269.1	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Wheat bran, unprocessed	7
269.2	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Citrus fruits	10
269.3	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Assorted tropical and sub-tropical fruits—inedible peel	7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
269.4	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Cereal grains	2
269.5	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Pepper, Black; White	10
269.6	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Milks	0.05
269.7	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Meat (from mammals other than marine mammals) (Fat)	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
269.8	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Edible offal (Mammalian)	10
269.9	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Sunflower seed oil, edible	1
269.10	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Eggs	0.1
269.11	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Poultry meat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
269.12	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Edible offal of poultry	0.2
269.13	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Rape seed	0.7
269.14	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Flaxseed	0.05
269.15	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Sunflower seed	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
269.16	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Cucumber	1
269.17	Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz	Mushrooms	3
270.1	Procymidone	Procymidone	Grapes	5
270.2	Procymidone	Procymidone	Strawberry	10
270.3	Procymidone	Procymidone	Stone fruits	10
270.4	Procymidone	Procymidone	Vegetable oils, edible	0.5
270.5	Procymidone	Procymidone	Chives, Chinese	0.2
270.6	Procymidone	Procymidone	Cucumber	2

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

882

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
270.7	Procymidone	Procymidone	"Fruiting vegetables, other than Cucurbits", except tomato	5
270.8	Procymidone	Procymidone	Tomato	2
270.9	Procymidone	Procymidone	Potato	0.1
271.1	Profenofos	Profenofos	Teas (Tea and Herb teas)	0.5
271.2	Profenofos	Profenofos	Grapes	0.05
271.3	Profenofos	Profenofos	Citrus fruits, except lime	0.1
271.4	Profenofos	Profenofos	Lime	0.05
271.5	Profenofos	Profenofos	Durian	0.05
271.6	Profenofos	Profenofos	Mango	0.2
271.7	Profenofos	Profenofos	Mangostan	10

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

883

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
271.8	Profenofos	Profenofos	Rose apple	0.05
271.9	Profenofos	Profenofos	Spices, Fruits and Berries	0.07
271.10	Profenofos	Profenofos	Spices, Roots and Rhizomes	0.05
271.11	Profenofos	Profenofos	Peppers, Chili (dry)	50
271.12	Profenofos	Profenofos	Cattle fat	0.05
271.13	Profenofos	Profenofos	Goat fat	0.05
271.14	Profenofos	Profenofos	Horse fat	0.05
271.15	Profenofos	Profenofos	Sheep fat	0.05
271.16	Profenofos	Profenofos	Milks	0.01
271.17	Profenofos	Profenofos	Meat (from mammals other than marine mammals)	0.05



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
271.18	Profenofos	Profenofos	Edible offal (Mammalian)	0.05
271.19	Profenofos	Profenofos	Cotton seed oil, edible	0.05
271.20	Profenofos	Profenofos	Eggs	0.02
271.21	Profenofos	Profenofos	Poultry meat	0.05
271.22	Profenofos	Profenofos	Edible offal of poultry	0.05
271.23	Profenofos	Profenofos	Cotton seed	3
271.24	Profenofos	Profenofos	Onion, Bulb	0.05
271.25	Profenofos	Profenofos	Shallot	0.05
271.26	Profenofos	Profenofos	Spring onion	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
271.27	Profenofos	Profenofos	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
271.28	Profenofos	Profenofos	Soya bean (dry)	0.05
271.29	Profenofos	Profenofos	Peppers, Chili	5
271.30	Profenofos	Profenofos	Peppers, Sweet (including pimento or pimienta)	0.5
271.31	Profenofos	Profenofos	Tomato	10
272.1	Prohexadione calcium	Prohexadione calcium	Pome fruits	3
272.2	Prohexadione calcium	Prohexadione calcium	Cattle kidney	0.1
272.3	Prohexadione calcium	Prohexadione calcium	Pig kidney	0.1
272.4	Prohexadione calcium	Prohexadione calcium	Sheep kidney	0.1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
272.5	Prohexadione calcium	Prohexadione calcium	Horse kidney	0.1
272.6	Prohexadione calcium	Prohexadione calcium	Peanut	1
273.1	Prometryn	Prometryn	Dill	0.3
273.2	Prometryn	Prometryn	Parsley	0.6
273.3	Prometryn	Prometryn	Cotton seed	0.25
273.4	Prometryn	Prometryn	Okra	0.05
273.5	Prometryn	Prometryn	Pigeon pea (young pods and/or succulent seeds)	0.25
273.6	Prometryn	Prometryn	Carrot	0.45
273.7	Prometryn	Prometryn	Celeriac	0.05
274.1	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Maize	0.2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
274.2	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Sorghum	0.25
274.3	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Cattle fat	0.05
274.4	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Goat fat	0.05
274.5	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Horse fat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
274.6	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Pig fat	0.02
274.7	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Sheep fat	0.05
274.8	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Milks	0.02
274.9	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Cattle meat	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
274.10	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Goat meat	0.02
274.11	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Horse meat	0.02
274.12	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Pig meat	0.02
274.13	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Sheep meat	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
274.14	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Edible offal of pig	0.02
274.15	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Cattle kidney	0.2
274.16	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Sheep kidney	0.2
274.17	Propachlor	Sum of propachlor and its metabolites containing the N-isopropylaniline moiety, expressed as propachlor	Horse kidney	0.2
275.1	Propamocarb	Propamocarb (free base)	Peppers, Chili (dry)	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
275.2	Propamocarb	Propamocarb (free base)	Milks	0.01
275.3	Propamocarb	Propamocarb (free base)	Meat (from mammals other than marine mammals)	0.01
275.4	Propamocarb	Propamocarb (free base)	Edible offal (Mammalian)	0.01
275.5	Propamocarb	Propamocarb (free base)	Eggs	0.01
275.6	Propamocarb	Propamocarb (free base)	Poultry meat	0.01
275.7	Propamocarb	Propamocarb (free base)	Edible offal of poultry	0.01
275.8	Propamocarb	Propamocarb (free base)	Cauliflower	0.2
275.9	Propamocarb	Propamocarb (free base)	Fruiting vegetables, Cucurbits	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
275.10	Propamocarb	Propamocarb (free base)	Leafy vegetables, except head lettuce, leaf lettuce and spinach	20
275.11	Propamocarb	Propamocarb (free base)	Lettuce, Head	100
275.12	Propamocarb	Propamocarb (free base)	Lettuce, Leaf	100
275.13	Propamocarb	Propamocarb (free base)	Spinach	40
275.14	Propamocarb	Propamocarb (free base)	"Fruiting vegetables, other than Cucurbits", except sweet peppers and tomato	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
275.15	Propamocarb	Propamocarb (free base)	Peppers, Sweet (including pimento or pimiento)	3
275.16	Propamocarb	Propamocarb (free base)	Tomato	2
275.17	Propamocarb	Propamocarb (free base)	Radish	1
275.18	Propamocarb	Propamocarb (free base)	Potato	0.3
275.19	Propamocarb	Propamocarb (free base)	Witloof chicory (sprouts)	2
276.1	Propanil	Propanil	Rice, polished	2
277.1	Propargite	Propargite	Maize flour	0.2
277.2	Propargite	Propargite	Dried grapes (Currants, Raisins and Sultanas)	12
277.3	Propargite	Propargite	Hops, dry	100

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
277.4	Propargite	Propargite	Tea, Green, Black	5
277.5	Propargite	Propargite	Grapes	7
277.6	Propargite	Propargite	Citrus fruits	5
277.7	Propargite	Propargite	Pome fruits	5
277.8	Propargite	Propargite	Stone fruits	4
277.9	Propargite	Propargite	Maize	0.1
277.10	Propargite	Propargite	Sorghum	5
277.11	Propargite	Propargite	Popcorn	0.1
277.12	Propargite	Propargite	Peppermint	50
277.13	Propargite	Propargite	Spearment	50
277.14	Propargite	Propargite	Orange juice	0.3
277.15	Propargite	Propargite	Apple juice	0.2
277.16	Propargite	Propargite	Grape juice	1
277.17	Propargite	Propargite	Cattle fat	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
277.18	Propargite	Propargite	Goat fat	0.1
277.19	Propargite	Propargite	Horse fat	0.1
277.20	Propargite	Propargite	Pig fat	0.1
277.21	Propargite	Propargite	Sheep fat	0.1
277.22	Propargite	Propargite	Milks (F)	0.1
277.23	Propargite	Propargite	Meat (from mammals other than marine mammals) (Fat)	0.1
277.24	Propargite	Propargite	Edible offal (Mammalian)	0.1
277.25	Propargite	Propargite	Maize oil, crude	0.7
277.26	Propargite	Propargite	Peanut oil, crude	0.3
277.27	Propargite	Propargite	Citrus oil	30

## Pesticide Residues in Food Regulation

896

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
277.28	Propargite	Propargite	Maize oil, edible	0.5
277.29	Propargite	Propargite	Cotton seed oil, edible	0.2
277.30	Propargite	Propargite	Peanut oil, edible	0.3
277.31	Propargite	Propargite	Eggs	0.1
277.32	Propargite	Propargite	Poultry fats	0.1
277.33	Propargite	Propargite	Poultry meat (Fat)	0.1
277.34	Propargite	Propargite	Edible offal of poultry	0.1
277.35	Propargite	Propargite	Cotton seed	0.1
277.36	Propargite	Propargite	Peanut	0.1
277.37	Propargite	Propargite	Almonds	0.1
277.38	Propargite	Propargite	Walnuts	0.3

## Pesticide Residues in Food Regulation

897

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
277.39	Propargite	Propargite	Beans (dry)	0.3
277.40	Propargite	Propargite	Broad bean (dry)	0.3
277.41	Propargite	Propargite	Chickpea (dry)	0.3
277.42	Propargite	Propargite	Lupin (dry)	0.3
277.43	Propargite	Propargite	Leafy vegetables	2
277.44	Propargite	Propargite	Sweet corn (corn-on-the-cob)	0.1
277.45	Propargite	Propargite	Tomato	2
277.46	Propargite	Propargite	Carrot	3
277.47	Propargite	Propargite	Potato	0.03

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
278.1	Propazine	Sum of propazine, 2-amino-4-chloro-6-isopropylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine, expressed as propazine	Sorghum	0.25
279.1	Propiconazole	Propiconazole	Blueberries	2
279.2	Propiconazole	Propiconazole	Cranberry	0.3
279.3	Propiconazole	Propiconazole	Banana	0.1
279.4	Propiconazole	Propiconazole	Pineapple	0.02
279.5	Propiconazole	Propiconazole	Stone fruits	2
279.6	Propiconazole	Propiconazole	Barley	0.2
279.7	Propiconazole	Propiconazole	Maize	0.05
279.8	Propiconazole	Propiconazole	Rye	0.02
279.9	Propiconazole	Propiconazole	Triticale	0.02
279.10	Propiconazole	Propiconazole	Wheat	0.05
279.11	Propiconazole	Propiconazole	Popcorn	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
279.12	Propiconazole	Propiconazole	Sugar cane	0.02
279.13	Propiconazole	Propiconazole	Milks	0.01
279.14	Propiconazole	Propiconazole	Meat (from mammals other than marine mammals) (Fat)	0.01
279.15	Propiconazole	Propiconazole	Edible offal (Mammalian)	0.01
279.16	Propiconazole	Propiconazole	Eggs	0.01
279.17	Propiconazole	Propiconazole	Poultry meat (Fat)	0.01
279.18	Propiconazole	Propiconazole	Coffee beans	0.02
279.19	Propiconazole	Propiconazole	Rape seed	0.02
279.20	Propiconazole	Propiconazole	Almonds	0.2
279.21	Propiconazole	Propiconazole	Pecan	0.02
279.22	Propiconazole	Propiconazole	Soya bean (dry)	0.07



## Pesticide Residues in Food Regulation

900

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
279.23	Propiconazole	Propiconazole	Sweet corn (corn-on-the-cob)	0.05
279.24	Propiconazole	Propiconazole	Sugar beet	0.02
280.1	Propoxycarbazon	Propoxycarbazon	Milks	0.03
280.2	Propoxycarbazon	Propoxycarbazon	Cattle meat	0.05
280.3	Propoxycarbazon	Propoxycarbazon	Goat meat	0.05
280.4	Propoxycarbazon	Propoxycarbazon	Horse meat	0.05
280.5	Propoxycarbazon	Propoxycarbazon	Sheep meat	0.05
280.6	Propoxycarbazon	Propoxycarbazon	Edible offal of cattle	0.3
280.7	Propoxycarbazon	Propoxycarbazon	Edible offal of goat	0.3
280.8	Propoxycarbazon	Propoxycarbazon	Edible offal of horse	0.3

## Pesticide Residues in Food Regulation

901

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
280.9	Propoxycarbazon	Propoxycarbazon	Edible offal of sheep	0.3
281.1	Propylene oxide	Propylene oxide	Prunes	2
281.2	Propylene oxide	Propylene oxide	Dried herbs	300
281.3	Propylene oxide	Propylene oxide	Cocoa powder	200
281.4	Propylene oxide	Propylene oxide	Fig	3
281.5	Propylene oxide	Propylene oxide	Spices	300
281.6	Propylene oxide	Propylene oxide	Cacao beans	200
281.7	Propylene oxide	Propylene oxide	Tree nuts	300
282.1	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Blueberries	0.05
282.2	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Blackberries	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
282.3	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Grapes	0.1
282.4	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Boysenberry	0.05
282.5	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Apple	0.1
282.6	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Pear	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
282.7	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Stone fruits	0.1
282.8	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Cattle fat	0.2
282.9	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Goat fat	0.2
282.10	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Horse fat	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
282.11	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Pig fat	0.2
282.12	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Sheep fat	0.2
282.13	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Milks	0.02
282.14	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Cattle meat	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
282.15	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Goat meat	0.02
282.16	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Horse meat	0.02
282.17	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Pig meat	0.02
282.18	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Sheep meat	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
282.19	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Cattle kidney	0.4
282.20	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Cattle liver	0.4
282.21	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Pig kidney	0.4
282.22	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Pig liver	0.4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
282.23	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Sheep kidney	0.4
282.24	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Sheep liver	0.4
282.25	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Horse kidney	0.4
282.26	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Horse liver	0.4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
282.27	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Eggs	0.02
282.28	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Poultry fats	0.02
282.29	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Poultry meat	0.02
282.30	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Field pea (dry)	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
282.31	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Endive	1
282.32	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Lettuce, Head	1
282.33	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Red-leaved chicory	2
282.34	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Artichoke, Globe	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
282.35	Propyzamide	Propyzamide residues convertible to methyl 3,5-dichlorobenzoate, expressed as propyzamide	Rhubarb	0.1
283.1	Prosulfuron	Prosulfuron	Cereal grains, except rice	0.01
284.1	Prothioconazole	Prothioconazole-desthio	Barley	0.2
284.2	Prothioconazole	Prothioconazole-desthio	Oats	0.05
284.3	Prothioconazole	Prothioconazole-desthio	Rye	0.05
284.4	Prothioconazole	Prothioconazole-desthio	Triticale	0.05
284.5	Prothioconazole	Prothioconazole-desthio	Wheat	0.1
284.6	Prothioconazole	Prothioconazole-desthio	Milks	0.004
284.7	Prothioconazole	Prothioconazole-desthio	Meat (from mammals other than marine mammals)	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
284.8	Prothioconazole	Prothioconazole-desthio	Edible offal (Mammalian)	0.5
284.9	Prothioconazole	Prothioconazole-desthio	Rape seed	0.1
284.10	Prothioconazole	Prothioconazole-desthio	Peanut	0.02
284.11	Prothioconazole	Prothioconazole-desthio	Pulses, except dried soya bean	1
284.12	Prothioconazole	Prothioconazole-desthio	Sugar beet	0.3
285.1	Prothiofos	Prothiofos	Peanut	0.05
285.2	Prothiofos	Prothiofos	Mung bean (dry)	0.05
285.3	Prothiofos	Prothiofos	Peppers, Chili	3
285.4	Prothiofos	Prothiofos	Potato	0.05
286.1	Pymetrozine	Pymetrozine	Hops, dry	6
286.2	Pymetrozine	Pymetrozine	Wheat	0.02
286.3	Pymetrozine	Pymetrozine	Cotton seed	0.3
286.4	Pymetrozine	Pymetrozine	Pecan	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
286.5	Pymetrozine	Pymetrozine	Brassica (cole or cabbage), vegetables, Head cabbages, Flowerhead brassicas	0.5
286.6	Pymetrozine	Pymetrozine	Fruiting vegetables, Cucurbits	0.1
286.7	Pymetrozine	Pymetrozine	Leafy vegetables, except brassica leafy vegetables	0.6
286.8	Pymetrozine	Pymetrozine	Brassica leafy vegetables	0.25

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
286.9	Pymetrozine	Pymetrozine	Fruiting vegetables, other than Cucurbits	0.2
286.10	Pymetrozine	Pymetrozine	Potato	0.02
286.11	Pymetrozine	Pymetrozine	Asparagus	0.04
287.1	Pyraclostrobin	Pyraclostrobin	Dried grapes (Currants, Raisins and Sultanas)	5
287.2	Pyraclostrobin	Pyraclostrobin	Hops, dry	15
287.3	Pyraclostrobin	Pyraclostrobin	Blueberries	1
287.4	Pyraclostrobin	Pyraclostrobin	Grapes	2
287.5	Pyraclostrobin	Pyraclostrobin	Raspberries, Red, Black	2
287.6	Pyraclostrobin	Pyraclostrobin	Strawberry	0.5
287.7	Pyraclostrobin	Pyraclostrobin	Citrus fruits	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
287.8	Pyraclostrobin	Pyraclostrobin	Banana	0.02
287.9	Pyraclostrobin	Pyraclostrobin	Mango	0.05
287.10	Pyraclostrobin	Pyraclostrobin	Papaya	0.05
287.11	Pyraclostrobin	Pyraclostrobin	Apple	0.5
287.12	Pyraclostrobin	Pyraclostrobin	Pear	1.5
287.13	Pyraclostrobin	Pyraclostrobin	Stone fruits	1
287.14	Pyraclostrobin	Pyraclostrobin	Barley	0.5
287.15	Pyraclostrobin	Pyraclostrobin	Maize	0.02
287.16	Pyraclostrobin	Pyraclostrobin	Oats	0.5
287.17	Pyraclostrobin	Pyraclostrobin	Wheat	0.2
287.18	Pyraclostrobin	Pyraclostrobin	Milks	0.03
287.19	Pyraclostrobin	Pyraclostrobin	Meat (from mammals other than marine mammals) (Fat)	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
287.20	Pyraclostrobin	Pyraclostrobin	Edible offal (Mammalian)	0.05
287.21	Pyraclostrobin	Pyraclostrobin	Eggs	0.05
287.22	Pyraclostrobin	Pyraclostrobin	Poultry meat (Fat)	0.05
287.23	Pyraclostrobin	Pyraclostrobin	Edible offal of poultry	0.05
287.24	Pyraclostrobin	Pyraclostrobin	Coffee beans	0.3
287.25	Pyraclostrobin	Pyraclostrobin	Sunflower seed	0.3
287.26	Pyraclostrobin	Pyraclostrobin	Peanut, whole	0.02
287.27	Pyraclostrobin	Pyraclostrobin	Almonds	0.02
287.28	Pyraclostrobin	Pyraclostrobin	Pecan	0.02
287.29	Pyraclostrobin	Pyraclostrobin	Pistachio nut	1
287.30	Pyraclostrobin	Pyraclostrobin	Garlic	0.05
287.31	Pyraclostrobin	Pyraclostrobin	Leek	0.7
287.32	Pyraclostrobin	Pyraclostrobin	Onion, Bulb	0.2



## Pesticide Residues in Food Regulation

Schedule 1—Part 1

916

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
287.33	Pyraclostrobin	Pyraclostrobin	Cabbages, Head	0.2
287.34	Pyraclostrobin	Pyraclostrobin	Flowerhead brassicas (includes Broccoli, Chinese Broccoli and Cauliflower)	0.1
287.35	Pyraclostrobin	Pyraclostrobin	Brussels sprouts	0.3
287.36	Pyraclostrobin	Pyraclostrobin	Cucumber	0.5
287.37	Pyraclostrobin	Pyraclostrobin	Summer squash	0.3
287.38	Pyraclostrobin	Pyraclostrobin	Cantaloupe	0.2
287.39	Pyraclostrobin	Pyraclostrobin	Beans (dry)	0.2
287.40	Pyraclostrobin	Pyraclostrobin	Peas (dry)	0.3
287.41	Pyraclostrobin	Pyraclostrobin	Lentil (dry)	0.5

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

917

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
287.42	Pyraclostrobin	Pyraclostrobin	Soya bean (dry)	0.05
287.43	Pyraclostrobin	Pyraclostrobin	Kale	1
287.44	Pyraclostrobin	Pyraclostrobin	Lettuce, Head	2
287.45	Pyraclostrobin	Pyraclostrobin	Radish leaves (including Radish tops)	20
287.46	Pyraclostrobin	Pyraclostrobin	Peppers (including Peppers, Chili and Peppers, Sweet)	0.5
287.47	Pyraclostrobin	Pyraclostrobin	Egg plant	0.3
287.48	Pyraclostrobin	Pyraclostrobin	Tomato	0.3
287.49	Pyraclostrobin	Pyraclostrobin	Peas (young pods and succulent seeds)	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
287.50	Pyraclostrobin	Pyraclostrobin	Radish	0.5
287.51	Pyraclostrobin	Pyraclostrobin	Carrot	0.5
287.52	Pyraclostrobin	Pyraclostrobin	Potato	0.02
287.53	Pyraclostrobin	Pyraclostrobin	Sugar beet	0.2
288.1	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Dried fruits	0.2
288.2	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Blueberries	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.3	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Blackberries	1
288.4	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Dewberries (including Boysenberry and Loganberry)	1
288.5	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Gooseberry	1

## Pesticide Residues in Food Regulation

920

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.6	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Grapes	1
288.7	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Citrus fruits	0.05
288.8	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Guava	1

## Pesticide Residues in Food Regulation

921

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.9	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Mango	1
288.10	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Pineapple	1
288.11	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Apple	1

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

922

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.12	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Crab-apple	1
288.13	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Pear	1
288.14	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Plums (including Prunes)	1

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

923

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.15	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Cherry, Sour	1
288.16	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Cherry, Sweet	1
288.17	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Peach	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.18	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Fig	1
288.19	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Cereal grains	0.3
288.20	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Herbs	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.21	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Peppers, Chili (dry)	0.5
288.22	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Cattle fat	1
288.23	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Goat fat	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.24	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Horse fat	1
288.25	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Pig fat	1
288.26	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Sheep fat	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.27	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Cattle meat	0.05
288.28	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Goat meat	0.05
288.29	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Horse meat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.30	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Pig meat	0.05
288.31	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Sheep meat	0.05
288.32	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Edible offal of cattle	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.33	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Edible offal of goat	0.05
288.34	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Edible offal of horse	0.05
288.35	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Edible offal of pig	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.36	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Edible offal of sheep	0.05
288.37	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Cotton seed	1
288.38	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Flaxseed	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.39	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Peanut	0.5
288.40	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Tree nuts	0.5
288.41	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Bulb vegetables	1



## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

932

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.42	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
288.43	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Fruiting vegetables, Cucurbits	0.05
288.44	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Pulses	0.1

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

933

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.45	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Leafy vegetables	1
288.46	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Fruiting vegetables, other than Cucurbits	1
288.47	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Legume vegetables	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
288.48	Pyrethrins	Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, jasmolins 1 and 2, determined after calibration with World Standard pyrethrum extract	Root and tuber vegetables	0.05
289.1	Pyridaben	Pyridaben	Hops, dry	10
289.2	Pyridaben	Pyridaben	Cranberry	0.5
289.3	Pyridaben	Pyridaben	Grapes	5
289.4	Pyridaben	Pyridaben	Strawberry	2.5
289.5	Pyridaben	Pyridaben	Citrus fruits	0.5
289.6	Pyridaben	Pyridaben	Canistel	0.1
289.7	Pyridaben	Pyridaben	Mango	0.1
289.8	Pyridaben	Pyridaben	Papaya	0.1
289.9	Pyridaben	Pyridaben	Sapodilla	0.1
289.10	Pyridaben	Pyridaben	Sapote, Black	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
289.11	Pyridaben	Pyridaben	Sapote, Mammei	0.1
289.12	Pyridaben	Pyridaben	Star apple	0.1
289.13	Pyridaben	Pyridaben	Apple	0.5
289.14	Pyridaben	Pyridaben	Pear	0.75
289.15	Pyridaben	Pyridaben	Stone fruits	2.5
289.16	Pyridaben	Pyridaben	Citrus oil	10
289.17	Pyridaben	Pyridaben	Tree nuts	0.05
289.18	Pyridaben	Pyridaben	Tomato	0.15
290.1	Pyridalyl	Pyridalyl	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	3.5

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

936

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
290.2	Pyridalyl	Pyridalyl	Leafy vegetables, except brassica leafy vegetables	20
290.3	Pyridalyl	Pyridalyl	Mustard greens	30
290.4	Pyridalyl	Pyridalyl	Turnip greens	30
290.5	Pyridalyl	Pyridalyl	Fruiting vegetables, other than Cucurbits	1
291.1	Pyridate	Sum of pyridate, 6-chloro-3-phenyl-pyridazine-4-ol and conjugates of 6-chloro-3-phenyl-pyridazine-4-ol, expressed as pyridate	Maize	0.03

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

937

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
291.2	Pyridate	Sum of pyridate, 6-chloro-3-phenyl-pyridazine-4-ol and conjugates of 6-chloro-3-phenyl-pyridazine-4-ol, expressed as pyridate	Popcorn	0.03
291.3	Pyridate	Sum of pyridate, 6-chloro-3-phenyl-pyridazine-4-ol and conjugates of 6-chloro-3-phenyl-pyridazine-4-ol, expressed as pyridate	Peppermint	0.2
291.4	Pyridate	Sum of pyridate, 6-chloro-3-phenyl-pyridazine-4-ol and conjugates of 6-chloro-3-phenyl-pyridazine-4-ol, expressed as pyridate	Spearmint	0.2

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

938

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
291.5	Pyridate	Sum of pyridate, 6-chloro-3-phenyl-pyridazine-4-ol and conjugates of 6-chloro-3-phenyl-pyridazine-4-ol, expressed as pyridate	Peanut	0.03
291.6	Pyridate	Sum of pyridate, 6-chloro-3-phenyl-pyridazine-4-ol and conjugates of 6-chloro-3-phenyl-pyridazine-4-ol, expressed as pyridate	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.03
291.7	Pyridate	Sum of pyridate, 6-chloro-3-phenyl-pyridazine-4-ol and conjugates of 6-chloro-3-phenyl-pyridazine-4-ol, expressed as pyridate	Collard	0.03

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

939

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
291.8	Pyridate	Sum of pyridate, 6-chloro-3-phenyl-pyridazine-4-ol and conjugates of 6-chloro-3-phenyl-pyridazine-4-ol, expressed as pyridate	Chick-pea (young pods)	0.1
292.1	Pyrimethanil	Pyrimethanil	Dried grapes (Currants, Raisins and Sultanas)	5
292.2	Pyrimethanil	Pyrimethanil	Blueberries	5
292.3	Pyrimethanil	Pyrimethanil	Grapes	4
292.4	Pyrimethanil	Pyrimethanil	Strawberry	3
292.5	Pyrimethanil	Pyrimethanil	Citrus fruits	10
292.6	Pyrimethanil	Pyrimethanil	Banana	0.1
292.7	Pyrimethanil	Pyrimethanil	Pome fruits	14

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
292.8	Pyrimethanil	Pyrimethanil	Stone fruits, except apricot, nectarine, peach and plums (including prunes)	10
292.9	Pyrimethanil	Pyrimethanil	Plums (including Prunes)	2
292.10	Pyrimethanil	Pyrimethanil	Apricot	3
292.11	Pyrimethanil	Pyrimethanil	Nectarine	4
292.12	Pyrimethanil	Pyrimethanil	Peach	4
292.13	Pyrimethanil	Sum of pyrimethanil and 2-(4-hydroxyanilino)-4,6-dimethylpyrimidine, expressed as pyrimethanil	Meat (from mammals other than marine mammals)	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
292.14	Pyrimethanil	Sum of pyrimethanil and 2-(4-hydroxyanilino)-4,6-dimethylpyrimidine, expressed as pyrimethanil	Edible offal (Mammalian)	0.1
292.15	Pyrimethanil	Pyrimethanil	Citrus oil	150
292.16	Pyrimethanil	Pyrimethanil	Almonds	0.2
292.17	Pyrimethanil	Pyrimethanil	Pistachio nut	0.2
292.18	Pyrimethanil	Pyrimethanil	Onion, Bulb	0.2
292.19	Pyrimethanil	Pyrimethanil	Spring onion	3
292.20	Pyrimethanil	Pyrimethanil	Field pea (dry)	0.5
292.21	Pyrimethanil	Pyrimethanil	Lettuce, Head	3
292.22	Pyrimethanil	Pyrimethanil	Tomato	0.7
292.23	Pyrimethanil	Pyrimethanil	Common bean (young pods and/or succulent seeds)	3

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

942

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
292.24	Pyrimethanil	Pyrimethanil	Carrot	1
292.25	Pyrimethanil	Pyrimethanil	Potato	0.05
293.1	Pyriproxyfen	Pyriproxyfen	Rice hulls	5.5
293.2	Pyriproxyfen	Pyriproxyfen	Figs, dried or dried and candied	1
293.3	Pyriproxyfen	Pyriproxyfen	Tea, Green, Black	15
293.4	Pyriproxyfen	Pyriproxyfen	Bilberry, Red	1
293.5	Pyriproxyfen	Pyriproxyfen	Cranberry	1
293.6	Pyriproxyfen	Pyriproxyfen	Grapes	2.5
293.7	Pyriproxyfen	Pyriproxyfen	Juneberries	1
293.8	Pyriproxyfen	Pyriproxyfen	Strawberry	0.3
293.9	Pyriproxyfen	Pyriproxyfen	Loganberry	0.3
293.10	Pyriproxyfen	Pyriproxyfen	Citrus fruits	0.5
293.11	Pyriproxyfen	Pyriproxyfen	Avocado	1

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

943

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
293.12	Pyriproxyfen	Pyriproxyfen	Banana	0.2
293.13	Pyriproxyfen	Pyriproxyfen	Canistel	1
293.14	Pyriproxyfen	Pyriproxyfen	Cherimoya	0.2
293.15	Pyriproxyfen	Pyriproxyfen	Custard apple	0.2
293.16	Pyriproxyfen	Pyriproxyfen	Feijoa	0.1
293.17	Pyriproxyfen	Pyriproxyfen	Guava	0.1
293.18	Pyriproxyfen	Pyriproxyfen	Ilama	0.2
293.19	Pyriproxyfen	Pyriproxyfen	Litchi	0.3
293.20	Pyriproxyfen	Pyriproxyfen	Mango	1
293.21	Pyriproxyfen	Pyriproxyfen	Papaya	1
293.22	Pyriproxyfen	Pyriproxyfen	Passion fruit	0.1
293.23	Pyriproxyfen	Pyriproxyfen	Pineapple	0.3
293.24	Pyriproxyfen	Pyriproxyfen	Pomegranate	0.2
293.25	Pyriproxyfen	Pyriproxyfen	Pulasan	0.3
293.26	Pyriproxyfen	Pyriproxyfen	Rambutan	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
293.27	Pyriproxyfen	Pyriproxyfen	Sapodilla	1
293.28	Pyriproxyfen	Pyriproxyfen	Sapote, Black	1
293.29	Pyriproxyfen	Pyriproxyfen	Sapote, Mammei	1
293.30	Pyriproxyfen	Pyriproxyfen	Sapote, White	0.3
293.31	Pyriproxyfen	Pyriproxyfen	Soursop	0.2
293.32	Pyriproxyfen	Pyriproxyfen	Spanish lime	0.3
293.33	Pyriproxyfen	Pyriproxyfen	Star apple	1
293.34	Pyriproxyfen	Pyriproxyfen	Sugar apple	0.2
293.35	Pyriproxyfen	Pyriproxyfen	Pome fruits	0.2
293.36	Pyriproxyfen	Pyriproxyfen	Stone fruits	1
293.37	Pyriproxyfen	Pyriproxyfen	Barbados cherry	0.1
293.38	Pyriproxyfen	Pyriproxyfen	Carambola	0.1
293.39	Pyriproxyfen	Pyriproxyfen	Date	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
293.40	Pyriproxyfen	Pyriproxyfen	Fig	0.3
293.41	Pyriproxyfen	Pyriproxyfen	Jaboticaba	0.1
293.42	Pyriproxyfen	Pyriproxyfen	Olives	1
293.43	Pyriproxyfen	Pyriproxyfen	Cereal grains	1.1
293.44	Pyriproxyfen	Pyriproxyfen	Sugar cane	1.1
293.45	Pyriproxyfen	Pyriproxyfen	Cattle meat (Fat)	0.01
293.46	Pyriproxyfen	Pyriproxyfen	Goat meat (Fat)	0.01
293.47	Pyriproxyfen	Pyriproxyfen	Edible offal of cattle	0.01
293.48	Pyriproxyfen	Pyriproxyfen	Edible offal of goat	0.01
293.49	Pyriproxyfen	Pyriproxyfen	Olive oil, virgin	2
293.50	Pyriproxyfen	Pyriproxyfen	Cotton seed oil, crude	0.01
293.51	Pyriproxyfen	Pyriproxyfen	Citrus oil	20

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

946

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
293.52	Pyriproxyfen	Pyriproxyfen	Cotton seed oil, edible	0.01
293.53	Pyriproxyfen	Pyriproxyfen	Cacao beans	0.02
293.54	Pyriproxyfen	Pyriproxyfen	Coffee beans	0.02
293.55	Pyriproxyfen	Pyriproxyfen	Cotton seed	0.05
293.56	Pyriproxyfen	Pyriproxyfen	Peanut	0.2
293.57	Pyriproxyfen	Pyriproxyfen	Safflower seed	0.2
293.58	Pyriproxyfen	Pyriproxyfen	Sesame seed	0.02
293.59	Pyriproxyfen	Pyriproxyfen	Tree nuts	0.02
293.60	Pyriproxyfen	Pyriproxyfen	Bulb vegetables, except bulb onion	0.7
293.61	Pyriproxyfen	Pyriproxyfen	Onion, Bulb	0.15

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

947

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
293.62	Pyriproxyfen	Pyriproxyfen	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.7
293.63	Pyriproxyfen	Pyriproxyfen	Fruiting vegetables, Cucurbits	0.1
293.64	Pyriproxyfen	Pyriproxyfen	Pulses	0.2
293.65	Pyriproxyfen	Pyriproxyfen	Leafy vegetables, except brassica leafy vegetables and watercress	3
293.66	Pyriproxyfen	Pyriproxyfen	Brassica leafy vegetables	2



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
293.67	Pyriproxyfen	Pyriproxyfen	Watercress	2
293.68	Pyriproxyfen	Pyriproxyfen	"Fruiting vegetables, other than Cucurbits", except okra	0.2
293.69	Pyriproxyfen	Pyriproxyfen	Okra	0.02
293.70	Pyriproxyfen	Pyriproxyfen	Legume vegetables	0.2
293.71	Pyriproxyfen	Pyriproxyfen	Root and tuber vegetables	0.15
293.72	Pyriproxyfen	Pyriproxyfen	Artichoke, Globe	2
293.73	Pyriproxyfen	Pyriproxyfen	Asparagus	2
294.1	Pyriproxyfen	Pyriproxyfen	Cotton seed	0.02
295.1	Pyriproxyfen	Pyriproxyfen	Wheat	0.01
296.1	Quinalphos	Quinalphos	Rice, polished	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
296.2	Quinalphos	Quinalphos	Mandarins (including Mandarin-like hybrids)	0.5
297.1	Quinclorac	Quinclorac	Wheat germ	0.75
297.2	Quinclorac	Quinclorac	Barley	2
297.3	Quinclorac	Quinclorac	Rice	5
297.4	Quinclorac	Quinclorac	Sorghum	6
297.5	Quinclorac	Quinclorac	Wheat	0.5
297.6	Quinclorac	Quinclorac	Cattle fat	0.7
297.7	Quinclorac	Quinclorac	Goat fat	0.7
297.8	Quinclorac	Quinclorac	Horse fat	0.7
297.9	Quinclorac	Quinclorac	Pig fat	0.7
297.10	Quinclorac	Quinclorac	Sheep fat	0.7
297.11	Quinclorac	Quinclorac	Milks	0.05
297.12	Quinclorac	Quinclorac	Cattle meat	0.05

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

950

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
297.13	Quinclorac	Quinclorac	Goat meat	0.05
297.14	Quinclorac	Quinclorac	Horse meat	0.05
297.15	Quinclorac	Quinclorac	Pig meat	0.05
297.16	Quinclorac	Quinclorac	Sheep meat	0.05
297.17	Quinclorac	Quinclorac	Edible offal of cattle	1.5
297.18	Quinclorac	Quinclorac	Edible offal of goat	1.5
297.19	Quinclorac	Quinclorac	Edible offal of horse	1.5
297.20	Quinclorac	Quinclorac	Edible offal of pig	1.5
297.21	Quinclorac	Quinclorac	Edible offal of sheep	1.5
297.22	Quinclorac	Quinclorac	Eggs	0.05
297.23	Quinclorac	Quinclorac	Poultry fats	0.05

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

951

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
297.24	Quinclorac	Quinclorac	Poultry meat	0.05
297.25	Quinclorac	Quinclorac	Edible offal of poultry	0.1
298.1	Quinoxifen	Quinoxifen	Hops, dry	1
298.2	Quinoxifen	Quinoxifen	Grapes	2
298.3	Quinoxifen	Quinoxifen	Strawberry	1
298.4	Quinoxifen	Quinoxifen	Currant, Black	1
298.5	Quinoxifen	Quinoxifen	Milk fats	0.2
298.6	Quinoxifen	Quinoxifen	Stone fruits	0.7
298.7	Quinoxifen	Quinoxifen	Barley	0.01
298.8	Quinoxifen	Quinoxifen	Wheat	0.01
298.9	Quinoxifen	Quinoxifen	Peppers, Chili (dry)	10
298.10	Quinoxifen	Quinoxifen	Milks	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
298.11	Quinoxifen	Quinoxifen	Meat (from mammals other than marine mammals) (Fat)	0.2
298.12	Quinoxifen	Quinoxifen	Edible offal (Mammalian)	0.01
298.13	Quinoxifen	Quinoxifen	Eggs	0.01
298.14	Quinoxifen	Quinoxifen	Poultry meat (Fat)	0.02
298.15	Quinoxifen	Quinoxifen	Edible offal of poultry	0.01
298.16	Quinoxifen	Quinoxifen	Melons, except watermelon	0.1
298.17	Quinoxifen	Quinoxifen	Winter squash	0.2
298.18	Quinoxifen	Quinoxifen	Lettuce, Head	8
298.19	Quinoxifen	Quinoxifen	Lettuce, Leaf	20

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
298.20	Quinoxifen	Quinoxifen	Peppers (including Peppers, Chili and Peppers, Sweet)	1
298.21	Quinoxifen	Quinoxifen	Sugar beet	0.03
298.22	Quinoxifen	Quinoxifen	Artichoke, Globe	1.4
299.1	Quintozene	Quintozene	Barley	0.01
299.2	Quintozene	Quintozene	Maize	0.01
299.3	Quintozene	Quintozene	Wheat	0.01
299.4	Quintozene	Quintozene	Spices, Seeds	0.1
299.5	Quintozene	Quintozene	Spices, Fruits and Berries	0.02
299.6	Quintozene	Quintozene	Spices, Roots and Rhizomes	2

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

954

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
299.7	Quintozene	Quintozene	Peppers, Chili (dry)	0.1
299.8	Quintozene	Quintozene	Cotton seed oil, edible	0.01
299.9	Quintozene	Quintozene	Eggs	0.03
299.10	Quintozene	Quintozene	Chicken meat (Fat)	0.1
299.11	Quintozene	Quintozene	Edible offal of chicken	0.1
299.12	Quintozene	Quintozene	Cotton seed	0.01
299.13	Quintozene	Quintozene	Peanut	0.5
299.14	Quintozene	Quintozene	Cabbages, Head	0.1
299.15	Quintozene	Quintozene	Broccoli	0.05
299.16	Quintozene	Quintozene	Watermelon	0.02
299.17	Quintozene	Quintozene	Peas (dry)	0.01

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

955

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
299.18	Quintozene	Quintozene	Common bean (dry)	0.02
299.19	Quintozene	Quintozene	Soya bean (dry)	0.01
299.20	Quintozene	Quintozene	Fruiting vegetables, other than Cucurbits	0.1
299.21	Quintozene	Quintozene	Common bean (young pods and/or succulent seeds)	0.1
299.22	Quintozene	Quintozene	Potato	0.2
299.23	Quintozene	Quintozene	Sugar beet	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
300.1	Quizalofop ethyl	Sum of quizalofop-p ethyl ester [ethyl(R)-2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]propanoate], quizalofop-p [R-(2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]) propanoic acid] and the S enantiomers of both the ester and the acid, expressed as quizalofop-p ethyl ester	Sugar beet molasses	0.2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
300.2	Quizalofop ethyl	Sum of quizalofop-p ethyl ester [ethyl(R)-2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]propanoate], quizalofop-p [R-(2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]) propanoic acid] and the S enantiomers of both the ester and the acid, expressed as quizalofop-p ethyl ester	Pineapple	0.1
300.3	Quizalofop ethyl	Sum of quizalofop, quizalofop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl)-oxy]phenoxy]propanoate), expressed as quizalofop ethyl	Milk fats	0.25

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.4	Quizalofop ethyl	Sum of quizalofop-p ethyl ester [ethyl(R)-2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]propionate], quizalofop-p [R-(2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]) propanoic acid] and the S enantiomers of both the ester and the acid, expressed as quizalofop-p ethyl ester	Barley	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.5	Quizalofop ethyl	Sum of quizalofop-p ethyl ester [ethyl(R)-2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]propionate], quizalofop-p [R-(2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]) propanoic acid] and the S enantiomers of both the ester and the acid, expressed as quizalofop-p ethyl ester	Wheat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.6	Quizalofop ethyl	Sum of quizalofop-p ethyl ester [ethyl(R)-2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]propanoate], quizalofop-p [R-(2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]) propanoic acid] and the S enantiomers of both the ester and the acid, expressed as quizalofop-p ethyl ester	Peppermint	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.7	Quizalofop ethyl	Sum of quizalofop-p ethyl ester [ethyl(R)-2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]propanoate], quizalofop-p [R-(2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]) propanoic acid] and the S enantiomers of both the ester and the acid, expressed as quizalofop-p ethyl ester	Spearmint	2
300.8	Quizalofop ethyl	Sum of quizalofop, quizalofop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Cattle fat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.9	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Goat fat	0.05
300.10	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Horse fat	0.05
300.11	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Pig fat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.12	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Sheep fat	0.05
300.13	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Milks	0.1
300.14	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Cattle meat	0.02



## Pesticide Residues in Food Regulation

Schedule 1—Part 1

964

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.15	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Goat meat	0.02
300.16	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Horse meat	0.02
300.17	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Pig meat	0.02

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

965

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.18	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Sheep meat	0.02
300.19	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Edible offal of cattle	0.05
300.20	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Edible offal of goat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.21	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Edible offal of horse	0.05
300.22	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Edible offal of pig	0.05
300.23	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Edible offal of sheep	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.24	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Eggs	0.02
300.25	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Poultry fats	0.05
300.26	Quizalofop ethyl	Sum of quizalofop, quizalop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Poultry meat	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.27	Quizalofop ethyl	Sum of quizalofop, quizalofop-ethyl and quizalofop-methyl (methyl 2-[4-(6-chloroquinoxalin-2-yl-oxy)phenoxy]propanoate), expressed as quizalofop ethyl	Edible offal of poultry	0.05
300.28	Quizalofop ethyl	Sum of quizalofop-p ethyl ester [ethyl(R)-2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]propionate], quizalofop-p [R-(2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]) propanoic acid] and the S enantiomers of both the ester and the acid, expressed as quizalofop-p ethyl ester	Cotton seed	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.29	Quizalofop ethyl	Sum of quizalofop-p ethyl ester [ethyl(R)-2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]propionate], quizalofop-p [R-(2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]) propanoic acid] and the S enantiomers of both the ester and the acid, expressed as quizalofop-p ethyl ester	Flaxseed	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.30	Quizalofop ethyl	Sum of quizalofop-p ethyl ester [ethyl(R)-2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]propionate], quizalofop-p [R-(2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]) propanoic acid] and the S enantiomers of both the ester and the acid, expressed as quizalofop-p ethyl ester	Sunflower seed	1.9

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
300.31	Quizalofop ethyl	Sum of quizalofop-p ethyl ester [ethyl(R)-2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]propionate], quizalofop-p [R-(2-[4-((6-chloroquinoxalin-2-yl)oxy)phenoxy]) propanoic acid] and the S enantiomers of both the ester and the acid, expressed as quizalofop-p ethyl ester	Lentil (dry)	0.05
301.1	Rimsulfuron	Rimsulfuron	Grapes	0.01
301.2	Rimsulfuron	Rimsulfuron	Citrus fruits	0.01
301.3	Rimsulfuron	Rimsulfuron	Pome fruits	0.01
301.4	Rimsulfuron	Rimsulfuron	Stone fruits	0.01
301.5	Rimsulfuron	Rimsulfuron	Maize	0.1
301.6	Rimsulfuron	Rimsulfuron	Tree nuts	0.01

## Pesticide Residues in Food Regulation

972

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
301.7	Rimsulfuron	Rimsulfuron	Tomato	0.05
301.8	Rimsulfuron	Rimsulfuron	Soya bean (succulent seeds)	0.01
301.9	Rimsulfuron	Rimsulfuron	Potato	0.1
302.1	Saflufenacil	Saflufenacil	Cattle fat	0.01
302.2	Saflufenacil	Saflufenacil	Goat fat	0.01
302.3	Saflufenacil	Saflufenacil	Horse fat	0.01
302.4	Saflufenacil	Saflufenacil	Pig fat	0.01
302.5	Saflufenacil	Saflufenacil	Sheep fat	0.01
302.6	Saflufenacil	Saflufenacil	Milks	0.01
302.7	Saflufenacil	Saflufenacil	Cattle meat	0.01
302.8	Saflufenacil	Saflufenacil	Goat meat	0.01
302.9	Saflufenacil	Saflufenacil	Horse meat	0.01
302.10	Saflufenacil	Saflufenacil	Pig meat	0.01

## Pesticide Residues in Food Regulation

973

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
302.11	Saflufenacil	Saflufenacil	Sheep meat	0.01
302.12	Saflufenacil	Saflufenacil	Cattle liver	0.8
302.13	Saflufenacil	Saflufenacil	Pig liver	0.8
302.14	Saflufenacil	Saflufenacil	Sheep liver	0.8
302.15	Saflufenacil	Saflufenacil	Horse liver	0.8
303.1	Semiamitraz	Semiamitraz	Mandarins (including Mandarin-like hybrids)	0.5
303.2	Semiamitraz	Semiamitraz	Pome fruits	0.5
304.1	Sethoxydim	Sethoxydim	Peanut	2
304.2	Sethoxydim	Sethoxydim	Soya bean (dry)	2
305.1	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Blueberries	0.2

Pesticide Residues in Food Regulation

Schedule 1—Part 1

974

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
305.2	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Blackberries	0.2
305.3	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Cranberry	0.25
305.4	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Grapes	0.2
305.5	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Strawberry	0.25

Pesticide Residues in Food Regulation

Schedule 1—Part 1

975

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
305.6	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Loganberry	0.2
305.7	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Oranges, Sweet, Sour	0.25
305.8	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Grapefruit	0.25
305.9	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Lemon	0.25

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
305.10	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Avocado	0.2
305.11	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Apple	0.2
305.12	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Pear	0.25
305.13	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Cherries	0.25

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
305.14	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Plums (including Prunes)	0.2
305.15	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Peach	0.2
305.16	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Olives	0.2
305.17	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Maize	0.2

Pesticide Residues in Food Regulation

Schedule 1—Part 1

978

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
305.18	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Popcorn	0.2
305.19	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Milks	0.03
305.20	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Cattle meat	0.03
305.21	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Goat meat	0.03

Pesticide Residues in Food Regulation

Schedule 1—Part 1

979

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
305.22	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Horse meat	0.03
305.23	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Sheep meat	0.03
305.24	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Edible offal of cattle	0.03
305.25	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Edible offal of goat	0.03



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
305.26	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Edible offal of horse	0.03
305.27	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Edible offal of sheep	0.03
305.28	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Eggs	0.03
305.29	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Almonds	0.25

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
305.30	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Hazelnuts	0.2
305.31	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Macadamia nuts	0.25
305.32	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Pecan	0.2
305.33	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Walnuts	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
305.34	Simazine	Sum of simazine, 2-amino-4-chloro-6-ethylamino-s-triazine and 2,4-diamino-6-chloro-s-triazine	Sweet corn (corn-on-the-cob)	0.25
306.1	Spinetoram	Spinetoram	Oranges, Sweet, Sour	0.07
306.2	Spinetoram	Spinetoram	Milk fats	0.1
306.3	Spinetoram	Spinetoram	Pome fruits	0.05
306.4	Spinetoram	Spinetoram	Milks	0.01
306.5	Spinetoram	Spinetoram	Meat (from mammals other than marine mammals) (Fat)	0.2
306.6	Spinetoram	Spinetoram	Edible offal (Mammalian)	0.01
306.7	Spinetoram	Spinetoram	Tree nuts	0.01
306.8	Spinetoram	Spinetoram	Lettuce, Head	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
306.9	Spinetoram	Spinetoram	Lettuce, Leaf	10
306.10	Spinetoram	Spinetoram	Tomato	0.06
306.11	Spinetoram	Spinetoram	Sugar beet	0.01
307.1	Spinosad	Sum of spinosyn A and spinosyn D	Wheat bran, unprocessed	2
307.2	Spinosad	Sum of spinosyn A and spinosyn D	Rice hulls	4
307.3	Spinosad	Sum of spinosyn A and spinosyn D	Dried grapes (Currants, Raisins and Sultanas)	1
307.4	Spinosad	Sum of spinosyn A and spinosyn D	Dried herbs	22
307.5	Spinosad	Sum of spinosyn A and spinosyn D	Sugar beet molasses	0.75
307.6	Spinosad	Sum of spinosyn A and spinosyn D	Blueberries	0.7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.7	Spinosad	Sum of spinosyn A and spinosyn D	Bilberry, Red	0.25
307.8	Spinosad	Sum of spinosyn A and spinosyn D	Cranberry	0.01
307.9	Spinosad	Sum of spinosyn A and spinosyn D	Grapes	0.5
307.10	Spinosad	Sum of spinosyn A and spinosyn D	Juneberries	0.25
307.11	Spinosad	Sum of spinosyn A and spinosyn D	Strawberry	1
307.12	Spinosad	Sum of spinosyn A and spinosyn D	Citrus fruits	0.3
307.13	Spinosad	Sum of spinosyn A and spinosyn D	Avocado	0.3
307.14	Spinosad	Sum of spinosyn A and spinosyn D	Banana	0.25

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.15	Spinosad	Sum of spinosyn A and spinosyn D	Canistel	0.3
307.16	Spinosad	Sum of spinosyn A and spinosyn D	Cherimoya	0.3
307.17	Spinosad	Sum of spinosyn A and spinosyn D	Custard apple	0.3
307.18	Spinosad	Sum of spinosyn A and spinosyn D	Feijoa	0.05
307.19	Spinosad	Sum of spinosyn A and spinosyn D	Guava	0.3
307.20	Spinosad	Sum of spinosyn A and spinosyn D	Ilama	0.3
307.21	Spinosad	Sum of spinosyn A and spinosyn D	Java apple	0.3
307.22	Spinosad	Sum of spinosyn A and spinosyn D	Kiwifruit	0.05

## Pesticide Residues in Food Regulation

986

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.23	Spinosad	Sum of spinosyn A and spinosyn D	Longan	0.3
307.24	Spinosad	Sum of spinosyn A and spinosyn D	Litchi	0.3
307.25	Spinosad	Sum of spinosyn A and spinosyn D	Mango	0.3
307.26	Spinosad	Sum of spinosyn A and spinosyn D	Papaya	0.3
307.27	Spinosad	Sum of spinosyn A and spinosyn D	Passion fruit	0.3
307.28	Spinosad	Sum of spinosyn A and spinosyn D	Pineapple	0.02
307.29	Spinosad	Sum of spinosyn A and spinosyn D	Pomegranate	0.3
307.30	Spinosad	Sum of spinosyn A and spinosyn D	Pulasan	0.3

## Pesticide Residues in Food Regulation

987

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.31	Spinosad	Sum of spinosyn A and spinosyn D	Rambutan	0.3
307.32	Spinosad	Sum of spinosyn A and spinosyn D	Sapodilla	0.3
307.33	Spinosad	Sum of spinosyn A and spinosyn D	Sapote, Black	0.3
307.34	Spinosad	Sum of spinosyn A and spinosyn D	Sapote, Mammey	0.3
307.35	Spinosad	Sum of spinosyn A and spinosyn D	Sapote, White	0.3
307.36	Spinosad	Sum of spinosyn A and spinosyn D	Soursop	0.3
307.37	Spinosad	Sum of spinosyn A and spinosyn D	Spanish lime	0.3
307.38	Spinosad	Sum of spinosyn A and spinosyn D	Star apple	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.39	Spinosad	Sum of spinosyn A and spinosyn D	Sugar apple	0.3
307.40	Spinosad	Sum of spinosyn A and spinosyn D	Milk fats, except cattle milk fat	85
307.41	Spinosad	Sum of spinosyn A and spinosyn D	Cattle milk fat	5
307.42	Spinosad	Sum of spinosyn A and spinosyn D	Pome fruits, except pear	0.2
307.43	Spinosad	Sum of spinosyn A and spinosyn D	Pear	0.5
307.44	Spinosad	Sum of spinosyn A and spinosyn D	Stone fruits	1
307.45	Spinosad	Sum of spinosyn A and spinosyn D	Barbados cherry	1.5
307.46	Spinosad	Sum of spinosyn A and spinosyn D	Carambola	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.47	Spinosad	Sum of spinosyn A and spinosyn D	Date	0.1
307.48	Spinosad	Sum of spinosyn A and spinosyn D	Fig	0.1
307.49	Spinosad	Sum of spinosyn A and spinosyn D	Jaboticaba	0.3
307.50	Spinosad	Sum of spinosyn A and spinosyn D	Cereal grains	1
307.51	Spinosad	Sum of spinosyn A and spinosyn D	Herbs, except peppermint and spearmint	3
307.52	Spinosad	Sum of spinosyn A and spinosyn D	Peppermint	3.5
307.53	Spinosad	Sum of spinosyn A and spinosyn D	Spearmint	3.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.54	Spinosad	Sum of spinosyn A and spinosyn D	Spices, except "black and white peppers"	1.7
307.55	Spinosad	Sum of spinosyn A and spinosyn D	Peppers, Chili (dry)	3
307.56	Spinosad	Sum of spinosyn A and spinosyn D	Cattle fat	50
307.57	Spinosad	Sum of spinosyn A and spinosyn D	Goat fat	50
307.58	Spinosad	Sum of spinosyn A and spinosyn D	Horse fat	50
307.59	Spinosad	Sum of spinosyn A and spinosyn D	Pig fat	5
307.60	Spinosad	Sum of spinosyn A and spinosyn D	Sheep fat	50
307.61	Spinosad	Sum of spinosyn A and spinosyn D	Milks, except cattle milk	7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.62	Spinosad	Sum of spinosyn A and spinosyn D	Cattle milk	1
307.63	Spinosad	Sum of spinosyn A and spinosyn D	Meat (from mammals other than marine mammals) (Fat) except cattle meat (Fat)	2
307.64	Spinosad	Sum of spinosyn A and spinosyn D	Cattle meat (Fat)	3
307.65	Spinosad	Sum of spinosyn A and spinosyn D	Edible offal (Mammalian), except cattle kidney and cattle liver	0.5
307.66	Spinosad	Sum of spinosyn A and spinosyn D	Cattle kidney	1

Pesticide Residues in Food Regulation

Schedule 1—Part 1

992

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.67	Spinosad	Sum of spinosyn A and spinosyn D	Cattle liver	2
307.68	Spinosad	Sum of spinosyn A and spinosyn D	Cotton seed oil, crude	0.01
307.69	Spinosad	Sum of spinosyn A and spinosyn D	Citrus oil	3
307.70	Spinosad	Sum of spinosyn A and spinosyn D	Cotton seed oil, edible	0.01
307.71	Spinosad	Sum of spinosyn A and spinosyn D	Eggs	0.01
307.72	Spinosad	Sum of spinosyn A and spinosyn D	Poultry fats	1.3
307.73	Spinosad	Sum of spinosyn A and spinosyn D	Poultry meat (Fat)	0.2
307.74	Spinosad	Sum of spinosyn A and spinosyn D	Edible offal of poultry	0.2

Pesticide Residues in Food Regulation

Schedule 1—Part 1

993

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.75	Spinosad	Sum of spinosyn A and spinosyn D	Cotton seed	0.01
307.76	Spinosad	Sum of spinosyn A and spinosyn D	Peanut	0.02
307.77	Spinosad	Sum of spinosyn A and spinosyn D	Tree nuts, except almonds	0.1
307.78	Spinosad	Sum of spinosyn A and spinosyn D	Almonds	0.01
307.79	Spinosad	Sum of spinosyn A and spinosyn D	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
307.80	Spinosad	Sum of spinosyn A and spinosyn D	Fruiting vegetables, Cucurbits	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.81	Spinosad	Sum of spinosyn A and spinosyn D	Pulses	0.02
307.82	Spinosad	Sum of spinosyn A and spinosyn D	Leafy vegetables	10
307.83	Spinosad	Sum of spinosyn A and spinosyn D	"Fruiting vegetables, other than Cucurbits", except peppers, sweet corn (corn-on-the-cob) and tomato	0.4
307.84	Spinosad	Sum of spinosyn A and spinosyn D	Peppers (including Peppers, Chili and Peppers, Sweet)	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.85	Spinosad	Sum of spinosyn A and spinosyn D	Sweet corn (corn-on-the-cob)	0.01
307.86	Spinosad	Sum of spinosyn A and spinosyn D	Tomato	0.3
307.87	Spinosad	Sum of spinosyn A and spinosyn D	Legume vegetables	0.3
307.88	Spinosad	Sum of spinosyn A and spinosyn D	Root and tuber vegetables, except potato	0.1
307.89	Spinosad	Sum of spinosyn A and spinosyn D	Potato	0.02
307.90	Spinosad	Sum of spinosyn A and spinosyn D	Artichoke, Globe	0.3
307.91	Spinosad	Sum of spinosyn A and spinosyn D	Asparagus	0.2



## Pesticide Residues in Food Regulation

Schedule 1—Part 1

996

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
307.92	Spinosad	Sum of spinosyn A and spinosyn D	Celery	2
308.1	Spirodiclofen	Spirodiclofen	Dried grapes (Currants, Raisins and Sultanas)	0.3
308.2	Spirodiclofen	Spirodiclofen	Hops, dry	40
308.3	Spirodiclofen	Spirodiclofen	Currants, Black, Red, White	1
308.4	Spirodiclofen	Spirodiclofen	Grapes	0.2
308.5	Spirodiclofen	Spirodiclofen	Strawberry	2
308.6	Spirodiclofen	Spirodiclofen	Citrus fruits	0.4
308.7	Spirodiclofen	Spirodiclofen	Avocado	1
308.8	Spirodiclofen	Spirodiclofen	Canistel	1
308.9	Spirodiclofen	Spirodiclofen	Mango	1

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

997

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
308.10	Spirodiclofen	Spirodiclofen	Papaya	0.03
308.11	Spirodiclofen	Spirodiclofen	Sapodilla	1
308.12	Spirodiclofen	Spirodiclofen	Sapote, Black	1
308.13	Spirodiclofen	Spirodiclofen	Sapote, Mammei	1
308.14	Spirodiclofen	Spirodiclofen	Star apple	1
308.15	Spirodiclofen	Spirodiclofen	Pome fruits	0.8
308.16	Spirodiclofen	Spirodiclofen	Stone fruits	2
308.17	Spirodiclofen	Spirodiclofen	Citrus juice	0.6
308.18	Spirodiclofen	Spirodiclofen	Grape juice	2.4
308.19	Spirodiclofen	Spirodiclofen	Milks	0.004
308.20	Spirodiclofen	Spirodiclofen	Meat (from mammals other than marine mammals) (Fat)	0.01

## Pesticide Residues in Food Regulation

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
308.21	Spirodiclofen	Spirodiclofen	Edible offal (Mammalian)	0.05
308.22	Spirodiclofen	Spirodiclofen	Citrus oil	20
308.23	Spirodiclofen	Spirodiclofen	Coffee beans	0.03
308.24	Spirodiclofen	Spirodiclofen	Tree nuts	0.05
308.25	Spirodiclofen	Spirodiclofen	Cucumber	0.07
308.26	Spirodiclofen	Spirodiclofen	Gherkin	0.07
308.27	Spirodiclofen	Spirodiclofen	Peppers, Sweet (including pimento or pimiento)	0.2
308.28	Spirodiclofen	Spirodiclofen	Tomato	0.5
309.1	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Tea, Green, Black	30

## Pesticide Residues in Food Regulation

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
309.2	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Cranberry	2
309.3	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Milk fats	0.25
309.4	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Apple	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
309.5	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Pear	2
309.6	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Peach	0.2
309.7	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Maize	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
309.8	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Popcorn	0.02
309.9	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Peppermint	45
309.10	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Spearmint	45

## Pesticide Residues in Food Regulation

1002

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
309.11	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Cotton seed	0.5
309.12	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
309.13	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Fruiting vegetables, Cucurbits	0.1

## Pesticide Residues in Food Regulation

1003

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
309.14	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Beans (dry)	0.02
309.15	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Peas (dry)	0.2
309.16	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Brassica leafy vegetables	12

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

1004

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
309.17	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	"Fruiting vegetables, other than Cucurbits", except sweet corn (corn-on-the-cob)	0.45
309.18	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Sweet corn (corn-on-the-cob)	0.02
309.19	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Potato	0.02

## Pesticide Residues in Food Regulation

Schedule 1—Part 1

1005

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
309.20	Spiromesifen	Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen	Tomato paste	0.8
310.1	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Prunes	5
310.2	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Dried grapes (Currants, Raisins and Sultanas)	4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
310.3	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Hops, dry	15
310.4	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Grapes	2
310.5	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Citrus fruits	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
310.6	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Pome fruits	0.7
310.7	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Stone fruits	3
310.8	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Peppers, Chili (dry)	15
310.9	Spirotetramat	3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Milks	0.005

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
310.10	Spirotetramat	3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Meat (from mammals other than marine mammals)	0.01
310.11	Spirotetramat	3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Edible offal (Mammalian)	0.03
310.12	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Tree nuts	0.5
310.13	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Cabbages, Head	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
310.14	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Flowerhead brassicas (includes Broccoli, Chinese Broccoli and Cauliflower)	1
310.15	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Fruiting vegetables, Cucurbits	0.2
310.16	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Leafy vegetables	7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
310.17	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	"Fruiting vegetables, other than Cucurbits", except chili pepper, mushrooms, sweet corn (corn-on-the-cob) and sweet corn (kernels)	1
310.18	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Peppers, Chili	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
310.19	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Potato	5
310.20	Spirotetramat	Sum of spirotetramat and 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat	Celery	4
311.1	Spiroxamine	Spiroxamine	Hops, dry	50
311.2	Spiroxamine	Spiroxamine	Grapes	2
312.1	Streptomycin	Streptomycin	Pome fruits	0.25
312.2	Streptomycin	Streptomycin	Beans (dry)	0.5



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
312.3	Streptomycin	Streptomycin	Peppers (including Peppers, Chili and Peppers, Sweet)	0.25
312.4	Streptomycin	Streptomycin	Tomato	0.25
312.5	Streptomycin	Streptomycin	Potato	0.25
312.6	Streptomycin	Streptomycin	Celery	0.25
313.1	Sulfur dioxide	Sulfur dioxide (determined as (SO <sub>2</sub> ))	Grapes	50
314.1	Sulfuryl fluoride	Sulfuryl fluoride	Maize meal	0.1
314.2	Sulfuryl fluoride	Sulfuryl fluoride	Wheat germ	0.1
314.3	Sulfuryl fluoride	Sulfuryl fluoride	Wheat flour	0.1
314.4	Sulfuryl fluoride	Sulfuryl fluoride	Wheat wholemeal	0.1
314.5	Sulfuryl fluoride	Sulfuryl fluoride	Rye flour	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
314.6	Sulfuryl fluoride	Sulfuryl fluoride	Rye wholemeal	0.1
314.7	Sulfuryl fluoride	Sulfuryl fluoride	Maize flour	0.1
314.8	Sulfuryl fluoride	Sulfuryl fluoride	Rice, husked	0.1
314.9	Sulfuryl fluoride	Sulfuryl fluoride	Rice, polished	0.1
314.10	Sulfuryl fluoride	Sulfuryl fluoride	Rice hulls	0.1
314.11	Sulfuryl fluoride	Sulfuryl fluoride	Dried fruits	0.06
314.12	Sulfuryl fluoride	Sulfuryl fluoride	Dried herbs	0.5
314.13	Sulfuryl fluoride	Sulfuryl fluoride	Cereal grains	0.05
314.14	Sulfuryl fluoride	Sulfuryl fluoride	Herbs	0.5
314.15	Sulfuryl fluoride	Sulfuryl fluoride	Spices	0.5
314.16	Sulfuryl fluoride	Sulfuryl fluoride	Cattle meat, dried (including dried and smoked)	0.01
314.17	Sulfuryl fluoride	Sulfuryl fluoride	Pig meat	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
314.18	Sulfuryl fluoride	Sulfuryl fluoride	Coffee beans, roasted	1
314.19	Sulfuryl fluoride	Sulfuryl fluoride	Cotton seed	0.5
314.20	Sulfuryl fluoride	Sulfuryl fluoride	Peanut	0.5
314.21	Sulfuryl fluoride	Sulfuryl fluoride	Tree nuts, except almonds and macadamia nuts	3
314.22	Sulfuryl fluoride	Sulfuryl fluoride	Almonds	7
314.23	Sulfuryl fluoride	Sulfuryl fluoride	Macadamia nuts	7
314.24	Sulfuryl fluoride	Sulfuryl fluoride	Pulses	0.5
314.25	Sulfuryl fluoride	Sulfuryl fluoride	Legume vegetables	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
315.1	Tebuconazole	Tebuconazole	Dried grapes (Currants, Raisins and Sultanias)	3
315.2	Tebuconazole	Tebuconazole	Hops, dry	35
315.3	Tebuconazole	Tebuconazole	Tea, Green, Black	25
315.4	Tebuconazole	Tebuconazole	Grapes	2
315.5	Tebuconazole	Tebuconazole	Banana	0.05
315.6	Tebuconazole	Tebuconazole	Litchi	1.6
315.7	Tebuconazole	Tebuconazole	Mango	0.15
315.8	Tebuconazole	Tebuconazole	Pome fruits	0.5
315.9	Tebuconazole	Tebuconazole	Stone fruits, except cherries	1
315.10	Tebuconazole	Tebuconazole	Cherries	5

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

1016

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
315.11	Tebuconazole	Tebuconazole	Persimmon, Japanese	0.7
315.12	Tebuconazole	Tebuconazole	Barley	0.2
315.13	Tebuconazole	Tebuconazole	Maize	0.05
315.14	Tebuconazole	Tebuconazole	Oats	0.05
315.15	Tebuconazole	Tebuconazole	Rye	0.05
315.16	Tebuconazole	Tebuconazole	Wheat	0.05
315.17	Tebuconazole	Tebuconazole	Popcorn	0.05
315.18	Tebuconazole	Tebuconazole	Peppers, Chili (dry)	5
315.19	Tebuconazole	Tebuconazole	Milks	0.01
315.20	Tebuconazole	Tebuconazole	Meat (from mammals other than marine mammals)	0.05

## Pesticide Residues in Food Regulation

## Schedule 1—Part 1

1017

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
315.21	Tebuconazole	Tebuconazole	Edible offal of cattle	0.05
315.22	Tebuconazole	Tebuconazole	Sunflower seed oil, edible	0.2
315.23	Tebuconazole	Tebuconazole	Eggs	0.05
315.24	Tebuconazole	Tebuconazole	Poultry meat	0.05
315.25	Tebuconazole	Tebuconazole	Edible offal of poultry	0.05
315.26	Tebuconazole	Tebuconazole	Coffee beans	0.1
315.27	Tebuconazole	Tebuconazole	Coffee beans, roasted	0.5
315.28	Tebuconazole	Tebuconazole	Rape seed	0.5
315.29	Tebuconazole	Tebuconazole	Cotton seed	2
315.30	Tebuconazole	Tebuconazole	Peanut	0.05
315.31	Tebuconazole	Tebuconazole	Sunflower seed	0.05
315.32	Tebuconazole	Tebuconazole	Tree nuts	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
315.33	Tebuconazole	Tebuconazole	"Fruiting vegetables, Cucurbits", except cucumber and summer squash	0.09
315.34	Tebuconazole	Tebuconazole	Cucumber	0.2
315.35	Tebuconazole	Tebuconazole	Summer squash	0.02
315.36	Tebuconazole	Tebuconazole	Beans (dry)	0.1
315.37	Tebuconazole	Tebuconazole	Brassica leafy vegetables	2.5
315.38	Tebuconazole	Tebuconazole	Beefsteak plant	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
315.39	Tebuconazole	Tebuconazole	"Fruiting vegetables, other than Cucurbits", except okra, sweet peppers, sweet corn (corn-on-the-cob) and tomato	1.3
315.40	Tebuconazole	Tebuconazole	Okra	1.2
315.41	Tebuconazole	Tebuconazole	Peppers, Sweet (including pimento or pimienta)	0.5
315.42	Tebuconazole	Tebuconazole	Sweet corn (corn-on-the-cob)	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
315.43	Tebuconazole	Tebuconazole	Tomato	0.2
315.44	Tebuconazole	Tebuconazole	Soya bean (succulent seeds)	0.08
315.45	Tebuconazole	Tebuconazole	Swede	0.5
315.46	Tebuconazole	Tebuconazole	Beetroot	0.7
315.47	Tebuconazole	Tebuconazole	Asparagus	0.05
316.1	Tebufenozide	Tebufenozide	Rice, husked	0.1
316.2	Tebufenozide	Tebufenozide	Dried grapes (Currants, Raisins and Sultanas)	2
316.3	Tebufenozide	Tebufenozide	Tea, Green, Black	25

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
316.4	Tebufenozide	Tebufenozide	Berries and other small fruits, except cranberry, grapes and "red and black raspberries"	3
316.5	Tebufenozide	Tebufenozide	Cranberry	0.5
316.6	Tebufenozide	Tebufenozide	Grapes	2
316.7	Tebufenozide	Tebufenozide	Raspberries, Red, Black	2
316.8	Tebufenozide	Tebufenozide	Citrus fruits	2
316.9	Tebufenozide	Tebufenozide	Avocado	1
316.10	Tebufenozide	Tebufenozide	Kiwifruit	0.5
316.11	Tebufenozide	Tebufenozide	Litchi	2
316.12	Tebufenozide	Tebufenozide	Pome fruits, except pear	1

## Pesticide Residues in Food Regulation

1022

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
316.13	Tebufenozide	Tebufenozide	Pear	1.5
316.14	Tebufenozide	Tebufenozide	Nectarine	0.5
316.15	Tebufenozide	Tebufenozide	Peach	0.5
316.16	Tebufenozide	Tebufenozide	Sugar cane	1
316.17	Tebufenozide	Tebufenozide	Mints	20
316.18	Tebufenozide	Tebufenozide	Peppers, Chili (dry)	10
316.19	Tebufenozide	Tebufenozide	Milks	0.01
316.20	Tebufenozide	Tebufenozide	Meat (from mammals other than marine mammals) (Fat)	0.05
316.21	Tebufenozide	Tebufenozide	Edible offal (Mammalian)	0.02
316.22	Tebufenozide	Tebufenozide	Citrus oil	15
316.23	Tebufenozide	Tebufenozide	Eggs	0.02

## Pesticide Residues in Food Regulation

1023

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
316.24	Tebufenozide	Tebufenozide	Poultry meat	0.02
316.25	Tebufenozide	Tebufenozide	Rape seed	2
316.26	Tebufenozide	Tebufenozide	Cotton seed	1.5
316.27	Tebufenozide	Tebufenozide	Tree nuts, except almonds, pecan and walnuts	0.1
316.28	Tebufenozide	Tebufenozide	Almonds	0.05
316.29	Tebufenozide	Tebufenozide	Pecan	0.01
316.30	Tebufenozide	Tebufenozide	Walnuts	0.05
316.31	Tebufenozide	Tebufenozide	"Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas", except broccoli	5

## Pesticide Residues in Food Regulation

1024

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
316.32	Tebufenozide	Tebufenozide	Broccoli	0.5
316.33	Tebufenozide	Tebufenozide	Leafy vegetables	10
316.34	Tebufenozide	Tebufenozide	Fruiting vegetables, other than Cucurbits	1
316.35	Tebufenozide	Tebufenozide	Swede	0.3
317.1	Tecnazene	Tecnazene	Potato	20
318.1	Teflubenzuron	Teflubenzuron	Tea, Green, Black	20
318.2	Teflubenzuron	Teflubenzuron	Strawberry	1
318.3	Teflubenzuron	Teflubenzuron	Pome fruits	1
318.4	Teflubenzuron	Teflubenzuron	Plums (including Prunes)	0.1

## Pesticide Residues in Food Regulation

1025

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
318.5	Teflubenzuron	Teflubenzuron	Cabbages, Head	0.2
318.6	Teflubenzuron	Teflubenzuron	Brussels sprouts	0.5
318.7	Teflubenzuron	Teflubenzuron	Potato	0.05
319.1	Tefluthrin	Sum of tefluthrin and (Z)-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylic acid	Maize	0.06
319.2	Tefluthrin	Sum of tefluthrin and (Z)-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylic acid	Popcorn	0.06

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
319.3	Tefluthrin	Sum of tefluthrin and (Z)-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylic acid	Sweet corn (corn-on-the-cob)	0.06
320.1	Tembotrione	Sum of tembotrione and 2-[2-chloro-4-(methylsulfonyl)-3-[(2,2,2-trifluoroethoxy)methyl]benzoyl]-4,6-dihydroxy-1,3-cyclohexanedione, expressed as tembotrione	Maize	0.02
320.2	Tembotrione	Sum of tembotrione and 2-[2-chloro-4-(methylsulfonyl)-3-[(2,2,2-trifluoroethoxy)methyl]benzoyl]-4,6-dihydroxy-1,3-cyclohexanedione, expressed as tembotrione	Popcorn	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
320.3	Tembotrione	Sum of tembotrione and 2-[2-chloro-4-(methylsulfonyl)-3-[(2,2,2-trifluoroethoxy)methyl]benzoyl]-4,6-dihydroxy-1,3-cyclohexanedione, expressed as tembotrione	Cattle liver	0.4
320.4	Tembotrione	Sum of tembotrione and 2-[2-chloro-4-(methylsulfonyl)-3-[(2,2,2-trifluoroethoxy)methyl]benzoyl]-4,6-dihydroxy-1,3-cyclohexanedione, expressed as tembotrione	Sheep liver	0.4



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
320.5	Tembotrione	Sum of tembotrione and 2-[2-chloro-4-(methylsulfonyl)-3-[(2,2,2-trifluoroethoxy)methyl]benzoyl]-4,6-dihydroxy-1,3-cyclohexanedione, expressed as tembotrione	Horse liver	0.4
321.1	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Banana	0.05
321.2	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Maize	0.01
321.3	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Sorghum	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
321.4	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Popcorn	0.5
321.5	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Milks	0.01
321.6	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Meat (from mammals other than marine mammals)	0.05
321.7	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Edible offal (Mammalian)	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
321.8	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Eggs	0.01
321.9	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Poultry meat	0.05
321.10	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Edible offal of poultry	0.05
321.11	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Coffee beans	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
321.12	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Peanut	0.05
321.13	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Sweet corn (corn-on-the-cob)	0.01
321.14	Terbufos	Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos	Sugar beet	0.02
322.1	Tetraconazole	Tetraconazole	Sugar beet molasses	0.15
322.2	Tetraconazole	Tetraconazole	Grapes	0.5
322.3	Tetraconazole	Tetraconazole	Milk fats	0.25
322.4	Tetraconazole	Tetraconazole	Cattle fat	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
322.5	Tetraconazole	Tetraconazole	Goat fat	0.02
322.6	Tetraconazole	Tetraconazole	Horse fat	0.02
322.7	Tetraconazole	Tetraconazole	Pig fat	0.01
322.8	Tetraconazole	Tetraconazole	Sheep fat	0.02
322.9	Tetraconazole	Tetraconazole	Milks	0.01
322.10	Tetraconazole	Tetraconazole	Cattle meat	0.01
322.11	Tetraconazole	Tetraconazole	Goat meat	0.01
322.12	Tetraconazole	Tetraconazole	Horse meat	0.01
322.13	Tetraconazole	Tetraconazole	Pig meat	0.01
322.14	Tetraconazole	Tetraconazole	Sheep meat	0.01
322.15	Tetraconazole	Tetraconazole	Cattle liver	0.2
322.16	Tetraconazole	Tetraconazole	Pig liver	0.05
322.17	Tetraconazole	Tetraconazole	Sheep liver	0.2
322.18	Tetraconazole	Tetraconazole	Horse liver	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
322.19	Tetraconazole	Tetraconazole	Soya bean oil, edible	0.8
322.20	Tetraconazole	Tetraconazole	Peanut oil, edible	0.1
322.21	Tetraconazole	Tetraconazole	Eggs	0.02
322.22	Tetraconazole	Tetraconazole	Poultry fats	0.05
322.23	Tetraconazole	Tetraconazole	Poultry meat	0.01
322.24	Tetraconazole	Tetraconazole	Edible offal of poultry	0.01
322.25	Tetraconazole	Tetraconazole	Peanut	0.03
322.26	Tetraconazole	Tetraconazole	Pecan	0.04
322.27	Tetraconazole	Tetraconazole	Soya bean (succulent seeds)	0.15
322.28	Tetraconazole	Tetraconazole	Sugar beet	0.05
323.1	Thiabendazole	Thiabendazole	Citrus fruits	10

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
323.2	Thiabendazole	Thiabendazole	Avocado	15
323.3	Thiabendazole	Thiabendazole	Banana	5
323.4	Thiabendazole	Thiabendazole	Mango	5
323.5	Thiabendazole	Thiabendazole	Papaya	10
323.6	Thiabendazole	Thiabendazole	Pome fruits	3
323.7	Thiabendazole	Sum of thiabendazole and 5-hydroxythiabendazole	Cattle milk	0.2
323.8	Thiabendazole	Sum of thiabendazole and 5-hydroxythiabendazole	Cattle meat	0.1
323.9	Thiabendazole	Sum of thiabendazole and 5-hydroxythiabendazole	Cattle kidney	1
323.10	Thiabendazole	Sum of thiabendazole and 5-hydroxythiabendazole	Cattle liver	0.3
323.11	Thiabendazole	Sum of thiabendazole and 5-hydroxythiabendazole	Eggs	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
323.12	Thiabendazole	Sum of thiabendazole and 5-hydroxythiabendazole	Poultry meat	0.05
323.13	Thiabendazole	Thiabendazole	Fungi, edible (not including mushrooms)	5
323.14	Thiabendazole	Thiabendazole	Mushrooms	60
323.15	Thiabendazole	Thiabendazole	Potato	15
323.16	Thiabendazole	Thiabendazole	Witloof chicory (sprouts)	0.05
324.1	Thiacloprid	Thiacloprid	Tea, Green, Black	30
324.2	Thiacloprid	Thiacloprid	Berries and other small fruits	1
324.3	Thiacloprid	Thiacloprid	Kiwifruit	0.2
324.4	Thiacloprid	Thiacloprid	Pome fruits, except pear	0.7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
324.5	Thiacloprid	Thiacloprid	Pear	1
324.6	Thiacloprid	Thiacloprid	Stone fruits	0.5
324.7	Thiacloprid	Thiacloprid	Persimmon, Japanese	2
324.8	Thiacloprid	Thiacloprid	Rice	0.02
324.9	Thiacloprid	Thiacloprid	Wheat	0.1
324.10	Thiacloprid	Thiacloprid	Milks	0.05
324.11	Thiacloprid	Thiacloprid	Meat (from mammals other than marine mammals)	0.1
324.12	Thiacloprid	Thiacloprid	Edible offal (Mammalian)	0.5
324.13	Thiacloprid	Thiacloprid	Eggs	0.02
324.14	Thiacloprid	Thiacloprid	Poultry meat	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
324.15	Thiacloprid	Thiacloprid	Edible offal of poultry	0.02
324.16	Thiacloprid	Thiacloprid	Mustard seed	0.5
324.17	Thiacloprid	Thiacloprid	Rape seed	0.5
324.18	Thiacloprid	Thiacloprid	Cotton seed	0.02
324.19	Thiacloprid	Thiacloprid	Tree nuts	0.02
324.20	Thiacloprid	Thiacloprid	Melons, except watermelon	0.2
324.21	Thiacloprid	Thiacloprid	Cucumber	0.3
324.22	Thiacloprid	Thiacloprid	Watermelon	0.2
324.23	Thiacloprid	Thiacloprid	Egg plant	0.7
324.24	Thiacloprid	Thiacloprid	Peppers, Sweet (including pimiento or pimiento)	1
324.25	Thiacloprid	Thiacloprid	Tomato	0.5

## Pesticide Residues in Food Regulation

1038

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
324.26	Thiacloprid	Thiacloprid	Potato	0.02
325.1	Thiamethoxam	Thiamethoxam	Rice, husked	0.1
325.2	Thiamethoxam	Thiamethoxam	Tea, Green, Black	20
325.3	Thiamethoxam	Thiamethoxam	Berries and other small fruits	0.5
325.4	Thiamethoxam	Thiamethoxam	Citrus fruits	0.5
325.5	Thiamethoxam	Thiamethoxam	Banana	0.02
325.6	Thiamethoxam	Thiamethoxam	Papaya	0.01
325.7	Thiamethoxam	Thiamethoxam	Pineapple	0.01
325.8	Thiamethoxam	Thiamethoxam	Pome fruits	0.3
325.9	Thiamethoxam	Thiamethoxam	Stone fruits	1
325.10	Thiamethoxam	Thiamethoxam	Persimmon, Japanese	1
325.11	Thiamethoxam	Thiamethoxam	Barley	0.4

## Pesticide Residues in Food Regulation

1039

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
325.12	Thiamethoxam	Thiamethoxam	Maize	0.05
325.13	Thiamethoxam	Thiamethoxam	Wheat	0.05
325.14	Thiamethoxam	Thiamethoxam	Popcorn	0.01
325.15	Thiamethoxam	Thiamethoxam	Peppers, Chili (dry)	7
325.16	Thiamethoxam	Thiamethoxam	Milks	0.05
325.17	Thiamethoxam	Thiamethoxam	Meat (from mammals other than marine mammals)	0.02
325.18	Thiamethoxam	Thiamethoxam	Edible offal (Mammalian)	0.01
325.19	Thiamethoxam	Thiamethoxam	Eggs	0.01
325.20	Thiamethoxam	Thiamethoxam	Poultry meat	0.01
325.21	Thiamethoxam	Thiamethoxam	Edible offal of poultry	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
325.22	Thiamethoxam	Thiamethoxam	Cacao beans	0.02
325.23	Thiamethoxam	Thiamethoxam	Coffee beans	0.2
325.24	Thiamethoxam	Thiamethoxam	Oilseed	0.02
325.25	Thiamethoxam	Thiamethoxam	Pecan	0.01
325.26	Thiamethoxam	Thiamethoxam	Onion, Welsh	2
325.27	Thiamethoxam	Thiamethoxam	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
325.28	Thiamethoxam	Thiamethoxam	Fruiting vegetables, Cucurbits	0.5
325.29	Thiamethoxam	Thiamethoxam	Pulses	0.04
325.30	Thiamethoxam	Thiamethoxam	Leafy vegetables	3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
325.31	Thiamethoxam	Thiamethoxam	"Fruiting vegetables, other than Cucurbits", except sweet corn (corn-on-the-cob)	0.7
325.32	Thiamethoxam	Thiamethoxam	Sweet corn (corn-on-the-cob)	0.01
325.33	Thiamethoxam	Thiamethoxam	Legume vegetables	0.01
325.34	Thiamethoxam	Thiamethoxam	Root and tuber vegetables	0.3
325.35	Thiamethoxam	Thiamethoxam	Artichoke, Globe	0.5
325.36	Thiamethoxam	Thiamethoxam	Celery	1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
326.1	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Cattle fat	0.4
326.2	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Goat fat	0.4
326.3	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Horse fat	0.4
326.4	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Pig fat	0.4
326.5	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Sheep fat	0.4
326.6	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Milks	0.05
326.7	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Cattle meat	0.4
326.8	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Goat meat	0.4

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
326.9	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Horse meat	0.4
326.10	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Pig meat	0.4
326.11	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Sheep meat	0.4
326.12	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Edible offal of cattle	0.4
326.13	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Edible offal of goat	0.4
326.14	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Edible offal of horse	0.4
326.15	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Edible offal of pig	0.4
326.16	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Edible offal of sheep	0.4



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
326.17	Thidiazuron	Sum of thidiazuron and its aniline containing metabolites	Cotton seed	0.3
327.1	Thiencarbazono methyl	Thiencarbazono methyl	Maize	0.01
327.2	Thiencarbazono methyl	Thiencarbazono methyl	Wheat	0.01
327.3	Thiencarbazono methyl	Thiencarbazono methyl	Popcorn	0.01
327.4	Thiencarbazono methyl	Thiencarbazono methyl	Sweet corn (corn-on-the-cob)	0.01
328.1	Thifensulfuron methyl	Thifensulfuron methyl	Barley	0.05
328.2	Thifensulfuron methyl	Thifensulfuron methyl	Maize	0.05
328.3	Thifensulfuron methyl	Thifensulfuron methyl	Oats	0.05
328.4	Thifensulfuron methyl	Thifensulfuron methyl	Rice	0.05
328.5	Thifensulfuron methyl	Thifensulfuron methyl	Sorghum	0.05
328.6	Thifensulfuron methyl	Thifensulfuron methyl	Wheat	0.05
328.7	Thifensulfuron methyl	Thifensulfuron methyl	Cotton seed	0.02
328.8	Thifensulfuron methyl	Thifensulfuron methyl	Flaxseed	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
328.9	Thifensulfuron methyl	Thifensulfuron methyl	Safflower seed	0.05
329.1	Thiocyclam	Thiocyclam	Rice, polished	0.2
330.1	Tolclofos methyl	Tolclofos methyl	Lettuce, Head	2
330.2	Tolclofos methyl	Tolclofos methyl	Lettuce, Leaf	2
330.3	Tolclofos methyl	Tolclofos methyl	Radish	0.1
330.4	Tolclofos methyl	Tolclofos methyl	Potato	0.2
331.1	Tolyfluanid	Tolyfluanid	Hops, dry	50
331.2	Tolyfluanid	Tolyfluanid	Currants, Black, Red, White	0.5
331.3	Tolyfluanid	Tolyfluanid	Blackberries	5
331.4	Tolyfluanid	Tolyfluanid	Grapes	3
331.5	Tolyfluanid	Tolyfluanid	Raspberries, Red, Black	5
331.6	Tolyfluanid	Tolyfluanid	Strawberry	5
331.7	Tolyfluanid	Tolyfluanid	Pome fruits	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
331.8	Toly/fluand	Toly/fluand	Peppers, Chili (dry)	20
331.9	Toly/fluand	Toly/fluand	Leek	2
331.10	Toly/fluand	Toly/fluand	Cucumber	1
331.11	Toly/fluand	Toly/fluand	Lettuce, Head	15
331.12	Toly/fluand	Toly/fluand	Peppers, Sweet (including pimento or pimienta)	2
331.13	Toly/fluand	Toly/fluand	Tomato	3
332.1	Topramezone	Topramezone	Maize	0.01
332.2	Topramezone	Topramezone	Popcorn	0.01
332.3	Topramezone	Topramezone	Cattle kidney	0.05
332.4	Topramezone	Topramezone	Cattle liver	0.15
332.5	Topramezone	Topramezone	Sheep kidney	0.05
332.6	Topramezone	Topramezone	Sheep liver	0.15

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
332.7	Topramezone	Topramezone	Horse kidney	0.05
332.8	Topramezone	Topramezone	Horse liver	0.15
332.9	Topramezone	Topramezone	Sweet corn (corn-on-the-cob)	0.01
333.1	Tralkoxydim	Tralkoxydim	Barley	0.02
333.2	Tralkoxydim	Tralkoxydim	Wheat	0.02
334.1	Triadimefon	Sum of triadimefon and triadimenol	Dried grapes (Currants, Raisins and Sultanas)	10
334.2	Triadimefon	Sum of triadimefon and triadimenol	Currants, Black, Red, White	0.7
334.3	Triadimefon	Sum of triadimefon and triadimenol	Grapes	1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
334.4	Triadimefon	Sum of triadimefon and triadimenol	Strawberry	0.7
334.5	Triadimefon	Sum of triadimefon and triadimenol	Banana	1
334.6	Triadimefon	Sum of triadimefon and triadimenol	Pineapple	5
334.7	Triadimefon	Sum of triadimefon and triadimenol	Apple	0.3
334.8	Triadimefon	Sum of triadimefon and triadimenol	Cereal grains, except maize and rice	0.2
334.9	Triadimefon	Sum of triadimefon and triadimenol	Peppers, Chili (dry)	5
334.10	Triadimefon	Sum of triadimefon and triadimenol	Milks	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
334.11	Triadimefon	Sum of triadimefon and triadimenol	Meat (from mammals other than marine mammals) (Fat)	0.02
334.12	Triadimefon	Sum of triadimefon and triadimenol	Edible offal (Mammalian)	0.01
334.13	Triadimefon	Sum of triadimefon and triadimenol	Eggs	0.01
334.14	Triadimefon	Sum of triadimefon and triadimenol	Poultry meat	0.01
334.15	Triadimefon	Sum of triadimefon and triadimenol	Edible offal of poultry	0.01
334.16	Triadimefon	Sum of triadimefon and triadimenol	Coffee beans	0.5
334.17	Triadimefon	Sum of triadimefon and triadimenol	Fruiting vegetables, Cucurbits	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
334.18	Triadimefon	Sum of triadimefon and triadimenol	"Fruiting vegetables, other than Cucurbits", except edible fungi (not including mushrooms), sweet corn (corn-on-the-cob) and sweet corn (kernels)	1
334.19	Triadimefon	Sum of triadimefon and triadimenol	Sugar beet	0.05
334.20	Triadimefon	Sum of triadimefon and triadimenol	Artichoke, Globe	0.7

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
335.1	Triadimenol	Sum of triadimefon and triadimenol	Dried grapes (Currants, Raisins and Sultanias)	10
335.2	Triadimenol	Sum of triadimefon and triadimenol	Currants, Black, Red, White	0.7
335.3	Triadimenol	Sum of triadimefon and triadimenol	Strawberry	0.7
335.4	Triadimenol	Sum of triadimefon and triadimenol	Banana	1
335.5	Triadimenol	Sum of triadimefon and triadimenol	Pineapple	5
335.6	Triadimenol	Sum of triadimefon and triadimenol	Apple	0.3
335.7	Triadimenol	Sum of triadimefon and triadimenol	Cereal grains, except maize and rice	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
335.8	Triadimenol	Sum of triadimefon and triadimenol	Peppers, Chili (dry)	5
335.9	Triadimenol	Sum of triadimefon and triadimenol	Milks (F)	0.01
335.10	Triadimenol	Sum of triadimefon and triadimenol	Meat (from mammals other than marine mammals) (Fat)	0.02
335.11	Triadimenol	Sum of triadimefon and triadimenol	Edible offal (Mammalian)	0.01
335.12	Triadimenol	Sum of triadimefon and triadimenol	Eggs	0.01
335.13	Triadimenol	Sum of triadimefon and triadimenol	Poultry meat	0.01
335.14	Triadimenol	Sum of triadimefon and triadimenol	Edible offal of poultry	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
335.15	Triadimenol	Sum of triadimefon and triadimenol	Coffee beans	0.5
335.16	Triadimenol	Sum of triadimefon and triadimenol	Fruiting vegetables, Cucurbits	0.2
335.17	Triadimenol	Sum of triadimefon and triadimenol	"Fruiting vegetables, other than Cucurbits", except edible fungi (not including mushrooms), sweet corn (corn-on-the-cob) and sweet corn (kernels)	1
335.18	Triadimenol	Sum of triadimefon and triadimenol	Sugar beet	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
335.19	Triadimenol	Sum of triadimefon and triadimenol	Artichoke, Globe	0.7
336.1	Triasulfuron	Triasulfuron	Barley	0.02
336.2	Triasulfuron	Triasulfuron	Wheat	0.02
336.3	Triasulfuron	Triasulfuron	Cattle fat	0.1
336.4	Triasulfuron	Triasulfuron	Goat fat	0.1
336.5	Triasulfuron	Triasulfuron	Horse fat	0.1
336.6	Triasulfuron	Triasulfuron	Pig fat	0.1
336.7	Triasulfuron	Triasulfuron	Sheep fat	0.1
336.8	Triasulfuron	Triasulfuron	Milks	0.02
336.9	Triasulfuron	Triasulfuron	Cattle meat	0.1
336.10	Triasulfuron	Triasulfuron	Goat meat	0.1
336.11	Triasulfuron	Triasulfuron	Horse meat	0.1
336.12	Triasulfuron	Triasulfuron	Pig meat	0.1
336.13	Triasulfuron	Triasulfuron	Sheep meat	0.1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Maximum residue limit (MRL) (mg/kg)
336.14	Triasulfuron	Triasulfuron	Cattle kidney	0.5
336.15	Triasulfuron	Triasulfuron	Pig kidney	0.5
336.16	Triasulfuron	Triasulfuron	Sheep kidney	0.5
336.17	Triasulfuron	Triasulfuron	Horse kidney	0.5
337.1	Triazophos	Triazophos	Grapes	0.02
337.2	Triazophos	Triazophos	Cereal grains	0.05
337.3	Triazophos	Triazophos	Spices, Fruits and Berries	0.07
337.4	Triazophos	Triazophos	Spices, Roots and Rhizomes	0.1
337.5	Triazophos	Triazophos	Milks	0.01
337.6	Triazophos	Triazophos	Cattle meat	0.01
337.7	Triazophos	Triazophos	Cotton seed oil, crude	1
337.8	Triazophos	Triazophos	Poultry meat	0.01
337.9	Triazophos	Triazophos	Cacao beans	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
337.10	Triazophos	Triazophos	Coffee beans	0.05
337.11	Triazophos	Triazophos	Cotton seed	0.2
337.12	Triazophos	Triazophos	Peanut	0.05
337.13	Triazophos	Triazophos	Sesame seed	0.05
337.14	Triazophos	Triazophos	Sunflower seed	0.05
337.15	Triazophos	Triazophos	Garlic	0.05
337.16	Triazophos	Triazophos	Onion, Bulb	0.05
337.17	Triazophos	Triazophos	Shallot	0.05
337.18	Triazophos	Triazophos	Mung bean (dry)	0.2
337.19	Triazophos	Triazophos	Soya bean (dry)	0.05
337.20	Triazophos	Triazophos	Peppers, Chili	0.02
337.21	Triazophos	Triazophos	Soya bean (succulent seeds)	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
337.22	Triazophos	Triazophos	Yard-long bean (young pods)	0.1
337.23	Triazophos	Triazophos	Soya bean (young pods)	1
337.24	Triazophos	Triazophos	Carrot	0.5
338.1	Tribenuron methyl	Tribenuron methyl	Barley	0.05
338.2	Tribenuron methyl	Tribenuron methyl	Maize	0.01
338.3	Tribenuron methyl	Tribenuron methyl	Oats	0.05
338.4	Tribenuron methyl	Tribenuron methyl	Rice	0.05
338.5	Tribenuron methyl	Tribenuron methyl	Sorghum	0.05
338.6	Tribenuron methyl	Tribenuron methyl	Wheat	0.05
338.7	Tribenuron methyl	Tribenuron methyl	Cotton seed	0.02
338.8	Tribenuron methyl	Tribenuron methyl	Flaxseed	0.02
338.9	Tribenuron methyl	Tribenuron methyl	Sunflower seed	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
338.10	Tribenuron methyl	Tribenuron methyl	Soya bean (succulent seeds)	0.01
339.1	Tribufos	Tribufos	Cattle fat	0.15
339.2	Tribufos	Tribufos	Goat fat	0.15
339.3	Tribufos	Tribufos	Horse fat	0.15
339.4	Tribufos	Tribufos	Pig fat	0.15
339.5	Tribufos	Tribufos	Sheep fat	0.15
339.6	Tribufos	Tribufos	Milks	0.01
339.7	Tribufos	Tribufos	Cattle meat	0.02
339.8	Tribufos	Tribufos	Goat meat	0.02
339.9	Tribufos	Tribufos	Horse meat	0.02
339.10	Tribufos	Tribufos	Pig meat	0.02
339.11	Tribufos	Tribufos	Sheep meat	0.02
339.12	Tribufos	Tribufos	Edible offal of cattle	0.02

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
339.13	Tribufos	Tribufos	Edible offal of goat	0.02
339.14	Tribufos	Tribufos	Edible offal of horse	0.02
339.15	Tribufos	Tribufos	Edible offal of pig	0.02
339.16	Tribufos	Tribufos	Edible offal of sheep	0.02
339.17	Tribufos	Tribufos	Cotton seed	4
340.1	Trichlorfon	Trichlorfon	Rice, husked	0.1
340.2	Trichlorfon	Trichlorfon	Berries and other small fruits	0.1
340.3	Trichlorfon	Trichlorfon	Citrus fruits	0.1



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
340.4	Trichlorfon	Trichlorfon	Assorted tropical and sub-tropical fruits—inedible peel	0.1
340.5	Trichlorfon	Trichlorfon	Pome fruits	0.1
340.6	Trichlorfon	Trichlorfon	Stone fruits, except peach	0.1
340.7	Trichlorfon	Trichlorfon	Assorted tropical and sub-tropical fruits—edible peel	0.1
340.8	Trichlorfon	Trichlorfon	Rice	0.1
340.9	Trichlorfon	Trichlorfon	Wheat	0.1
340.10	Trichlorfon	Trichlorfon	Bulb vegetables	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
340.11	Trichlorfon	Trichlorfon	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.1
340.12	Trichlorfon	Trichlorfon	Fruiting vegetables, Cucurbits	0.1
340.13	Trichlorfon	Trichlorfon	Leafy vegetables	0.1
340.14	Trichlorfon	Trichlorfon	Fruiting vegetables, other than Cucurbits	0.1
340.15	Trichlorfon	Trichlorfon	Legume vegetables	0.1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
340.16	Trichlorfon	Trichlorfon	Root and tuber vegetables	0.1
340.17	Trichlorfon	Trichlorfon	Stalk and stem vegetables	0.1
341.1	Triclopyr	Triclopyr	Rice	0.3
341.2	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Cattle fat	0.05
341.3	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Goat fat	0.05
341.4	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Horse fat	0.05
341.5	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Pig fat	0.05
341.6	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Sheep fat	0.05
341.7	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Cattle meat	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
341.8	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Goat meat	0.05
341.9	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Horse meat	0.05
341.10	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Pig meat	0.05
341.11	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Sheep meat	0.05
341.12	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Cattle kidney	0.5
341.13	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Cattle liver	0.5
341.14	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Pig kidney	0.5
341.15	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Pig liver	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
341.16	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Sheep kidney	0.5
341.17	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Sheep liver	0.5
341.18	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Horse kidney	0.5
341.19	Triclopyr	Sum of triclopyr and 3,5,6-trichloro-2-pyridinol (TCP)	Horse liver	0.5
342.1	Tricyclazole	Tricyclazole	Rice	2
343.1	Trifloxystrobin	Trifloxystrobin	Wheat bran, unprocessed	0.5
343.2	Trifloxystrobin	Trifloxystrobin	Rice bran, unprocessed	7
343.3	Trifloxystrobin	Trifloxystrobin	Dried grapes (Currants, Raisins and Sultanas)	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
343.4	Trifloxystrobin	Trifloxystrobin	Hops, dry	40
343.5	Trifloxystrobin	Trifloxystrobin	Sugar beet molasses	0.1
343.6	Trifloxystrobin	Trifloxystrobin	Grapes	3
343.7	Trifloxystrobin	Trifloxystrobin	Strawberry	0.2
343.8	Trifloxystrobin	Trifloxystrobin	Citrus fruits	0.5
343.9	Trifloxystrobin	Trifloxystrobin	Banana	0.05
343.10	Trifloxystrobin	Trifloxystrobin	Pome fruits	0.7
343.11	Trifloxystrobin	Trifloxystrobin	Stone fruits	3
343.12	Trifloxystrobin	Trifloxystrobin	Barley	0.5
343.13	Trifloxystrobin	Trifloxystrobin	Maize	0.02
343.14	Trifloxystrobin	Trifloxystrobin	Rice	5
343.15	Trifloxystrobin	Trifloxystrobin	Wheat	0.2
343.16	Trifloxystrobin	Trifloxystrobin	Liver of cattle, goats, pigs and sheep	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
343.17	Trifloxystrobin	Trifloxystrobin	Peanut	0.02
343.18	Trifloxystrobin	Trifloxystrobin	Tree nuts	0.02
343.19	Trifloxystrobin	Trifloxystrobin	Leek	0.7
343.20	Trifloxystrobin	Trifloxystrobin	Cabbages, Head	0.5
343.21	Trifloxystrobin	Trifloxystrobin	Flowerhead brassicas (includes Broccoli, Chinese Broccoli and Cauliflower)	0.5
343.22	Trifloxystrobin	Trifloxystrobin	Brussels sprouts	0.1
343.23	Trifloxystrobin	Trifloxystrobin	Fruiting vegetables, Cucurbits	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
343.24	Trifloxystrobin	Trifloxystrobin	Peppers, Sweet (including pimento or pimienta)	0.3
343.25	Trifloxystrobin	Trifloxystrobin	Tomato	0.7
343.26	Trifloxystrobin	Trifloxystrobin	Carrot	0.1
343.27	Trifloxystrobin	Trifloxystrobin	Potato	0.02
343.28	Trifloxystrobin	Trifloxystrobin	Sugar beet	0.05
343.29	Trifloxystrobin	Trifloxystrobin	Celery	1
344.1	Trifloxysulfuron	Trifloxysulfuron	Citrus fruits	0.03
344.2	Trifloxysulfuron	Trifloxysulfuron	Sugar cane	0.01
344.3	Trifloxysulfuron	Trifloxysulfuron	Cotton seed	0.05
344.4	Trifloxysulfuron	Trifloxysulfuron	Almonds	0.02
344.5	Trifloxysulfuron	Trifloxysulfuron	Tomato	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
345.1	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Hops, dry	50
345.2	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Grapes	2.5
345.3	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Strawberry	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
345.4	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Canistel	2.5
345.5	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Mango	2.5
345.6	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Papaya	2.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
345.7	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Pineapple	4
345.8	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Sapodilla	2.5
345.9	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Sapote, Black	2.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
345.10	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Sapote, Mammei	2.5
345.11	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Star apple	2.5
345.12	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Apple	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
345.13	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Pear	0.5
345.14	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Cherry, Sour	1.5
345.15	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Cherry, Sweet	1.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
345.16	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Cilantro leaves	35
345.17	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Hazelnuts	0.05
345.18	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	8

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
345.19	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Fruiting vegetables, Cucurbits	0.5
345.20	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Chard	18
345.21	Triflumizole	Sum of triflumizole and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, expressed as triflumizole	Turnip greens	40
346.1	Trifluralin	Trifluralin	Hops, dry	0.05
346.2	Trifluralin	Trifluralin	Grapes	0.05
346.3	Trifluralin	Trifluralin	Citrus fruits	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
346.4	Trifluralin	Trifluralin	Stone fruits	0.05
346.5	Trifluralin	Trifluralin	Barley	0.05
346.6	Trifluralin	Trifluralin	Maize	0.05
346.7	Trifluralin	Trifluralin	Sorghum	0.05
346.8	Trifluralin	Trifluralin	Wheat	0.05
346.9	Trifluralin	Trifluralin	Sugar cane	0.05
346.10	Trifluralin	Trifluralin	Peppermint	0.05
346.11	Trifluralin	Trifluralin	Spearmint	0.05
346.12	Trifluralin	Trifluralin	Soya bean oil, edible	0.05
346.13	Trifluralin	Trifluralin	Peanut oil, edible	0.05
346.14	Trifluralin	Trifluralin	Mustard seed	0.05
346.15	Trifluralin	Trifluralin	Rape seed	0.05
346.16	Trifluralin	Trifluralin	Cotton seed	0.05



Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
346.17	Trifluralin	Trifluralin	Flaxseed	0.05
346.18	Trifluralin	Trifluralin	Peanut	0.05
346.19	Trifluralin	Trifluralin	Safflower seed	0.05
346.20	Trifluralin	Trifluralin	Sunflower seed	0.05
346.21	Trifluralin	Trifluralin	Tree nuts	0.05
346.22	Trifluralin	Trifluralin	Bulb vegetables	0.05
346.23	Trifluralin	Trifluralin	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.05
346.24	Trifluralin	Trifluralin	Fruiting vegetables, Cucurbits	0.05
346.25	Trifluralin	Trifluralin	Pulses	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
346.26	Trifluralin	Trifluralin	Brassica leafy vegetables	0.05
346.27	Trifluralin	Trifluralin	Endive	0.05
346.28	Trifluralin	Trifluralin	Fruiting vegetables, other than Cucurbits	0.05
346.29	Trifluralin	Trifluralin	Legume vegetables	0.05
346.30	Trifluralin	Trifluralin	Carrot	1
346.31	Trifluralin	Trifluralin	Potato	0.05
346.32	Trifluralin	Trifluralin	Asparagus	0.05
346.33	Trifluralin	Trifluralin	Celery	0.05
347.1	Triflusulfuron methyl	Triflusulfuron methyl	Chicory roots	0.05
347.2	Triflusulfuron methyl	Triflusulfuron methyl	Beetroot	0.01
347.3	Triflusulfuron methyl	Triflusulfuron methyl	Sugar beet	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
348.1	Triforine	Determined as chloral hydrate and expressed as triforine	Blueberries	1
348.2	Triforine	Determined as chloral hydrate and expressed as triforine	Currants, Black, Red, White	1
348.3	Triforine	Determined as chloral hydrate and expressed as triforine	Gooseberry	1
348.4	Triforine	Determined as chloral hydrate and expressed as triforine	Strawberry	1
348.5	Triforine	Determined as chloral hydrate and expressed as triforine	Apple	2
348.6	Triforine	Determined as chloral hydrate and expressed as triforine	Cherries	2
348.7	Triforine	Determined as chloral hydrate and expressed as triforine	Plums (including Prunes)	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
348.8	Triforine	Determined as chloral hydrate and expressed as triforine	Peach	5
348.9	Triforine	Determined as chloral hydrate and expressed as triforine	Cereal grains	0.1
348.10	Triforine	Determined as chloral hydrate and expressed as triforine	Brussels sprouts	0.2
348.11	Triforine	Determined as chloral hydrate and expressed as triforine	Fruiting vegetables, Cucurbits	0.5
348.12	Triforine	Determined as chloral hydrate and expressed as triforine	Tomato	0.5
348.13	Triforine	Determined as chloral hydrate and expressed as triforine	Common bean (young pods and/or succulent seeds)	1

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
349.1	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Cattle fat	0.2
349.2	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Goat fat	0.2
349.3	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Horse fat	0.2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
349.4	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Pig fat	0.3
349.5	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Sheep fat	0.2
349.6	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Milks	0.06

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
349.7	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPH) hydroxide and oxide metabolites, expressed as TPTH	Cattle meat	0.5
349.8	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPH) hydroxide and oxide metabolites, expressed as TPTH	Goat meat	0.5
349.9	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPH) hydroxide and oxide metabolites, expressed as TPTH	Horse meat	0.5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
349.10	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPH) hydroxide and oxide metabolites, expressed as TPTH	Pig meat	0.06
349.11	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPH) hydroxide and oxide metabolites, expressed as TPTH	Sheep meat	0.5
349.12	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPH) hydroxide and oxide metabolites, expressed as TPTH	Edible offal of pig	0.3

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
349.13	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Cattle kidney	2
349.14	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Cattle liver	4
349.15	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Sheep kidney	2

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
349.16	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Sheep liver	4
349.17	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Horse kidney	2
349.18	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Horse liver	4

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
349.19	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Pecan	0.05
349.20	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Potato	0.05
349.21	Triphenyltin hydroxide	Sum of TPTH, its monophenyltin (MPTH) and diphenyltin (DPHT) hydroxide and oxide metabolites, expressed as TPTH	Sugar beet	0.05
350.1	Triticonazole	Triticonazole	Cereal grains, except rice	0.01

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
351.1	Uniconazole	Sum of uniconazole-P, its R-enantiomer and its Z-isomer	Fruiting vegetables, other than Cucurbits	0.01
352.1	Vamidothion	Vamidothion	Pome fruits	1
353.1	Vinclozolin	Sum of vinclozolin and all metabolites containing the 3,5-dichloroaniline moiety, expressed as vinclozolin	Cucumber	1
353.2	Vinclozolin	Sum of vinclozolin and all metabolites containing the 3,5-dichloroaniline moiety, expressed as vinclozolin	Tomato	3
354.1	Zoxamide	Zoxamide	Dried grapes (Currants, Raisins and Sultanas)	15
354.2	Zoxamide	Zoxamide	Grapes	5

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Maximum residue limit (MRL) (mg/kg)
354.3	Zoxamide	Zoxamide	Fruiting vegetables, Cucurbits	2
354.4	Zoxamide	Zoxamide	Tomato	2
354.5	Zoxamide	Zoxamide	Potato	0.02

## Part 2

## Extraneous Maximum Residue Limit (EMRL)

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Extraneous maximum residue limit (EMRL) (mg/kg)
1.1	Aldrin and Dieldrin	Sum of HHDN and HEOD	Berries and other small fruits	0.05
1.2	Aldrin and Dieldrin	Sum of HHDN and HEOD	Citrus fruits	0.05
1.3	Aldrin and Dieldrin	Sum of HHDN and HEOD	“Assorted tropical and sub-tropical fruits—inedible peel”, except banana, mango and pineapple	0.05
1.4	Aldrin and Dieldrin	Sum of HHDN and HEOD	Banana	0.02
1.5	Aldrin and Dieldrin	Sum of HHDN and HEOD	Mango	0.03

Column 1	Column 2*	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
1.6	Aldrin and Dieldrin	Sum of HHDN and HEOD	Pineapple	0.03
1.7	Aldrin and Dieldrin	Sum of HHDN and HEOD	Pome fruits	0.05
1.8	Aldrin and Dieldrin	Sum of HHDN and HEOD	Stone fruits, except peach	0.05
1.9	Aldrin and Dieldrin	Sum of HHDN and HEOD	Peach	0.02
1.10	Aldrin and Dieldrin	Sum of HHDN and HEOD	Assorted tropical and sub-tropical fruits—edible peel	0.05
1.11	Aldrin and Dieldrin	Sum of HHDN and HEOD	Cereal grains	0.02
1.12	Aldrin and Dieldrin	Sum of HHDN and HEOD	Milks (F)	0.006
1.13	Aldrin and Dieldrin	Sum of HHDN and HEOD	Meat (from mammals other than marine mammals) (Fat)	0.2
1.14	Aldrin and Dieldrin	Sum of HHDN and HEOD	Eggs	0.1

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
1.15	Aldrin and Dieldrin	Sum of HHDN and HEOD	Poultry meat	0.2
1.16	Aldrin and Dieldrin	Sum of HHDN and HEOD	Edible offal of poultry	0.2
1.17	Aldrin and Dieldrin	Sum of HHDN and HEOD	Peanut	0.05
1.18	Aldrin and Dieldrin	Sum of HHDN and HEOD	Bulb vegetables	0.05
1.19	Aldrin and Dieldrin	Sum of HHDN and HEOD	Cabbages, Head	0.03
1.20	Aldrin and Dieldrin	Sum of HHDN and HEOD	Broccoli	0.03
1.21	Aldrin and Dieldrin	Sum of HHDN and HEOD	Brussels sprouts	0.03
1.22	Aldrin and Dieldrin	Sum of HHDN and HEOD	Cauliflower	0.03
1.23	Aldrin and Dieldrin	Sum of HHDN and HEOD	Kohlrabi	0.05
1.24	Aldrin and Dieldrin	Sum of HHDN and HEOD	Fruiting vegetables, Cucurbits	0.1
1.25	Aldrin and Dieldrin	Sum of HHDN and HEOD	Pulses	0.05
1.26	Aldrin and Dieldrin	Sum of HHDN and HEOD	Leafy vegetables	0.05



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
1.27	Aldrin and Dieldrin	Sum of HHDN and HEOD	Fruiting vegetables, other than Cucurbits	0.1
1.28	Aldrin and Dieldrin	Sum of HHDN and HEOD	Legume vegetables, except "shelled garden pea (succulent seeds)"	0.05
1.29	Aldrin and Dieldrin	Sum of HHDN and HEOD	Garden pea, shelled (succulent seeds)	1
1.30	Aldrin and Dieldrin	Sum of HHDN and HEOD	Root and tuber vegetables	0.1
1.31	Aldrin and Dieldrin	Sum of HHDN and HEOD	Artichoke, Globe	0.05
1.32	Aldrin and Dieldrin	Sum of HHDN and HEOD	Asparagus	0.03

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
1.33	Aldrin and Dieldrin	Sum of HHDN and HEOD	Celery	0.03
2.1	Chlordane	Sum of cis- and trans-chlordane	Rice, polished	0.02
2.2	Chlordane	Sum of cis- and trans-chlordane	Berries and other small fruits	0.02
2.3	Chlordane	Sum of cis- and trans-chlordane	Citrus fruits	0.02
2.4	Chlordane	Sum of cis- and trans-chlordane	Assorted tropical and sub-tropical fruits—inedible peel	0.02
2.5	Chlordane	Sum of cis- and trans-chlordane	Pome fruits	0.02
2.6	Chlordane	Sum of cis- and trans-chlordane	Stone fruits	0.02
2.7	Chlordane	Sum of cis- and trans-chlordane	Assorted tropical and sub-tropical fruits—edible peel	0.02
2.8	Chlordane	Sum of cis- and trans-chlordane	Cereal grains	0.02

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
2.9	Chlordane	Sum of cis- and trans-chlordane and oxychlordane	Milks (F)	0.002
2.10	Chlordane	Sum of cis- and trans-chlordane and oxychlordane	Meat (from mammals other than marine mammals) (Fat)	0.05
2.11	Chlordane	Sum of cis- and trans-chlordane	Soya bean oil, crude	0.05
2.12	Chlordane	Sum of cis- and trans-chlordane	Cotton seed oil, crude	0.05
2.13	Chlordane	Sum of cis- and trans-chlordane	Flaxseed oil, crude	0.05
2.14	Chlordane	Sum of cis- and trans-chlordane	Soya bean oil, edible	0.02
2.15	Chlordane	Sum of cis- and trans-chlordane and oxychlordane	Eggs	0.02

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
2.16	Chlordane	Sum of cis- and trans-chlordane and oxychlordane	Poultry meat (Fat)	0.5
2.17	Chlordane	Sum of cis- and trans-chlordane	Almonds	0.02
2.18	Chlordane	Sum of cis- and trans-chlordane	Hazelnuts	0.02
2.19	Chlordane	Sum of cis- and trans-chlordane	Pecan	0.02
2.20	Chlordane	Sum of cis- and trans-chlordane	Walnuts	0.02
2.21	Chlordane	Sum of cis- and trans-chlordane	Bulb vegetables	0.02
2.22	Chlordane	Sum of cis- and trans-chlordane	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.02
2.23	Chlordane	Sum of cis- and trans-chlordane	Fruiting vegetables, Cucurbits	0.02

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
2.24	Chlordane	Sum of cis- and trans-chlordane	Pulses	0.02
2.25	Chlordane	Sum of cis- and trans-chlordane	Leafy vegetables	0.02
2.26	Chlordane	Sum of cis- and trans-chlordane	Fruiting vegetables, other than Cucurbits	0.02
2.27	Chlordane	Sum of cis- and trans-chlordane	Legume vegetables	0.02
2.28	Chlordane	Sum of cis- and trans-chlordane	Root and tuber vegetables	0.02
2.29	Chlordane	Sum of cis- and trans-chlordane	Stalk and stem vegetables	0.02
3.1	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Tea, Green, Black	0.2
3.2	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Berries and other small fruits	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
3.3	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Citrus fruits	0.05
3.4	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Assorted tropical and sub-tropical fruits—inedible peel	0.05
3.5	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Pome fruits	0.05
3.6	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Stone fruits	0.05
3.7	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Assorted tropical and sub-tropical fruits—edible peel	0.05
3.8	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Cereal grains	0.1

## Pesticide Residues in Food Regulation

1098

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
3.9	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Mammalian fats (except milk fats)	0.2
3.10	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Milks (F)	0.02
3.11	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Meat (from mammals other than marine mammals) (Fat)	5
3.12	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Edible offal (Mammalian)	5
3.13	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Soya bean oil, crude	1
3.14	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Eggs	0.1
3.15	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Poultry meat	0.3

## Pesticide Residues in Food Regulation

1099

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
3.16	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Edible offal of poultry	0.3
3.17	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Cacao beans	1
3.18	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Cotton seed	0.1
3.19	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Peanut	0.2
3.20	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Bulb vegetables	0.05
3.21	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
3.22	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Fruiting vegetables, Cucurbits	0.05
3.23	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Pulses	0.05
3.24	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Leafy vegetables	0.05
3.25	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Fruiting vegetables, other than Cucurbits	0.05
3.26	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Legume vegetables	0.05
3.27	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Root and tuber vegetables, except carrot	0.05
3.28	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Carrot	0.2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
3.29	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Stalk and stem vegetables	0.05
3.30	DDT	Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD)	Aquatic products	0.5
4.1	Endrin	Sum of endrin and delta-keto-endrin	Berries and other small fruits	0.01
4.2	Endrin	Sum of endrin and delta-keto-endrin	Citrus fruits	0.01
4.3	Endrin	Sum of endrin and delta-keto-endrin	Assorted tropical and sub-tropical fruits—inedible peel	0.01
4.4	Endrin	Sum of endrin and delta-keto-endrin	Pome fruits	0.01
4.5	Endrin	Sum of endrin and delta-keto-endrin	Stone fruits	0.01

## Pesticide Residues in Food Regulation

1102

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
4.6	Endrin	Sum of endrin and delta-keto-endrin	Assorted tropical and sub-tropical fruits—edible peel	0.01
4.7	Endrin	Sum of endrin and delta-keto-endrin	Cereal grains	0.01
4.8	Endrin	Sum of endrin and delta-keto-endrin	Milks (F)	0.0008
4.9	Endrin	Sum of endrin and delta-keto-endrin	Meat (from mammals other than marine mammals) (Fat)	0.05
4.10	Endrin	Sum of endrin and delta-keto-endrin	Edible offal (Mammalian)	0.05
4.11	Endrin	Sum of endrin and delta-keto-endrin	Eggs	0.005

## Pesticide Residues in Food Regulation

1103

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
4.12	Endrin	Sum of endrin and delta-keto-endrin	Poultry meat (Fat)	0.1
4.13	Endrin	Sum of endrin and delta-keto-endrin	Edible offal of poultry	0.1
4.14	Endrin	Sum of endrin and delta-keto-endrin	Fruiting vegetables, Cucurbits	0.05
4.15	Endrin	Sum of endrin and delta-keto-endrin	Fruiting vegetables, other than Cucurbits	0.05
5.1	Heptachlor	Sum of heptachlor and heptachlor epoxide	Berries and other small fruits	0.01
5.2	Heptachlor	Sum of heptachlor and heptachlor epoxide	Citrus fruits	0.01

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
5.3	Heptachlor	Sum of heptachlor and heptachlor epoxide	Assorted tropical and sub-tropical fruits—inedible peel	0.01
5.4	Heptachlor	Sum of heptachlor and heptachlor epoxide	Pome fruits, except pear and quince	0.01
5.5	Heptachlor	Sum of heptachlor and heptachlor epoxide	Pear	0.05
5.6	Heptachlor	Sum of heptachlor and heptachlor epoxide	Quince	0.05
5.7	Heptachlor	Sum of heptachlor and heptachlor epoxide	Stone fruits	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
5.8	Heptachlor	Sum of heptachlor and heptachlor epoxide	“Assorted tropical and sub-tropical fruits—edible peel”, except fig	0.01
5.9	Heptachlor	Sum of heptachlor and heptachlor epoxide	Fig	0.05
5.10	Heptachlor	Sum of heptachlor and heptachlor epoxide	Cereal grains	0.02
5.11	Heptachlor	Sum of heptachlor and heptachlor epoxide	Spices	0.05
5.12	Heptachlor	Sum of heptachlor and heptachlor epoxide	Milks (F)	0.006
5.13	Heptachlor	Sum of heptachlor and heptachlor epoxide	Meat (from mammals other than marine mammals) (Fat)	0.2

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
5.14	Heptachlor	Sum of heptachlor and heptachlor epoxide	Edible offal (Mammalian)	0.2
5.15	Heptachlor	Sum of heptachlor and heptachlor epoxide	Soya bean oil, crude	0.5
5.16	Heptachlor	Sum of heptachlor and heptachlor epoxide	Soya bean oil, edible	0.02
5.17	Heptachlor	Sum of heptachlor and heptachlor epoxide	Eggs	0.05
5.18	Heptachlor	Sum of heptachlor and heptachlor epoxide	Poultry meat (Fat)	0.2
5.19	Heptachlor	Sum of heptachlor and heptachlor epoxide	Edible offal of poultry	0.2
5.20	Heptachlor	Sum of heptachlor and heptachlor epoxide	Cotton seed	0.02
5.21	Heptachlor	Sum of heptachlor and heptachlor epoxide	Bulb vegetables	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
5.22	Heptachlor	Sum of heptachlor and heptachlor epoxide	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.05
5.23	Heptachlor	Sum of heptachlor and heptachlor epoxide	Fruiting vegetables, Cucurbits	0.05
5.24	Heptachlor	Sum of heptachlor and heptachlor epoxide	Pulses	0.02
5.25	Heptachlor	Sum of heptachlor and heptachlor epoxide	Leafy vegetables	0.05
5.26	Heptachlor	Sum of heptachlor and heptachlor epoxide	"Fruiting vegetables, other than Cucurbits", except egg plant	0.05



Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
5.27	Heptachlor	Sum of heptachlor and heptachlor epoxide	Egg plant	0.03
5.28	Heptachlor	Sum of heptachlor and heptachlor epoxide	Legume vegetables, except soya bean (succulent seeds)	0.05
5.29	Heptachlor	Sum of heptachlor and heptachlor epoxide	Soya bean (succulent seeds)	0.02
5.30	Heptachlor	Sum of heptachlor and heptachlor epoxide	Root and tuber vegetables	0.02
5.31	Heptachlor	Sum of heptachlor and heptachlor epoxide	Stalk and stem vegetables	0.05
6.1	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Tea, Green, Black	0.2
6.2	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Berries and other small fruits	0.05

Column 1	Column 2	Column 3	Column 4	Column 5
Item	Pesticide	Residue definition	Description of food	Extraneous maximum residue limit (EMRL) (mg/kg)
6.3	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Citrus fruits	0.05
6.4	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Assorted tropical and sub-tropical fruits—inedible peel	0.05
6.5	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Pome fruits	0.05
6.6	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Stone fruits	0.05
6.7	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Assorted tropical and sub-tropical fruits—edible peel	0.05
6.8	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Cereal grains	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Extraneous maximum residue limit (EMRL) (mg/kg)
6.9	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Mammalian fats (except milk fats)	1
6.10	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Milks	0.02
6.11	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Meat (from mammals other than marine mammals)	0.1
6.12	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Eggs	0.1
6.13	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Bulb vegetables	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Extraneous maximum residue limit (EMRL) (mg/kg)
6.14	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.05
6.15	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Fruiting vegetables, Cucurbits	0.05
6.16	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Pulses	0.05
6.17	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Leafy vegetables	0.05
6.18	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Fruiting vegetables, other than Cucurbits	0.05

Column 1 Item	Column 2 Pesticide	Column 3 Residue definition	Column 4 Description of food	Column 5 Extraneous maximum residue limit (EMRL) (mg/kg)
6.19	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Legume vegetables	0.05
6.20	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Root and tuber vegetables	0.05
6.21	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Stalk and stem vegetables	0.05
6.22	Hexachlorocyclohexane (HCH)	Sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH	Aquatic products	0.1

## Part 3

## Interpretation of Schedule 1

- In this Schedule—  
**aquatic products** (水產) means any product derived from any edible part of any aquatic organism, including—
  - fish;
  - fish roe;
  - edible offal of fish;
  - crustacean;
  - mollusc (including cephalopod); and
  - any other aquatic invertebrate animal,
 but does not include an amphibian, marine mammal or reptile;  
**milk** and **milks** (奶、奶類) mean the normal mammary secretion of milking animals—
  - obtained from one or more milkings without either addition or extraction; and
  - is intended for consumption as liquid milk or for further processing.
- Where “(Fat)” forms part of the description of a food as set out in column 4 of Part 1 of this Schedule (or column 4 of Part 2 of this Schedule), it means that the MRL (or EMRL) for the residue definition of the pesticide specified, in column 3 of Part 1 of this Schedule (or column 3 of Part 2 of this Schedule), opposite to the food, applies only to the fat of the food.
- Where—
  - a food is a product obtained by any processing of milk and contains pesticide residues of a pesticide;

- (b) a MRL (or EMRL) for the residue definition of the pesticide applies to the food by virtue of section 5; and
- (c) “(F)” forms part of the description of the primary food commodity from which the food is derived (*primary food*) as set out in column 4 of Part 1 of this Schedule (or column 4 of Part 2 of this Schedule),

the MRL (or EMRL) for the residue definition of the pesticide is to be determined in accordance with section 4 of this Part.

4. In relation to a food referred to in section 3 of this Part—
- (a) (where the fat content of the food is less than 2%) the MRL (or EMRL) for the residue definition of the pesticide specified, in column 3 of Part 1 of this Schedule (or column 3 of Part 2 of this Schedule), opposite to the primary food is to be construed as if it were reduced by 50%;
  - (b) (where the fat content of the food is 2% or more) the MRL (or EMRL) for the residue definition of the pesticide specified, in column 3 of Part 1 of this Schedule (or column 3 of Part 2 of this Schedule), opposite to the primary food is to be construed as if it were multiplied by 25 and expressed on a fat basis.

## Schedule 2

[s. 2]

### Exempted Pesticide

Column 1 Item	Column 2 Description of pesticide
1.	1,4-Diaminobutane
2.	Acetophenone
3.	Alder bark
4.	<i>Alternaria destruens</i> strain 059
5.	Ammonium acetate
6.	Ammonium bicarbonate / potassium bicarbonate / sodium bicarbonate
7.	Amorphous silicon dioxide
8.	<i>Ampelomyces quisqualis</i> isolate M10 and strain AQ10
9.	<i>Bacillus cereus</i> strain BP01
10.	<i>Bacillus pumilus</i> strain QST2808
11.	<i>Bacillus subtilis</i> strains GBO3, MBI600 and QST713
12.	<i>Bacillus thuringiensis</i>
13.	<i>Beauveria bassiana</i> strain GHA
14.	Boric acid / borates (borax (sodium borate decahydrate), disodium octaborate tetrahydrate, boric oxide (boric anhydride), sodium borate and sodium metaborate)
15.	Bromochlorodimethylhydantoin (BCDMH)
16.	Calcium carbonate / sodium carbonate
17.	Capsaicin
18.	Chitin
19.	Chitosan

## Pesticide Residues in Food Regulation

Schedule 2

1116

Column 1 Item	Column 2 Description of pesticide
20.	Cinnamaldehyde
21.	Clove oil
22.	<i>Coniothyrium minitans</i> strain CON/M/91-08
23.	Cytokinins
24.	Extract from <i>Quillaja saponaria</i> (saponins)
25.	Extract from tea tree
26.	Fatty acid C7-C20
27.	Fatty alcohols / aliphatic alcohols
28.	Gamma aminobutyric acid
29.	Garlic extract
30.	Geraniol
31.	<i>Gliocladium catenulatum</i> strain J1446
32.	Homobrassinolide
33.	Inclusion bodies of the multi-nuclear polyhedrosis virus of <i>Anagrapha falcifera</i>
34.	Indian meal moth granulosis virus
35.	Indole-3-butyric acid
36.	Iron(III) ethylenediaminetetraacetate (EDTA) complex
37.	Iron(III) phosphate
38.	<i>Isaria fumosorosea</i> Apopka strain 97
39.	Lactic acid
40.	Lime sulphur (calcium polysulphide)
41.	Lysophosphatidylethanolamine (LPE)
42.	Methyl anthranilate
43.	Methyl nonyl ketone
44.	Mineral oil

## Pesticide Residues in Food Regulation

Schedule 2

1117

Column 1 Item	Column 2 Description of pesticide
45.	Monocarbamide dihydrogen sulphate (urea sulphate)
46.	<i>Muscodor albus</i> strain QST20799 and the volatiles produced on rehydration
47.	Neem oil
48.	<i>Nosema locustae</i>
49.	Occlusion bodies of the granulosis virus of <i>Cydia pomonella</i> (codling moth)
50.	<i>Paecilomyces lilacinus</i> strain 251
51.	Peracetic acid (peroxyacetic acid)
52.	Pheromones
53.	Plant extract derived from <i>Opuntia lindheimeri</i> , <i>Quercus falcata</i> , <i>Rhus aromatica</i> and <i>Rhizophora mangle</i>
54.	Potassium dihydrogen phosphate
55.	Potassium o-nitrophenolate / potassium p-nitrophenolate / sodium o-nitrophenolate / sodium p-nitrophenolate
56.	Potassium tri-iodide
57.	Protein hydrolysate
58.	<i>Pseudomonas chlororaphis</i> strains 63-28 and MA342
59.	<i>Pseudozyma flocculosa</i> strain PF-A22 UL
60.	<i>Pythium oligandrum</i> strain DV74
61.	Rhamnolipid biosurfactant
62.	S-abscisic acid
63.	Seaweed extracts
64.	Sodium aluminium silicate
65.	Sorbitol octanoate
66.	Soya lecithins

Column 1	Column 2
Item	Description of pesticide
67.	<i>Spodoptera exigua</i> nuclear polyhedrosis virus
68.	<i>Streptomyces lydicus</i> strain WYEC108
69.	Sucrose octanoate esters
70.	Sulphur
71.	Tall oil
72.	Terpene constituents of the extract of <i>Chenopodium ambrosioides</i> near <i>ambrosioides</i> ( $\alpha$ -terpinene, d-limonene and p-cymene), as synthetically manufactured
73.	<i>Trichoderma asperellum</i> strain ICC012
74.	<i>Trichoderma gamsii</i> strain ICC080
75.	<i>Trichoderma hamatum</i> isolate 382
76.	<i>Trichoderma harzianum</i> Rifai strains T-22 and T-39
77.	Trimethylamine hydrochloride
78.	Yeast extract hydrolysate from <i>Saccharomyces cerevisiae</i>



Director of Food and Environmental  
Hygiene

26 April 2012

**Explanatory Note**

The purpose of this Regulation is to provide a legal framework for the control of pesticide residues in food.

2. Section 1 provides for the commencement of the Regulation. Section 2 defines certain terms used in the Regulation.
3. Section 3 defines the scope of application of the Regulation.
4. Section 4 stipulates that a person may import, manufacture or sell for human consumption a food which contains pesticide residues only if—
  - (a) the food and the pesticide residues concerned are specified in Schedule 1 and the amount of the residues does not exceed the limit specified in that Schedule;
  - (b) the pesticide residues concerned are residues of an exempted pesticide set out in Schedule 2;
  - (c) section 5 or 6 applies to the food and the amount of the residues does not exceed the limit applicable to the food; or
  - (d) the consumption of the food is not dangerous or prejudicial to health.

Contravention of the requirement is an offence with a maximum penalty of a fine at level 5 and imprisonment for 6 months.

5. Sections 5 and 6 set out the principles for determining the maximum pesticide residues limits for certain kinds of food.
6. Section 7 sets out the factors for determining whether the consumption of a food containing pesticide residues is dangerous or prejudicial to health.
7. Section 8 provides that a prosecution of an offence under the Regulation may be brought in the name of the Director of Food and Environmental Hygiene.

8. Schedule 1 sets out the maximum limits of certain pesticide residues that are allowed in certain food and the interpretation provisions for that Schedule.
9. Schedule 2 sets out the exempted pesticides.

## **IMPLICATIONS OF THE PROPOSAL**

### **PESTICIDE RESIDUES IN FOOD REGULATION**

#### **Financial and Civil Service Implications**

Under the current food surveillance programme, food samples are already being taken by CFS regularly to test for pesticide residues. Nevertheless, it is anticipated that there would be additional workload arising from the implementation of the Regulation, including regular updating of the Schedules with reference to latest international development and proposals received from the trade, testing of food samples for regulatory compliance and liaising with local trade on the new Regulation. The resource requirements will be reviewed during the grace period having regard to future surveillance plan, the frequency of updating the Schedules and the amount of input from the trade. Any additional resources including manpower and testing equipment required by CFS and the Government Laboratory would either be absorbed within existing resources or sought in accordance with the established mechanism.

#### **Economic Implications**

2. The proposal would help ensure food safety and discourage the excessive use of pesticides. It would also increase the transparency in respect of the legally permitted pesticide residues levels in food, and in consequence facilitate trade of food products.

3. While extra compliance costs may be incurred by food traders to conduct laboratory tests, the increase in cost should not be significant since some traders are already carrying out regular tests and normally only a few pesticides would be applied to individual food crops.



## **Environmental Implications**

4. The Regulation would promote proper and minimal application of pesticides in local agriculture. It would also promote the use of exempted pesticides in Schedule 2 to the Regulation which are mostly natural. This would effectively reduce pollution of the environment by discouraging excessive use of harmful pesticides.

## **Sustainability Implications**

5. The proposal would strengthen the Government's capability to ensure food safety. It is in line with the sustainability principle of pursuing policies which promote and protect the physical and mental health and safety of the people of Hong Kong. The promotion of proper and minimal application of pesticides and the use of exempted pesticides would benefit local production of vegetables and fruits in a sustainable manner.

\*\*\*\*\*