

LEGISLATIVE COUNCIL BRIEF

Protection of Endangered Species of Animals and Plants Ordinance
(Cap. 586)

PROTECTION OF ENDANGERED SPECIES OF ANIMALS AND PLANTS ORDINANCE (AMENDMENT OF SCHEDULE 1) ORDER 2009

PROTECTION OF ENDANGERED SPECIES OF ANIMALS AND PLANTS (EXEMPTION FOR APPENDICES II AND III SPECIES) (AMENDMENT) ORDER 2009

INTRODUCTION

On 2 January 2009, the Acting Secretary for the Environment (the Secretary) made -

- (a) the Protection of Endangered Species of Animals and Plants Ordinance (Amendment of Schedule 1) Order 2009 (the “Amendment of Schedule 1 Order”), as set out in **Annex A**, under section 48(1) of the Protection of Endangered Species of Animals and Plants Ordinance (Cap. 586) (the “Ordinance”) to amend Schedule 1 to the Ordinance; and
- (b) the Protection of Endangered Species of Animals and Plants (Exemption for Appendices II and III Species) (Amendment) Order 2009 (the “Amendment to the Exemption Order”), as set out in **Annex B**, under section 47(2) of the Ordinance, to lower the quantitative limit of caviar that is exempted under section 5 of the Protection of Endangered Species of Animals and Plants (Exemption for Appendices II and III Species) Order (Cap 586 sub. leg. B) for its import, export or re-export as personal or household effects.

The above two Orders are to give effect to the amendments made at the 14th

meeting of the Conference of the Parties (CoP14) to the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES) and by individual Parties as notified by the CITES Secretariat.

JUSTIFICATIONS

2. CITES, which has been extended to Hong Kong since 1976, aims to regulate international trade in endangered species so as to protect endangered species from over exploitation or extinction. It requires that the import and export of the species listed in its Appendices including their readily recognizable parts and derivatives be subject to licensing control-

(a) Appendix I

Species which are highly endangered and threatened with extinction.

(b) Appendix II

Species which, unless trade is controlled, could become threatened with extinction.

(c) Appendix III

Species identified by any Parties to CITES as requiring protection from over-exploitation through international trade.

3. Under the provisions of CITES, international trade in endangered species and their readily recognizable parts and derivatives should be subject to regulations by Parties to CITES. Trade in CITES Appendix I species is either prohibited or to be conducted in certain specified circumstances under both an export (or re-export) permit and an import permit. Trade in CITES Appendices II or III species requires only an export (or re-export) permit, unless more stringent domestic measures are applied by the relevant Parties to CITES. Parties to CITES meet every two to three years in the Conference of the Parties and, among other things, review and amend (if necessary) the species listed in the Appendices to CITES. They would also amend or adopt Resolutions in relation to CITES implementation.

4. The Ordinance gives effect to CITES in Hong Kong. It provides that a licence is required for the import, introduction from the sea, export, re-export, possession or control of the species listed in Schedule 1 to the

5. At CoP14 to CITES held in June 2007, Parties to CITES reviewed and amended the list of endangered species in the Appendices to CITES and their annotations. The adopted amendments include -

- (a) inclusion of 1 taxon (species or group of species) in Appendix I;
- (b) inclusion of 3 taxa in Appendix II;
- (c) transfer of 2 taxa from Appendix II to Appendix I;
- (d) transfer of 2 taxa from Appendix III to Appendix I;
- (e) transfer of 2 taxa from Appendix I to Appendix II;
- (f) deletion of 1 taxon from Appendix I;
- (g) deletion of 4 taxa from Appendix II; and
- (h) change of 5 annotations to some specified taxa.

Details of the changes are set out in **Annex C**.

6. Parties to CITES have also re-arranged the format of the list of endangered species set out in Appendices I, II and III to CITES. In brief, they have listed species belonging to the same taxon in each of the three Appendices according to alphabetical order. They at the same time have updated the nomenclature of some species, such as by splitting, merging, re-naming and re-classification of such species in the Appendices.

7. The CITES Secretariat also notified that 14 taxa identified by individual Parties have been added to Appendix III, and all species previously identified by Ghana and listed in Appendix III have been deleted from Appendix III. The relevant additions and deletions are at **Annex D** and **Annex E** respectively.

8. To give effect to the amendments adopted by Parties to CITES as detailed in paragraphs 5-7 above, Schedule 1 to the Ordinance has to be amended, particularly, a new format of the list of endangered species, which is similar to that as adopted by CITES, is provided in Part 2 of Schedule 1 to the Ordinance. Section 48(1) of the Ordinance provides that the Secretary may, by order published in the Gazette, amend any Schedule.

9. CoP14 also adopted a Resolution to reduce the maximum amount of caviar which will be exempted from licensing control for its import, export or re-export as personal and household effects, from 250 grams per person to 125 grams per person. To reflect this change, the Schedule to the Protection of Endangered Species of Animals and Plants (Exemption for Appendices II and III) Order (Cap. 586 sub. leg. B) has to be amended. Section 47(2) of the Ordinance provides that the Secretary may, by order published in the Gazette, exempt any person or any Appendix II or III specimen from the licensing control under section 11, 12, 13 or 14 of the Ordinance in order to enable any part of CITES, or of CITES instrument to have the force or law in Hong Kong.

THE AMENDMENT OF SCHEDULE 1 ORDER

10. The Amendment of Schedule 1 Order amends Schedule 1 to the Ordinance to reflect the amendments made to the Appendices to CITES and their annotations at CoP14, and by individual Parties as notified by the CITES Secretariat.

THE AMENDMENT TO THE EXEMPTION ORDER

11. The Amendment to the Exemption Order reduces the quantitative limit for the import, export or re-export of caviar as personal or household effects to reflect the Resolution adopted by Parties to CITES at CoP14.

LEGISLATIVE TIMETABLE

12. The legislative timetable is as follows –

Publication in the Gazette	9 January 2009
Tabling at the Legislative Council	14 January 2009

IMPLICATIONS OF THE LEGISLATIVE AMENDMENTS

13. The Amendment of Schedule 1 Order and the Amendment to the Exemption Order have economic implications as set out at **Annex F**. They are in conformity with the Basic Law, including the provisions concerning human rights. They have no financial, sustainability, or environmental implications. We anticipate that the additional workload arising from the

legislative amendments would be insignificant, and could be absorbed within the existing resources of the departments concerned.

14. The Amendment of Schedule 1 Order and the Amendment to the Exemption Order do not affect the current binding effect of the Ordinance and its subsidiary legislation.

PUBLIC CONSULTATION

15. We have consulted the Endangered Species Advisory Committee and the Endangered Species Protection Liaison Group. Members supported the proposal. Non-governmental organizations, including World Wide Fund Hong Kong, TRAFFIC East Asia and Kadoorie Farm and Botanical Garden, were also consulted. They had no objection to the proposed amendments.

16. Representatives of the concerned trades, viz dried seafood and sharkfin, food fish and timber, have been consulted. The traders generally have no objection to the new control on the understanding that the control is required under CITES.

17. We circulated an information note to the Legislative Council Panel on Environmental Affairs on 15 October 2008, and informed members of the proposed amendments. No comment was received from members.

PUBLICITY

18. Relevant traders will be informed of the commencement date of the legislative amendments, which is 13 March 2009.

ENQUIRY

19. Any enquiry of this brief should be directed to Miss Vivien LI, Senior Administrative Officer (Nature Conservation) on telephone 2594 6229 or fax 2136 3304.

Environmental Protection Department
January 2009

**PROTECTION OF ENDANGERED SPECIES OF
ANIMALS AND PLANTS ORDINANCE
(AMENDMENT OF SCHEDULE 1)
ORDER 2009**

(Made by the Secretary for the Environment under section 48 of the
Protection of Endangered Species of Animals and Plants Ordinance
(Cap. 586))

1. Commencement

This Order comes into operation on 13 March 2009.

2. Scheduled species

Schedule 1 to the Protection of Endangered Species of Animals and Plants Ordinance (Cap. 586) is amended –

(a) in Part 1, by repealing section 7 and substituting –

“7. When a species is included in one of the Appendices, all parts and derivatives of the species are also included in the same Appendix unless the species is annotated to indicate that only specific parts and derivatives are included. The symbol (#) followed by a number placed against the name of an Appendix II species or Appendix III species designates parts or derivatives that are specified in relation to that species for the purposes of this Ordinance as follows –

#1 Designates all parts and derivatives, except –

(a) seeds, spores and pollen (including pollinia);

- (b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- (c) cut flowers of artificially propagated plants; and
- (d) fruits, parts of fruits, and derivatives of fruits, of artificially propagated plants of the genus *Vanilla*.

#2 Designates all parts and derivatives, except –

- (a) seeds and pollen; and
- (b) finished products packaged and ready for retail trade.

#3 Designates whole and sliced roots and parts of roots.

#4 Designates all parts and derivatives, except –

- (a) seeds, except those from Mexican cacti originating in Mexico, and pollen;
- (b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- (c) cut flowers of artificially propagated plants;
- (d) fruits, parts of fruits, and derivatives of fruits, of naturalized or artificially propagated plants; and

(e) separate stem joints (pads), parts of separate stem joints (pads), and derivatives of separate stem joints (pads), of naturalized or artificially propagated plants of the genus *Opuntia* subgenus *Opuntia*.

#5 Designates logs, sawn wood and veneer sheets.

#6 Designates logs, sawn wood, veneer sheets and plywood.

#7 Designates logs, wood-chips, powder and extracts.

#8 Designates underground parts (i.e. roots, rhizomes): whole, parts and powdered.

#9 Designates all parts and derivatives except those bearing a label "Produced from *Hoodia* spp. material obtained through controlled harvesting and production in collaboration with the CITES Management Authorities of Botswana/Namibia/South Africa under agreement no. BW/NA/ZA xxxxxx".

#10 Designates logs, sawn wood and veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments.

#11 Designates logs, sawn wood, veneer sheets, plywood, powder and extracts.";

(b) by repealing Part 2 and substituting –

"PART 2

APPENDICES

Appendix I	Appendix II	Appendix III
F A U N A <ANIMALS>		
P H Y L U M C H O R D A T A		
C L A S S M A M M A L I A <MAMMALS>		
ARTIODACTYLA		
Antilocapridae		
<i>Antilocapra americana</i> <Mexican pronghorn> (Only the population of Mexico; no other population is included in the Appendices)		
Bovidae		
<i>Addax nasomaculatus</i> <Addax>		
	<i>Ammotragus lervia</i> <Aoudad, barbary sheep>	
		<i>Antilope cervicapra</i> <Blackbuck> (Nepal)
	<i>Bison bison athabasca</i> <Wood bison>	
<i>Bos gaurus</i> <Gaur, saladang> (Excludes the domesticated form, which is referenced as <i>Bos frontalis</i> , and is not subject to the provisions of this Ordinance)		
<i>Bos mutus</i> <Wild yak> (Excludes the domesticated form, which is referenced as <i>Bos grunniens</i> , and is not subject to the provisions of this Ordinance)		
<i>Bos sauveli</i> <Kouprey>		
		<i>Bubalus arnee</i> <Wild Asiatic buffalo> (Nepal) (Excludes the domesticated form, which is referenced as <i>Bubalus bubalis</i>)
<i>Bubalus depressicornis</i> <Lowland anoa>		
<i>Bubalus mindorensis</i> <Tamaraw>		

<i>Bubalus quarlesi</i> (Mountain anoa)		
	<i>Budorcas taxicolor</i> (Takin)	
<i>Capra falconeri</i> (Markhor)		
<i>Capricornis milneedwardsii</i> (Chinese serow)		
<i>Capricornis rubidus</i> (Red serow)		
<i>Capricornis sumatraensis</i> (Mainland serow)		
<i>Capricornis thar</i> (Himalayan serow)		
	<i>Cephalophus brookei</i>	
	<i>Cephalophus dorsalis</i> (Bay duiker)	
<i>Cephalophus jentinki</i> (Jentink's duiker)		
	<i>Cephalophus ogilbyi</i> (Ogilby's duiker)	
	<i>Cephalophus silvicultor</i> (Yellow-backed duiker)	
	<i>Cephalophus zebra</i> (Banded duiker)	
	<i>Damaliscus pygargus pygargus</i> (Bontebok)	
<i>Gazella cuvieri</i> (Cuvier's gazelle, edmi gazelle)		
		<i>Gazella dorcas</i> (Dorcas gazelle) (Algeria, Tunisia)
<i>Gazella leptoceros</i> (Rhim gazelle, sand gazelle)		
<i>Hippotragus niger variani</i> (Giant sable antelope)		
	<i>Kobus leche</i> (Lechwe)	
<i>Naemorhedus baileyi</i> (Red goral)		
<i>Naemorhedus caudatus</i> (Chinese goral)		
<i>Naemorhedus goral</i> (Goral)		
<i>Naemorhedus griseus</i> (South China goral)		
<i>Nanger dama</i> (Addra gazelle)		
<i>Oryx dammah</i> (Sahara oryx)		
<i>Oryx leucoryx</i> (Arabian oryx)		
	<i>Ovis ammon</i> (Argali) (Except the subspecies included in Appendix D)	
<i>Ovis ammon hodgsonii</i> (Great Tibetan sheep)		

<i>Ovis ammon nigrimontana</i> «Kara Tau argali»		
	<i>Ovis canadensis</i> «Bighorn sheep» (Only the population of Mexico; no other population is included in the Appendices)	
<i>Ovis orientalis ophion</i> «Cyprian wild sheep, Cyprus mouflon»		
	<i>Ovis vignei</i> «Red sheep, ural, shapo» (Except the subspecies included in Appendix I)	
<i>Ovis vignei vignei</i> «Ladakh urial»		
<i>Pantholops hodgsonii</i> «Chiru, Tibetan antelope»		
	<i>Philantomba monticola</i> «Blue duiker»	
<i>Pseudoryx nghetinhensis</i> «Saola»		
<i>Rupicapra pyrenaica ornata</i> «Abruzzo chamois»		
	<i>Saiga borealis</i> «Mongolian saiga»	
	<i>Saiga tatarica</i> «Saiga»	
		<i>Tetracerus quadricornis</i> «Chousingha, four-horned antelope» (Nepal)
Camelidae		
	<i>Lama glama guanicoe</i> «Guanaco»	
<i>Vicugna vicugna</i> «Vicugna» (Except the populations of Argentina [the populations of the Provinces of Jujuy and Catamarca and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan]; Bolivia [the whole population]; Chile [population of the Primera Región]; and Peru [the whole population]; which are included in Appendix II)		
	<i>Vicugna vicugna</i> «Vicugna» (Only the populations of Argentina ¹ [the populations of the Provinces of Jujuy and Catamarca and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan]; Bolivia ² [the whole population]; Chile ³ [population	

	of the Primera Región]; Peru ⁴ [the whole population]; all other populations are included in Appendix I)	
Cervidae		
<i>Axis calamianensis</i> ‹Calamian deer›		
<i>Axis kuhlii</i> ‹Bawean deer, Kuhl's hog deer›		
<i>Axis porcinus annamiticus</i> ‹Ganges hog deer, Thai hog deer›		
<i>Blastocerus dichotomus</i> ‹Marsh deer›		
	<i>Cervus elaphus bactrianus</i> ‹Bactrian deer›	
		<i>Cervus elaphus barbarus</i> ‹Atlas deer, Barbary red deer› (Algeria, Tunisia)
<i>Cervus elaphus hanglu</i> ‹Hangul, Kashmir deer›		
<i>Dama dama mesopotamica</i> ‹Mesopotamian fallow deer, Persian fallow deer›		
<i>Hippocamelus</i> spp. ‹Huemuls, Andean guemals›		
		<i>Mazama temama cerasina</i> ‹Guatemalan red brocket› (Guatemala)
<i>Muntiacus crinifrons</i> ‹Black muntjac›		
<i>Muntiacus vuquangensis</i> ‹Giant muntjac›		
		<i>Odocoileus virginianus mayensis</i> ‹Guatemalan white-tailed deer› (Guatemala)
<i>Ozotoceros bezoarticus</i> ‹Pampas deer›		
	<i>Pudu mephistophiles</i> ‹Northern pudu›	
<i>Pudu puda</i> ‹Chilean pudu›		
<i>Rucervus divaucelii</i> ‹Barasingha, swamp deer›		
<i>Rucervus eldii</i> ‹Brow-antlered deer›		
Hippopotamidae		
	<i>Hexaprotodon liberiensis</i> ‹Pygmy hippopotamus›	

	<i>Hippopotamus amphibius</i> ⟨Hippopotamus⟩	
Moschidae		
<i>Moschus</i> spp. ⟨Musk deer⟩ (Only the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan; all other populations are included in Appendix II)		
	<i>Moschus</i> spp. ⟨Musk deer⟩ (Except the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan, which are included in Appendix I)	
Suidae		
<i>Babyrousa babyrussa</i> ⟨Babiroussa⟩		
<i>Babyrousa bolabatuensis</i> ⟨Bola batu babirusa⟩		
<i>Babyrousa celebensis</i> ⟨North Sulawesi babirusa⟩		
<i>Babyrousa togeanensis</i> ⟨Malenge babirusa⟩		
<i>Sus salvanius</i> ⟨Pygmy hog⟩		
Tayassuidae		
	Tayassuidae spp. ⟨Peccaries⟩ (Except the species included in Appendix I and the populations of <i>Pecari tajacu</i> of Mexico and the United States of America, which are not included in the Appendices)	
<i>Catagonus wagneri</i> ⟨Chacoan peccary⟩		
CARNIVORA		
Ailuridae		
<i>Ailurus fulgens</i> ⟨Lesser panda⟩		
Canidae		
		<i>Canis aureus</i> ⟨Golden jackal⟩ (India)
<i>Canis lupus</i> ⟨Common wolf, timber wolf⟩ (Only the populations of Bhutan, India, Nepal and Pakistan; all other populations are included in Appendix II)		

	<i>Canis lupus</i> ‹Common wolf, timber wolf› (Except the populations of Bhutan, India, Nepal and Pakistan, which are included in Appendix I)	
	<i>Cerdocyon thous</i> ‹Common zorro, forest fox›	
	<i>Chrysocyon brachyurus</i> ‹Maned wolf›	
	<i>Cuon alpinus</i> ‹Asiatic wild dog, red dog›	
	<i>Lycalopex culpaeus</i> ‹Andean wolf, colpeo fox›	
	<i>Lycalopex fulvipes</i>	
	<i>Lycalopex griseus</i> ‹Argentine grey fox›	
	<i>Lycalopex gymnocercus</i> ‹Azara's zorro, pampa fox›	
	<i>Speothos venaticus</i> ‹Bush dog›	
		<i>Vulpes bengalensis</i> ‹Bengal fox› (India)
	<i>Vulpes cana</i> ‹Afghan fox›	
		<i>Vulpes vulpes griffithi</i> ‹Red fox› (India)
		<i>Vulpes vulpes montana</i> ‹Mountain red fox› (India)
		<i>Vulpes vulpes pusilla</i> ‹Red fox› (India)
	<i>Vulpes zerda</i> ‹Fennec fox›	
Eupleridae		
	<i>Cryptoprocta ferox</i> ‹Fosa›	
	<i>Eupleres goudotii</i> ‹Falanouc›	
	<i>Fossa fossana</i> ‹Fanaloka›	
Felidae		
	Felidae spp. ‹Cats› (Except the species included in Appendix I. Specimens of the domesticated form are not subject to the provisions of this Ordinance)	
	<i>Acinonyx jubatus</i> ‹Cheetah› (Annual export quotas for live specimens and hunting trophies are granted as follows: Botswana: 5; Namibia: 150; Zimbabwe: 50. The trade in such specimens is subject to the provisions of this Ordinance)	
	<i>Caracal caracal</i> ‹African caracal› (Only the population of Asia; all other populations	

are included in Appendix II)		
<i>Catopuma temminckii</i> ‹Asiatic golden cat›		
<i>Felis nigripes</i> ‹Black-footed cat›		
<i>Leopardus geoffroyi</i> ‹Geoffroy's cat›		
<i>Leopardus jacobitus</i> ‹Andean cat›		
<i>Leopardus pardalis</i> ‹Ocelot›		
<i>Leopardus tigrinus</i> ‹Little spotted cat›		
<i>Leopardus wiedii</i> ‹Margay›		
<i>Lynx pardinus</i> ‹Iberian lynx›		
<i>Neofelis nebulosa</i> ‹Clouded leopard›		
<i>Panthera leo persica</i> ‹Asiatic lion›		
<i>Panthera onca</i> ‹Jaguar›		
<i>Panthera pardus</i> ‹Leopard›		
<i>Panthera tigris</i> ‹Tiger›		
<i>Pardofelis marmorata</i> ‹Marbled cat›		
<i>Prionailurus bengalensis bengalensis</i> ‹Bengal leopard cat› (Only the populations of Bangladesh, India and Thailand; all other populations are included in Appendix II)		
<i>Prionailurus planiceps</i> ‹Flat-headed cat›		
<i>Prionailurus rubiginosus</i> ‹Rusty-spotted cat› (Only the population of India; all other populations are included in Appendix II)		
<i>Puma concolor coryi</i> ‹Florida cougar, Florida puma›		
<i>Puma concolor costaricensis</i> ‹Central American puma, Costa Rican puma›		
<i>Puma concolor cougar</i> ‹Eastern cougar, eastern puma›		
<i>Puma yagouaroundi</i> ‹Eyra cat, jaguarundi› (Only the populations of Central and North America; all other populations are included in Appendix II)		
<i>Uncia uncia</i> ‹Ounce, snow		

leopard		
Herpestidae		
		<i>Herpestes edwardsi</i> ‹Indian grey mongoose› (India)
		<i>Herpestes fuscus</i> ‹Indian brown mongoose› (India)
		<i>Herpestes javanicus auropunctatus</i> ‹Small Indian mongoose› (India)
		<i>Herpestes smithii</i> ‹Ruddy mongoose› (India)
		<i>Herpestes urva</i> ‹Crab-eating mongoose› (India)
		<i>Herpestes vitticollis</i> ‹Stripe-necked mongoose› (India)
Hyaenidae		
		<i>Proteles cristata</i> ‹Aardwolf› (Botswana)
Mephitidae		
	<i>Conepatus humboldtii</i> ‹Humboldt's hog-nosed skunk, Patagonian hog-nosed skunk›	
Mustelidae		
Lutrinae		
	Lutrinae spp. ‹Otters› (Except the species included in Appendix I)	
<i>Aonyx capensis microdon</i> ‹Cameroon clawless otter› (Only the populations of Cameroon and Nigeria; all other populations are included in Appendix II)		
<i>Enhydra lutris nereis</i> ‹California sea otter, southern sea otter›		
<i>Lontra felina</i> ‹Chingungo, marine otter›		
<i>Lontra longicaudis</i> ‹Long-tailed otter, South American river otter›		
<i>Lontra provocax</i> ‹Huillin, southern river otter›		
<i>Lutra lutra</i> ‹Common otter, Eurasian otter›		
<i>Lutra nippon</i>		
<i>Pteronura brasiliensis</i> ‹Giant Brazilian otter›		
Mustelinae		

		<i>Eira barbara</i> ‹Tayra› (Honduras)
		<i>Galictis vittata</i> ‹Greater grison› (Costa Rica)
		<i>Martes flavigula</i> ‹Central Asian stone marten› (India)
		<i>Martes foina intermedia</i> ‹Central Asian stone marten› (India)
		<i>Martes gwatkinsii</i> ‹Nilgiri marten› (India)
		<i>Mellivora capensis</i> ‹Honey badger› (Botswana)
		<i>Mustela altaica</i> ‹Mountain weasel› (India)
		<i>Mustela erminea ferghanae</i> ‹Ermine› (India)
		<i>Mustela kathiah</i> ‹Yellow- bellied weasel› (India)
<i>Mustela nigripes</i> ‹Black-footed ferret›		
		<i>Mustela sibirica</i> ‹Siberian weasel› (India)
Odobenidae		
		<i>Odobenus rosmarus</i> ‹Walrus› (Canada)
Otariidae		
	<i>Arctocephalus</i> spp. ‹Southern fur seals› (Except the species included in Appendix I)	
<i>Arctocephalus townsendi</i> ‹Guadalupe fur seal›		
Phocidae		
	<i>Mirounga leonina</i> ‹South Atlantic elephant-seal›	
<i>Monachus</i> spp. ‹Monk seals›		
Procyonidae		
		<i>Bassaricyon gabbii</i> ‹Bushy-tailed olingo› (Costa Rica)
		<i>Bassariscus sumichrasti</i> ‹Central American cacomistle› (Costa Rica)
		<i>Nasua narica</i> ‹Coati› (Honduras)
		<i>Nasua nasua solitaria</i> ‹South Brazilian coati› (Uruguay)
		<i>Potos flavus</i> ‹Kinkajou›

		(Honduras)
Ursidae		
	Ursidae spp. (Bears) (Except the species included in Appendix I)	
<i>Ailuropoda melanoleuca</i> (Giant panda)		
<i>Helarctos malayanus</i> (Malayan sun bear)		
<i>Melursus ursinus</i> (Sloth bear)		
<i>Tremarctos ornatus</i> (Andean bear, spectacled bear)		
<i>Ursus arctos</i> (Brown bear) (Only the populations of Bhutan, China, Mexico and Mongolia; all other populations are included in Appendix II)		
<i>Ursus arctos isabellinus</i> (Himalayan brown bear)		
<i>Ursus thibetanus</i> (Asiatic black bear)		
Viverridae		
		<i>Arctictis binturong</i> (Binturong) (India)
		<i>Civettictis civetta</i> (African civet) (Botswana)
	<i>Cynogale bennettii</i> (Otter-civet)	
	<i>Hemigalus derbyanus</i> (Banded musang, banded palm civet)	
		<i>Paguma larvata</i> (Masked palm civet) (India)
		<i>Paradoxurus hermaphroditus</i> (Common palm civet) (India)
		<i>Paradoxurus jerdoni</i> (Jerdon's palm civet) (India)
	<i>Prionodon linsang</i> (Banded linsang)	
<i>Prionodon pardicolor</i> (Spotted linsang)		
		<i>Viverra civettina</i> (Malabar large-spotted civet) (India)
		<i>Viverra zibetha</i> (Large Indian civet) (India)
		<i>Viverricula indica</i> (Small Indian civet) (India)
CETACEA		
	CETACEA spp. (e.g. Cetaceans, dolphins, porpoises, whales)	

	(Except the species included in Appendix I. A zero annual export quota has been established for live specimens from the Black Sea population of <i>Tursiops truncatus</i> ‹Bottle-nosed dolphin› removed from the wild and traded for primarily commercial purposes)	
Balaenidae		
<i>Balaena mysticetus</i> ‹Bowhead whale, Greenland right whale›		
<i>Eubalaena</i> spp. ‹Right whales›		
Balaenopteridae		
<i>Balaenoptera acutorostrata</i> ‹Lesser rorqual, minke whale› (Except the population of West Greenland, which is included in Appendix II)		
<i>Balaenoptera bonaerensis</i> ‹Antarctic minke whale›		
<i>Balaenoptera borealis</i> ‹Coalfish whale, sei whale›		
<i>Balaenoptera edeni</i> ‹Bryde's whale›		
<i>Balaenoptera musculus</i> ‹Blue whale›		
<i>Balaenoptera physalus</i> ‹Common rorqual, fin whale›		
<i>Megaptera novaeangliae</i> ‹Bunch, humpback whale›		
Delphinidae		
<i>Orcaella brevirostris</i> ‹Irrawaddy dolphin›		
<i>Sotalia</i> spp. ‹River dolphins›		
<i>Sousa</i> spp. ‹Humpback dolphins›		
Eschrichtiidae		
<i>Eschrichtius robustus</i> ‹Devil fish, grey whale›		
Iniidae		
<i>Lipotes vexillifer</i> ‹Baiji, white flat dolphin›		
Neobalaenidae		
<i>Caperea marginata</i> ‹Pygmy right whale›		
Phocoenidae		
<i>Neophocaena phocaenoides</i> ‹Black finless porpoise›		

<i>Phocoena sinus</i> ‹Cochito›		
Physeteridae		
<i>Physeter catodon</i> ‹Cachelot, sperm whale›		
Platanistidae		
<i>Platanista</i> spp. ‹Susus›		
Ziphiidae		
<i>Berardius</i> spp. ‹Beaked whales›		
<i>Hyperoodon</i> spp. ‹Bottlenose whales›		
CHIROPTERA		
Phyllostomidae		
		<i>Platyrrhinus lineatus</i> ‹White-lined bat› (Uruguay)
Pteropodidae		
	<i>Acerodon</i> spp. ‹Flying-foxes› (Except the species included in Appendix I)	
<i>Acerodon jubatus</i> ‹Golden-capped fruit bat›		
	<i>Pteropus</i> spp. ‹Flying-foxes› (Except the species included in Appendix I)	
<i>Pteropus insularis</i> ‹Chuuk flying-fox›		
<i>Pteropus loochoensis</i>		
<i>Pteropus mariannus</i> ‹Marianas flying-fox›		
<i>Pteropus molossinus</i> ‹Caroline flying-fox›		
<i>Pteropus pelewensis</i> ‹Palau flying-fox›		
<i>Pteropus pilosus</i> ‹Large Palau flying-fox›		
<i>Pteropus samoensis</i> ‹Samoan flying-fox›		
<i>Pteropus tonganus</i> ‹Insular flying-fox›		
<i>Pteropus ualanus</i> ‹Kosrae flying-fox›		
<i>Pteropus yapensis</i> ‹Yap flying-fox›		
CINGULATA		
Dasypodidae		
		<i>Cabassous centralis</i> ‹Northern naked-tailed armadillo› (Costa Rica)

		<i>Cabassous tatouay</i> ⟨Greater naked-tailed armadillo⟩ (Uruguay)
	<i>Chaetophractus nationi</i> ⟨Andean hairy armadillo⟩ (A zero annual export quota has been established. All specimens shall be deemed to be specimens of species included in Appendix I)	
<i>Priodontes maximus</i> ⟨Giant armadillo⟩		
DASYUROMORPHIA		
Dasyuridae		
<i>Sminthopsis longicaudata</i> ⟨Long-tailed dunnart⟩		
<i>Sminthopsis psammophila</i> ⟨Large desert marsupial-mouse⟩		
Thylacinidae		
<i>Thylacinus cynocephalus</i> ⟨Tasmanian tiger⟩ (possibly extinct)		
DIPROTODONTIA		
Macropodidae		
	<i>Dendrolagus inustus</i> ⟨Grizzled tree-kangaroo⟩	
	<i>Dendrolagus ursinus</i> ⟨Black tree-kangaroo⟩	
<i>Lagorchestes hirsutus</i> ⟨Ormala⟩		
<i>Lagostrophus fasciatus</i> ⟨Banded hare-wallaby⟩		
<i>Onychogalea fraenata</i> ⟨Bridled nailtail wallaby⟩		
<i>Onychogalea lunata</i> ⟨Crescent nailtail wallaby⟩		
Phalangeridae		
	<i>Phalanger intercastellanus</i> ⟨Eastern common cuscus⟩	
	<i>Phalanger mimicus</i> ⟨Cryptic cuscus⟩	
	<i>Phalanger orientalis</i> ⟨Common phalanger, grey cuscus⟩	
	<i>Spilocuscus kraemeri</i> ⟨Admiralty cuscus⟩	
	<i>Spilocuscus maculatus</i> ⟨Common spotted cuscus⟩	
	<i>Spilocuscus papuensis</i> ⟨Waigeo cuscus⟩	
Potoroidae		
<i>Bettongia</i> spp. ⟨Bettongs⟩		

<i>Caloprymnus campestris</i> ‹Buff-nosed rat-kangaroo› (possibly extinct)		
Vombatidae		
<i>Lasiorhinus krefftii</i> ‹Northern hairy-nosed wombat›		
LAGOMORPHA		
Leporidae		
<i>Caprolagus hispidus</i> ‹Assam rabbit›		
<i>Romerolagus diazi</i> ‹Volcano rabbit›		
MONOTREMATA		
Tachyglossidae		
	<i>Zaglossus</i> spp. ‹Long-nosed echidnas›	
PERAMELEMORPHIA		
Chaeropodidae		
<i>Chaeropus ecaudatus</i> ‹Pig-footed bandicoot› (possibly extinct)		
Peramelidae		
<i>Perameles bougainville</i> ‹Barred bandicoot›		
Thylacomyidae		
<i>Macrotis lagotis</i> ‹Bilby›		
<i>Macrotis leucura</i> ‹Lesser bilby›		
PERISSODACTYLA		
Equidae		
<i>Equus africanus</i> ‹African ass› (Excludes the domesticated form, which is referenced as <i>Equus asinus</i> , and is not subject to the provisions of this Ordinance)		
<i>Equus grevyi</i> ‹Grevy's zebra›		
	<i>Equus hemionus</i> ‹Asian wild ass› (Except the subspecies included in Appendix I)	
<i>Equus hemionus hemionus</i> ‹Dziggetai, Mongolian wild ass›		
<i>Equus hemionus khur</i> ‹Ghor-khar, Indian wild ass›		
	<i>Equus kiang</i> ‹Kiang›	
<i>Equus przewalskii</i> ‹Mongolian wild horse, Przewalski's horse›		
	<i>Equus zebra hartmannae</i> ‹Hartmann's mountain zebra›	

<i>Equus zebra zebra</i> ‹Cape mountain zebra›		
Rhinocerotidae		
Rhinocerotidae spp. ‹Rhinoceroses› (Except the subspecies included in Appendix II)		
	<i>Ceratotherium simum simum</i> ‹Southern square-lipped rhinoceros› (Only the populations of South Africa and Swaziland; all other populations are included in Appendix I. For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable destinations and hunting trophies. All other specimens shall be deemed to be specimens of species included in Appendix I)	
Tapiridae		
Tapiridae spp. ‹Tapirs› (Except the species included in Appendix II)		
	<i>Tapirus terrestris</i> ‹Brazilian tapir›	
PHOLIDOTA		
Manidae		
	<i>Manis</i> spp. ‹Pangolins› (A zero annual export quota has been established for <i>Manis crassicaudata</i> , <i>M. culionensis</i> , <i>M. javanica</i> and <i>M. pentadactyla</i> for specimens removed from the wild and traded for primarily commercial purposes)	
PILOSA		
Bradypodidae		
	<i>Bradypus variegatus</i> ‹Bolivian three-toed sloth›	
Megalonychidae		
		<i>Choloepus hoffmanni</i> ‹Hoffmann's two-toed sloth› (Costa Rica)
Myrmecophagidae		
	<i>Myrmecophaga tridactyla</i> ‹Giant anteater›	
		<i>Tamandua mexicana</i> ‹Northern tamandua› (Guatemala)
PRIMATES		

	PRIMATES spp. (e.g. Apes, monkeys, primates) (Except the species included in Appendix I)	
Atelidae		
<i>Alouatta coibensis</i> (Coiba Island howling monkey)		
<i>Alouatta palliata</i> (Mantled howler)		
<i>Alouatta pigra</i> (Guatemalan howler)		
<i>Ateles geoffroyi frontatus</i> (Black-browed spider monkey)		
<i>Ateles geoffroyi panamensis</i> (Panama spider monkey)		
<i>Brachyteles arachnoides</i> (Muriqui)		
<i>Brachyteles hypoxanthus</i>		
<i>Oreonax flavicauda</i> (Yellow-tailed woolly monkey)		
Cebidae		
<i>Callimico goeldii</i> (Goeldi's marmoset)		
<i>Callithrix aurita</i> (Buffy-tufted-ear marmoset)		
<i>Callithrix flaviceps</i> (Buffy-headed marmoset)		
<i>Leontopithecus</i> spp. (Lion tamarins)		
<i>Saguinus bicolor</i> (Bare-faced tamarin)		
<i>Saguinus geoffroyi</i> (Cotton-top marmoset)		
<i>Saguinus leucopus</i> (White-footed tamarin)		
<i>Saguinus martinsi</i> (Martins's bare-faced tamarin)		
<i>Saguinus oedipus</i> (Cotton-headed tamarin)		
<i>Saimiri oerstedii</i> (Central American squirrel monkey)		
Cercopithecoidea		
<i>Cercocebus galeritus</i> (Tana river mangabey)		
<i>Cercopithecus diana</i> (Diana guenon)		
<i>Cercopithecus roloway</i> (Roloway monkey)		
<i>Macaca silenus</i> (Lion-tailed macaque)		

<i>Mandrillus leucophaeus</i> ‹Drill›		
<i>Mandrillus sphinx</i> ‹Mandrill›		
<i>Nasalis larvatus</i> ‹Long-nosed monkey›		
<i>Ptilocolobus kirkii</i> ‹Kirk's colobus›		
<i>Ptilocolobus rufomitratu</i> ‹Tana river colobus›		
<i>Presbytis potenziani</i> ‹Long-tailed langur›		
<i>Pygathrix</i> spp. ‹Snub-nosed monkeys›		
<i>Rhinopithecus</i> spp.		
<i>Semnopithecus ajax</i> ‹Kashmir grey langur›		
<i>Semnopithecus dussumieri</i> ‹Southern plains grey langur›		
<i>Semnopithecus entellus</i> ‹Common langur›		
<i>Semnopithecus hector</i> ‹Tarai grey langur›		
<i>Semnopithecus hypoleucos</i> ‹Black-footed grey langur›		
<i>Semnopithecus priam</i> ‹Tufted grey langur›		
<i>Semnopithecus schistaceus</i> ‹Nepal grey langur›		
<i>Simias concolor</i> ‹Mentawi Islands snub-nosed langur›		
<i>Trachypithecus geei</i> ‹Golden langur›		
<i>Trachypithecus pileatus</i> ‹Bonneted langur›		
<i>Trachypithecus shortridgei</i> ‹Shortridge's langur; Shortridge's leaf monkey›		
Cheirogaleidae		
Cheirogaleidae spp. ‹Dwarf lemurs›		
Daubentoniidae		
<i>Daubentonia madagascariensis</i> ‹Aye-aye›		
Hominidae		
<i>Gorilla beringei</i>		
<i>Gorilla gorilla</i> ‹Gorilla›		
<i>Pan</i> spp. ‹Chimpanzees›		
<i>Pongo abelii</i> ‹Sumatran orang-utan›		
<i>Pongo pygmaeus</i> ‹Orang-utan›		

Hylobatidae		
Hylobatidae spp. ‹Gibbons›		
Indriidae		
Indriidae spp. ‹Indris›		
Lemuridae		
Lemuridae spp. ‹Lemurs›		
Lepilemuridae		
Lepilemuridae spp. ‹Sportive lemurs›		
Lorisidae		
<i>Nycticebus</i> spp. ‹Slow lorises›		
Pitheciidae		
<i>Cacajao</i> spp. ‹Uakaris›		
<i>Chiropotes albinasus</i> ‹Red-nosed saki›		
PROBOSCIDEA		
Elephantidae		
<i>Elephas maximus</i> ‹Asian elephant›		
<i>Loxodonta africana</i> ‹African elephant› (Except the populations of Botswana, Namibia, South Africa and Zimbabwe, which are included in Appendix II)		
	<i>Loxodonta africana</i> ⁵ ‹African elephant› (Only the populations of Botswana, Namibia, South Africa and Zimbabwe ; all other populations are included in Appendix I)	
RODENTIA		
Chinchillidae		
<i>Chinchilla</i> spp. ‹Chinchillas› (Specimens of the domesticated form are not subject to the provisions of this Ordinance)		
Cuniculidae		
		<i>Cuniculus paca</i> ‹Spotted paca› (Honduras)
Dasyproctidae		
		<i>Dasyprocta punctata</i> ‹Central American agouti› (Honduras)
Erethizontidae		
		<i>Sphiggurus mexicanus</i> ‹Mexican tree porcupine› (Honduras)
		<i>Sphiggurus spinosus</i>

		⟨Spiny tree porcupine⟩ (Uruguay)
Muridae		
<i>Leporillus conditor</i> ⟨Greater stick-nest rat⟩		
<i>Pseudomys fieldi praeconis</i> ⟨Shark bay mouse⟩		
<i>Xeromys myoides</i> ⟨False swamp rat⟩		
<i>Zyzomys pedunculatus</i> ⟨Central rock-rat⟩		
Sciuridae		
<i>Cynomys mexicanus</i> ⟨Mexican prairie marmot⟩		
		<i>Marmota caudata</i> ⟨Long-tailed marmot⟩ (India)
		<i>Marmota himalayana</i> ⟨Himalayan marmot⟩ (India)
	<i>Ratufa</i> spp. ⟨Giant squirrels⟩	
		<i>Sciurus deppei</i> ⟨Deppe's squirrel⟩ (Costa Rica)
SCANDENTIA		
Tupaiidae		
	Tupaiidae spp. ⟨Tree shrews⟩	
SIRENIA		
Dugongidae		
<i>Dugong dugon</i> ⟨Dugong⟩		
Trichechidae		
<i>Trichechus inunguis</i> ⟨Amazonian manatee⟩		
<i>Trichechus manatus</i> ⟨American manatee, West Indian manatee⟩		
	<i>Trichechus senegalensis</i> ⟨African manatee, West African manatee⟩	
CLASS AVES <BIRDS>		
ANSERIFORMES		
Anatidae		
<i>Anas aucklandica</i> ⟨Brown teal⟩		
	<i>Anas bernieri</i> ⟨Madagascar teal⟩	
<i>Anas chlorotis</i> ⟨New Zealand brown duck, New Zealand brown teal⟩		
	<i>Anas formosa</i> ⟨Baikal teal⟩	
<i>Anas laysanensis</i> ⟨Laysan duck⟩		
<i>Anas nesiotis</i> ⟨Campbell Island flightless teal, Campbell Island		

teal		
<i>Anas oustaleti</i> ‹Marianas Island duck›		
<i>Branta canadensis leucopareia</i> ‹Aleutian Canada goose›		
	<i>Branta ruficollis</i> ‹Red-breasted goose›	
<i>Branta sandvicensis</i> ‹Hawaiian goose›		
		<i>Cairina moschata</i> ‹Muscovy duck› (Honduras)
<i>Cairina scutulata</i> ‹White-winged duck›		
	<i>Coscoroba coscoroba</i> ‹Coscoroba swan›	
	<i>Cygnus melancoryphus</i> ‹Black-necked swan›	
	<i>Dendrocygna arborea</i> ‹Black-billed wood-duck›	
		<i>Dendrocygna autumnalis</i> ‹Black-bellied whistling-duck› (Honduras)
		<i>Dendrocygna bicolor</i> ‹Fulvous tree-duck› (Honduras)
	<i>Oxyura leucocephala</i> ‹White-headed duck›	
<i>Rhodonessa caryophyllacea</i> ‹Pink-headed duck› (possibly extinct)		
	<i>Sarkidiornis melanotos</i> ‹Comb duck›	
APODIFORMES		
Trochilidae		
	Trochilidae spp. ‹Hummingbirds› (Except the species included in Appendix I)	
<i>Glaucis dohrnii</i> ‹Hook-billed hermit›		
CHARADRIIFORMES		
Burhinidae		
		<i>Burhinus bistriatus</i> ‹Double-striped thick knee› (Guatemala)
Laridae		
<i>Larus relictus</i> ‹Relict gull›		
Scolopacidae		
<i>Numenius borealis</i> ‹Eskimo		

curlew)		
<i>Numenius tenuirostris</i> (Slender-billed curlew)		
<i>Tringa guttifer</i> (Nordmann's greenshank)		
CICONIIFORMES		
Balaenicipitidae		
	<i>Balaeniceps rex</i> (Shoebill, whale-headed stork)	
Ciconiidae		
<i>Ciconia boyciana</i> (Japanese white stork)		
	<i>Ciconia nigra</i> (Black stork)	
<i>Jabiru mycteria</i> (Jabiru)		
<i>Mycteria cinerea</i> (Milky stork)		
Phoenicopteridae		
	Phoenicopteridae spp. (Flamingos)	
Threskiornithidae		
	<i>Eudocimus ruber</i> (Scarlet ibis)	
	<i>Geronticus calvus</i> (Bald ibis)	
<i>Geronticus eremita</i> (Bald ibis, hermit ibis)		
<i>Nipponia nippon</i> (Crested ibis, Japanese crested ibis)		
	<i>Platalea leucorodia</i> (Eurasian spoonbill, spoonbill)	
COLUMBIFORMES		
Columbidae		
<i>Caloenas nicobarica</i> (Nicobar dove)		
<i>Ducula mindorensis</i> (Mindoro imperial-pigeon)		
	<i>Gallicolumba luzonica</i> (Bleeding heart dove)	
	<i>Goura</i> spp. (Crowned-pigeons)	
		<i>Nesoenas mayeri</i> (Pink pigeon) (Mauritius)
CORACIIFORMES		
Bucerotidae		
	<i>Aceros</i> spp. (Hornbills) (Except the species included in Appendix D)	
<i>Aceros nipalensis</i> (Rufous-cheeked hornbill)		
	<i>Anorrhinus</i> spp. (Hornbills)	
	<i>Anthracoceros</i> spp. (Hornbills)	
	<i>Berenicornis</i> spp. (Hornbills)	

	<i>Buceros</i> spp. ‹Hornbills› (Except the species included in Appendix I)	
<i>Buceros bicornis</i> ‹Concave-casqued hornbill, great hornbill›		
	<i>Penelopides</i> spp. ‹Hornbills›	
<i>Rhinoplax vigil</i> ‹Helmeted hornbill›		
	<i>Rhyticeros</i> spp. ‹Hornbills› (Except the species included in Appendix I)	
<i>Rhyticeros subruficollis</i> ‹Blyth's hornbill, plain-pouched hornbill›		
CUCULIFORMES		
Musophagidae		
	<i>Tauraco</i> spp. ‹Turacos›	
FALCONIFORMES		
	FALCONIFORMES spp. ‹Birds of prey, raptors (e.g. eagles, hawks, falcons, vultures)› (Except the species included in Appendices I and III and the species of the family Cathartidae)	
Accipitridae		
<i>Aquila adalberti</i> ‹Adalbert's eagle›		
<i>Aquila heliaca</i> ‹Eastern imperial eagle, imperial eagle›		
<i>Chondrohierax uncinatus wilsonii</i> ‹Cuban hook-billed kite›		
<i>Haliaeetus albicilla</i> ‹Grey sea eagle, white-tailed eagle›		
<i>Harpia harpyja</i> ‹American harpy eagle›		
<i>Pithecophaga jefferyi</i> ‹Great Philippine eagle›		
Cathartidae		
<i>Gymnogyps californianus</i> ‹California condor›		
		<i>Sarcoramphus papa</i> ‹King vulture› (Honduras)
<i>Vultur gryphus</i> ‹Andean condor›		
Falconidae		
<i>Falco araeus</i> ‹Seychelles kestrel›		

<i>Falco jugger</i> ‹Laggar falcon›		
<i>Falco newtoni</i> ‹Madagascar kestrel, Aldabra kestrel› (Only the population of Seychelles)		
<i>Falco pelegrinoides</i> ‹Barbary falcon›		
<i>Falco peregrinus</i> ‹Duck hawk, peregrine falcon›		
<i>Falco punctatus</i> ‹Mauritius kestrel›		
<i>Falco rusticolus</i> ‹Gyr falcon›		
GALLIFORMES		
Cracidae		
		<i>Crax alberti</i> ‹Blue-billed curassow› (Colombia)
<i>Crax blumenbachii</i> ‹Blumenbach's curassow, red-billed curassow›		
		<i>Crax daubentoni</i> ‹Yellow-knobbed curassow› (Colombia)
		<i>Crax globulosa</i> ‹Wattled curassow› (Colombia)
		<i>Crax rubra</i> ‹Great curassow› (Colombia, Costa Rica, Guatemala, Honduras)
<i>Mitu mitu</i> ‹Alagoas curassow, razor-billed curassow›		
<i>Oreophasis derbianus</i> ‹Derby's guan, horned guan›		
		<i>Ortalis vetula</i> ‹Plain chachalaca› (Guatemala, Honduras)
		<i>Pauxi pauxi</i> ‹Helmeted curassow› (Colombia)
<i>Penelope albipennis</i> ‹White-winged guan›		
		<i>Penelope purpurascens</i> ‹Crested guan› (Honduras)
		<i>Penelopina nigra</i> ‹Highland guan› (Guatemala)
<i>Pipile jacutinga</i> ‹Black-fronted curassow, black-fronted piping guan›		
<i>Pipile pipile</i> ‹Trinidad piping-guan, Trinidad white-headed curassow›		

Megapodiidae		
<i>Macrocephalon maleo</i> ‹Celebes maleo›		
Phasianidae		
		<i>Arborophila campbelli</i> ‹Campbell's hill partridge› (Malaysia)
		<i>Arborophila charltonii</i> ‹Chestnut-breasted tree-partridge› (Malaysia)
	<i>Argusianus argus</i> ‹Argus pheasant, great argus›	
		<i>Caloperdix oculeus</i> ‹Ferruginous partridge, ferruginous wood-partridge› (Malaysia)
<i>Catreus wallichii</i> ‹Cheer pheasant›		
<i>Colinus virginianus ridgwayi</i> ‹Masked bobwhite›		
<i>Crossoptilon crossoptilon</i> ‹White eared-pheasant›		
<i>Crossoptilon mantchuricum</i> ‹Brown eared-pheasant›		
	<i>Gallus sonneratii</i> ‹Grey junglefowl›	
	<i>Ithaginis cruentus</i> ‹Blood pheasant›	
<i>Lophophorus impejanus</i> ‹Himalayan monal›		
<i>Lophophorus lhuysii</i> ‹Chinese impeyan, Chinese monal›		
<i>Lophophorus sclateri</i> ‹Crestless monal, Sclater's monal›		
<i>Lophura edwardsi</i> ‹Edward's pheasant›		
		<i>Lophura erythrophthalma</i> ‹Crestless fireback› (Malaysia)
		<i>Lophura ignita</i> ‹Crested fireback› (Malaysia)
<i>Lophura imperialis</i> ‹Imperial pheasant›		
<i>Lophura swinhoii</i> ‹Swinhoe's pheasant›		
		<i>Melanoperdix niger</i> ‹Black wood-partridge› (Malaysia)
		<i>Meleagris ocellata</i> ‹Ocellated turkey› (Guatemala)

	<i>Pavo muticus</i> ‹Green peafowl›	
	<i>Polyplectron bicalcaratum</i> ‹Common peacock-pheasant, grey peacock-pheasant›	
	<i>Polyplectron germaini</i> ‹Germain's peacock-pheasant›	
		<i>Polyplectron inopinatum</i> ‹Mountain peacock- pheasant› (Malaysia)
	<i>Polyplectron malacense</i> ‹Crested peacock-pheasant›	
<i>Polyplectron napoleonis</i> ‹Napoleon's peacock-pheasant, Palawan peacock-pheasant›		
	<i>Polyplectron schleiermacheri</i> ‹Bornean peacock-pheasant›	
<i>Rheinardia ocellata</i> ‹Crested argus›		
		<i>Rhizothera dulitensis</i> ‹Dulit partridge› (Malaysia)
		<i>Rhizothera longirostris</i> ‹Long-billed partridge› (Malaysia)
		<i>Rollulus rouloul</i> ‹Crested partridge› (Malaysia)
<i>Syrnaticus ellioti</i> ‹Chinese barred-backed pheasant, Elliot's pheasant›		
<i>Syrnaticus humiae</i> ‹Hume's bar-tailed pheasant›		
<i>Syrnaticus mikado</i> ‹Mikado pheasant›		
<i>Tetraogallus caspius</i> ‹Caspian snowcock›		
<i>Tetraogallus tibetanus</i> ‹Tibetan snowcock›		
<i>Tragopan blythii</i> ‹Blyth's tragopan›		
<i>Tragopan caboti</i> ‹Cabot's tragopan›		
<i>Tragopan melanocephalus</i> ‹Black-headed tragopan, western tragopan›		
		<i>Tragopan satyra</i> ‹Crimson horned-pheasant, satyr tragopan› (Nepal)
<i>Tympanuchus cupido attwateri</i> ‹Attwater's prairie-chicken›		
GRUIFORMES		
Gruidae		

	Gruidae spp. ‹Cranes› (Except the species included in Appendix I)	
<i>Grus americana</i> ‹Whooping crane›		
<i>Grus canadensis nesiotes</i> ‹Cuban sandhill crane›		
<i>Grus canadensis pulla</i> ‹Mississippi sandhill crane›		
<i>Grus japonensis</i> ‹Japanese crane, red-crowned crane›		
<i>Grus leucogeranus</i> ‹Siberian crane›		
<i>Grus monacha</i> ‹Hooded crane›		
<i>Grus nigricollis</i> ‹Black-necked crane›		
<i>Grus vipio</i> ‹White-naped crane›		
Otididae		
	Otididae spp. ‹Bustards› (Except the species included in Appendix I)	
<i>Ardeotis nigriceps</i> ‹Great Indian bustard›		
<i>Chlamydotis macqueenii</i>		
<i>Chlamydotis undulata</i> ‹Houbara bustard›		
<i>Houbaropsis bengalensis</i> ‹Bengal bustard, Bengal florican›		
Rallidae		
<i>Gallirallus sylvestris</i> ‹Lord Howe Island rail›		
Rhynochetidae		
<i>Rhynochetos jubatus</i> ‹Kagu›		
PASSERIFORMES		
Atrichornithidae		
<i>Atrichornis clamosus</i> ‹Noisy scrub-bird›		
Cotingidae		
		<i>Cephalopterus ornatus</i> ‹Amazonian umbrellabird› (Colombia)
		<i>Cephalopterus penduliger</i> ‹Long-wattled umbrellabird› (Colombia)
<i>Cotinga maculata</i> ‹Banded cotinga›		
	<i>Rupicola</i> spp. ‹Cocks-of-the-rock›	
<i>Xipholena atropurpurea</i>		

⟨White-winged cotinga⟩		
Emberizidae		
	<i>Gubernatrix cristata</i> ⟨Yellow cardinal⟩	
	<i>Paroaria capitata</i> ⟨Yellow-billed cardinal⟩	
	<i>Paroaria coronata</i> ⟨Red-crested cardinal⟩	
	<i>Tangara fastuosa</i> ⟨Seven-colored tanager⟩	
Estrildidae		
	<i>Amandava formosa</i> ⟨Green avadavat⟩	
	<i>Lonchura oryzivora</i> ⟨Java sparrow⟩	
	<i>Poephila cincta cincta</i> ⟨Southern black-throated finch⟩	
Fringillidae		
<i>Carduelis cucullata</i> ⟨Red siskin⟩		
	<i>Carduelis yarrellii</i> ⟨Yellow-faced siskin⟩	
Hirundinidae		
<i>Pseudochelidon sirintarae</i> ⟨White-eyed river martin⟩		
Icteridae		
<i>Xanthopsar flavus</i> ⟨Saffron-cowled blackbird⟩		
Meliphagidae		
<i>Lichenostomus melanops cassidix</i> ⟨Helmeted honeyeater⟩		
Muscicapidae		
		<i>Acrocephalus rodericanus</i> ⟨Rodrigues brush-warbler⟩ (Mauritius)
	<i>Cyornis ruckii</i> ⟨Rueck's blue-flycatcher⟩	
<i>Dasyornis broadbenti litoralis</i> ⟨Lesser rufous bristlebird⟩ (possibly extinct)		
<i>Dasyornis longirostris</i> ⟨Long-billed bristlebird⟩		
	<i>Garrulax canorus</i> ⟨Hwamei⟩	
	<i>Leiothrix argentauris</i> ⟨Silver-eared mesia⟩	
	<i>Leiothrix lutea</i> ⟨Red-billed leiothrix⟩	
	<i>Liocichla omeiensis</i> ⟨Mount Omei liocichla, Omei Shan⟩	

	liocichla	
<i>Picathartes gymnocephalus</i> ⟨Bare-headed rockfowl, white-necked rockfowl⟩		
<i>Picathartes oreas</i> ⟨Grey-necked picathartes, grey-necked rockfowl⟩		
		<i>Terpsiphone bourbonnensis</i> ⟨Rodrigues brush-warbler⟩ (Mauritius)
Paradisaeidae		
	Paradisaeidae spp. ⟨Birds-of-paradise⟩	
Pittidae		
	<i>Pitta guajana</i> ⟨Banded pitta⟩	
<i>Pitta gurneyi</i> ⟨Gurney's pitta⟩		
<i>Pitta kochi</i> ⟨Koch's pitta⟩		
	<i>Pitta nympha</i> ⟨Fairy pitta⟩	
Pycnonotidae		
	<i>Pycnonotus zeylanicus</i> ⟨Straw-crowned bulbul, straw-headed bulbul⟩	
Sturnidae		
	<i>Gracula religiosa</i> ⟨Hill myna⟩	
<i>Leucopsar rothschildi</i> ⟨Bali myna⟩		
Zosteropidae		
<i>Zosterops albogularis</i> ⟨White-breasted silvereye, white-chested white-eye⟩		
PELECANIFORMES		
Fregatidae		
<i>Fregata andrewsi</i> ⟨Andrew's frigatebird⟩		
Pelecanidae		
<i>Pelecanus crispus</i> ⟨Dalmatian pelican⟩		
Sulidae		
<i>Papasula abbotti</i> ⟨Abbott's booby⟩		
PICIFORMES		
Capitonidae		
		<i>Semnornis ramphastinus</i> ⟨Toucan barbet⟩ (Colombia)
Picidae		
<i>Campephilus imperialis</i> ⟨Imperial woodpecker⟩		

<i>Dryocopus javensis richardsi</i> ‡Tristram's woodpecker		
Ramphastidae		
		<i>Bailloni</i> <i>bailloni</i> ‡Saffron toucanet (Argentina)
	<i>Pteroglossus aracari</i> ‡Black-necked aracari	
		<i>Pteroglossus castanotis</i> ‡Chestnut-eared aracari (Argentina)
	<i>Pteroglossus viridis</i> ‡Green aracari	
		<i>Ramphastos dicolorus</i> ‡Red-breasted toucan (Argentina)
	<i>Ramphastos sulfuratus</i> ‡Keel-billed toucan	
	<i>Ramphastos toco</i> ‡Toco toucan	
	<i>Ramphastos tucanus</i> ‡Red-billed toucan	
	<i>Ramphastos vitellinus</i> ‡Channel-billed toucan	
		<i>Selenidera maculirostris</i> ‡Spot-billed toucanet (Argentina)
PODICIPEDIFORMES		
Podicipedidae		
<i>Podilymbus gigas</i> ‡Atitlan grebe		
PROCELLARIIFORMES		
Diomedidae		
<i>Phoebastria albatrus</i> ‡Short-tailed albatross		
PSITTACIFORMES		
	PSITTACIFORMES spp. ‡Parrots, psittacines (e.g. parakeets, cockatoos, macaws) (Except the species included in Appendix I and <i>Agapornis roseicollis</i> , <i>Melopsittacus undulatus</i> , <i>Nymphicus hollandicus</i> and <i>Psittacula krameri</i> , which are not included in the Appendices)	
Cacatuidae		
<i>Cacatua goffini</i> ‡Goffin's cockatoo		
<i>Cacatua haematuropygia</i> ‡Philippine cockatoo, red-vented cockatoo		

<i>Cacatua moluccensis</i> ⟨Moluccan cockatoo⟩		
<i>Cacatua sulphurea</i> ⟨Lesser sulphur-crested cockatoo, yellow-crested cockatoo⟩		
<i>Probosciger aterrimus</i> ⟨Palm cockatoo⟩		
Loriidae		
<i>Eos histrio</i> ⟨Red-and-blue lory⟩		
<i>Vini ultramarina</i> ⟨Ultramarine lorikeet⟩		
Psittacidae		
<i>Amazona arausiaca</i> ⟨Jacquot, red-necked amazon⟩		
<i>Amazona auropalliata</i> ⟨Yellow-naped amazon⟩		
<i>Amazona barbadensis</i> ⟨Yellow-shouldered amazon⟩		
<i>Amazona brasiliensis</i> ⟨Red-tailed amazon⟩		
<i>Amazona finschi</i> ⟨Lilac-crowned parrot⟩		
<i>Amazona guildingii</i> ⟨Saint Vincent amazon⟩		
<i>Amazona imperialis</i> ⟨Imperial Amazon⟩		
<i>Amazona leucocephala</i> ⟨Bahamas parrot, Cuban amazon⟩		
<i>Amazona oratrix</i> ⟨Yellow-headed amazon⟩		
<i>Amazona pretrei</i> ⟨Red-spectacled amazon⟩		
<i>Amazona rhodocorytha</i> ⟨Red-browed amazon⟩		
<i>Amazona tucumana</i> ⟨Alder parrot, Tucuman amazon⟩		
<i>Amazona versicolor</i> ⟨Saint Lucia amazon⟩		
<i>Amazona vinacea</i> ⟨Vinaceous amazon⟩		
<i>Amazona viridigenalis</i> ⟨Green-cheeked amazon⟩		
<i>Amazona vittata</i> ⟨Puerto Rican amazon⟩		
<i>Anodorhynchus</i> spp. ⟨Blue macaws⟩		
<i>Ara ambiguus</i> ⟨Buffon's macaw⟩		

<i>Ara glaucogularis</i> ‹Blue-throated macaw› (Often traded under the incorrect designation <i>Ara caninde</i>)		
<i>Ara macao</i> ‹Scarlet macaw›		
<i>Ara militaris</i> ‹Military macaw›		
<i>Ara rubrogenys</i> ‹Red-fronted macaw›		
<i>Cyanopsitta spixii</i> ‹Little blue macaw, Spix's macaw›		
<i>Cyanoramphus cookii</i> ‹Norfolk Island parakee›		
<i>Cyanoramphus forbesi</i> ‹Chatham Island yellow-fronted parakeet›		
<i>Cyanoramphus novaezelandiae</i> ‹New Zealand parakeet, red-fronted parakeet›		
<i>Cyanoramphus saisseti</i> ‹Red-crowned parakeet›		
<i>Cyclopsitta diophthalma coxeni</i> ‹Coxen's blue-browed fig parrot, Coxen's double-eyed fig parrot›		
<i>Eunymphicus cornutus</i> ‹Horned parakeet›		
<i>Geopsittacus occidentalis</i> ‹Night parrot› (possibly extinct)		
<i>Guarouba guarouba</i> ‹Golden conure›		
<i>Neophema chrysogaster</i> ‹Orange-bellied parakeet›		
<i>Ognorhynchus icterotis</i> ‹Yellow-eared conure›		
<i>Pezoporus wallicus</i> ‹Ground parakeet›		
<i>Pionopsitta pileata</i> ‹Pileated parrot›		
<i>Primolius couloni</i> ‹Blue-headed macaw›		
<i>Primolius maracana</i> ‹Blue-winged macaw›		
<i>Psephotus chrysopterygius</i> ‹Golden-shouldered parrot›		
<i>Psephotus dissimilis</i> ‹Hooded parrot›		
<i>Psephotus pulcherrimus</i> ‹Beautiful parakeet, paradise parrot› (possibly extinct)		

<i>Psittacula echo</i> ‹Mauritius parakeet›		
<i>Pyrrhura cruentata</i> ‹Blue-chested parakeet›		
<i>Rhynchopsitta</i> spp. ‹Thick-billed parrots›		
<i>Strigops habroptilus</i> ‹Kakapo›		
RHEIFORMES		
Rheidae		
<i>Pterocnemia pennata</i> ‹Darwin's rhea› (Except <i>Pterocnemia pennata pennata</i> which is included in Appendix II)		
	<i>Pterocnemia pennata pennata</i> ‹Darwin's rhea, lesser rhea›	
	<i>Rhea americana</i> ‹Common rhea›	
SPHENISCIFORMES		
Spheniscidae		
	<i>Spheniscus demersus</i> ‹Black-footed penguin, jackass penguin›	
<i>Spheniscus humboldti</i> ‹Humboldt penguin›		
STRIGIFORMES		
	STRIGIFORMES spp. ‹Owls› (Except the species included in Appendix I)	
Strigidae		
<i>Heteroglaux blewitti</i> ‹Forest little owl›		
<i>Mimizuku gurneyi</i> ‹Giant scops-owl›		
<i>Ninox natalis</i> ‹Christmas hawk-owl›		
<i>Ninox novaeseelandiae undulata</i> ‹Norfolk boobook›		
Tytonidae		
<i>Tyto soumagnei</i> ‹Madagascar grass owl›		
STRUTHIONIFORMES		
Struthionidae		
<i>Struthio camelus</i> ‹Ostrich› (Only the populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan; all other populations are		

not included in the Appendices)		
TINAMIFORMES		
Tinamidae		
<i>Tinamus solitarius</i> ‹Solitary tinamou›		
TROGONIFORMES		
Trogonidae		
<i>Pharomachrus mocinno</i> ‹Magnificent quetzal›		
CLASS REPTILIA <REPTILES>		
CROCODYLIA		
	CROCODYLIA spp. ‹e.g. alligators, crocodiles or caimans› (Except the species included in Appendix I)	
Alligatoridae		
<i>Alligator sinensis</i> ‹China alligator, Chinese alligator›		
<i>Caiman crocodilus apaporiensis</i> ‹Apaporis river caiman›		
<i>Caiman latirostris</i> ‹Broad-nosed caiman› (Except the population of Argentina, which is included in Appendix II)		
<i>Melanosuchus niger</i> ‹Black caiman› (Except the population of Brazil, which is included in Appendix II, and the population of Ecuador, which is included in Appendix II, and is subject to a zero annual export quota until an annual export quota has been approved by the Secretariat and the IUCN/SSC Crocodile Specialist Group under the Convention)		
Crocodylidae		
<i>Crocodylus acutus</i> ‹American crocodile› (Except the population of Cuba, which is included in Appendix II)		
<i>Crocodylus cataphractus</i> ‹African sharp-nosed crocodile›		
<i>Crocodylus intermedius</i> ‹Orinoco crocodile›		
<i>Crocodylus mindorensis</i> ‹Mindoro crocodile›		
<i>Crocodylus moreletii</i> ‹Belize		

crocodile, Morelet's crocodile)		
<i>Crocodylus niloticus</i> (African crocodile, Nile crocodile) [Except the populations of Botswana, Ethiopia, Kenya, Madagascar, Malawi, Mozambique, Namibia, South Africa, Uganda, the United Republic of Tanzania (subject to an annual export quota of no more than 1,600 wild specimens including hunting trophies, in addition to ranched specimens), Zambia and Zimbabwe, which are included in Appendix II]		
<i>Crocodylus palustris</i> (Broad-snouted crocodile, mugger crocodile)		
<i>Crocodylus porosus</i> (Estuarine crocodile) (Except the populations of Australia, Indonesia and Papua New Guinea, which are included in Appendix II)		
<i>Crocodylus rhombifer</i> (Cuban crocodile)		
<i>Crocodylus siamensis</i> (Siamese crocodile)		
<i>Osteolaemus tetraspis</i> (African dwarf crocodile)		
<i>Tomistoma schlegelii</i> (False gavial)		
Gavialidae		
<i>Gavialis gangeticus</i> (Fish-eating crocodile)		
RHYNCHOCEPHALIA		
Sphenodontidae		
<i>Sphenodon</i> spp. (Tuataras)		
SAURIA		
Agamidae		
	<i>Uromastyx</i> spp. (Mastigures, spiny-tailed lizards)	
Chamaeleonidae		
	<i>Bradypodion</i> spp. (Chameleons)	
	<i>Brookesia</i> spp. (Chameleons) (Except the species included in Appendix I)	
<i>Brookesia perarmata</i> (Antsingy leaf chameleon)		

	<i>Calumma</i> spp. ‹Chameleons›	
	<i>Chamaeleo</i> spp. ‹Chameleons›	
	<i>Furcifer</i> spp. ‹Chameleons›	
Cordylidae		
	<i>Cordylus</i> spp. ‹Crag lizards, girdled lizards, spiny-tailed lizards›	
Gekkonidae		
	<i>Cyrtodactylus serpensinsula</i> ‹Serpent Island gecko›	
		<i>Hoplodactylus</i> spp. ‹Sticky-toed geckos› (New Zealand)
		<i>Naultinus</i> spp. ‹Tree geckos› (New Zealand)
	<i>Phelsuma</i> spp. ‹Day geckos›	
	<i>Uroplatus</i> spp. ‹Leaf-tailed geckos›	
Helodermatidae		
	<i>Heloderma</i> spp. ‹Poisonous lizards› (Except the subspecies included in Appendix I)	
	<i>Heloderma horridum charlesbogerti</i> ‹Beaded lizard›	
Iguanidae		
	<i>Amblyrhynchus cristatus</i> ‹Galapagos marine iguana›	
	<i>Brachylophus</i> spp. ‹Fijian iguanas›	
	<i>Conolophus</i> spp. ‹Land iguanas›	
	<i>Cyclura</i> spp. ‹Ground iguanas›	
	<i>Iguana</i> spp. ‹Iguanas›	
	<i>Phrynosoma coronatum</i> ‹Coast horned lizard›	
	<i>Sauromalus varius</i> ‹San Esteban Island chuckwalla›	
Lacertidae		
	<i>Gallotia simonyi</i> ‹Hiero giant lizard›	
	<i>Podarcis lilfordi</i> ‹Liford's wall lizard›	
	<i>Podarcis pityusensis</i> ‹Ibiza wall lizard›	
Scincidae		
	<i>Corucia zebrata</i> ‹Prehensile-tailed skink, Solomon Islands giant skink›	
Teiidae		

	<i>Crocodilurus amazonicus</i> ‡Crocodile tegu‡	
	<i>Dracaena</i> spp. ‡Caiman lizards‡	
	<i>Tupinambis</i> spp. ‡Tegu lizards‡	
Varanidae		
	<i>Varanus</i> spp. ‡Monitor lizards‡ (Except the species included in Appendix I)	
<i>Varanus bengalensis</i> ‡Bengal black lizard, Bengal monitor‡		
<i>Varanus flavescens</i> ‡Calcutta oval-grain lizard, yellow monitor‡		
<i>Varanus griseus</i> ‡Agra lizard, desert monitor‡		
<i>Varanus komodoensis</i> ‡Komodo dragon‡		
<i>Varanus nebulosus</i> ‡Clouded monitor‡		
Xenosauridae		
	<i>Shinisaurus crocodilurus</i> ‡Chinese crocodile lizard‡	
SERPENTES		
Boidae		
	Boidae spp. ‡Boas‡ (Except the species included in Appendix I)	
<i>Acrantophis</i> spp. ‡Madagascar ground boas‡		
<i>Boa constrictor occidentalis</i> ‡Argentine boa constrictor‡		
<i>Epicrates inornatus</i> ‡Puerto Rican boa‡		
<i>Epicrates monensis</i> ‡Mona Island boa‡		
<i>Epicrates subflavus</i> ‡Jamaican boa‡		
<i>Sanzinia madagascariensis</i> ‡Madagascar tree boa‡		
Bolyeriidae		
	Bolyeriidae spp. ‡Round Island boas‡ (Except the species included in Appendix I)	
<i>Bolyeria multocarinata</i> ‡Round Island burrowing boa‡		
<i>Casarea dussumieri</i> ‡Round Island keel-scaled boa‡		
Colubridae		
		<i>Atretium schistosum</i> ‡Olive keel-back‡ (India)

		<i>Cerberus rynchops</i> ⟨Bockadam⟩ (India)
	<i>Clelia clelia</i> ⟨Mussurana⟩	
	<i>Cyclagras gigas</i> ⟨Beach cobra⟩	
	<i>Elachistodon westermanni</i> ⟨Indian egg-eater, Indian egg-eating snake⟩	
	<i>Ptyas mucosus</i> ⟨Common rat snake⟩	
		<i>Xenochrophis piscator</i> ⟨Chequered keelback⟩ (India)
Elapidae		
	<i>Hoplocephalus bungaroides</i> ⟨Broad-headed snake⟩	
		<i>Micrurus diastema</i> ⟨Atlantic coral snake⟩ (Honduras)
		<i>Micrurus nigrocinctus</i> ⟨Black-banded coral snake⟩ (Honduras)
	<i>Naja atra</i> ⟨Chinese cobra⟩	
	<i>Naja kaouthia</i> ⟨Monocellate cobra⟩	
	<i>Naja mandalayensis</i>	
	<i>Naja naja</i> ⟨Asian cobra⟩	
	<i>Naja oxiana</i> ⟨Central Asian cobra⟩	
	<i>Naja philippinensis</i> ⟨North Philippine spitting cobra⟩	
	<i>Naja sagittifera</i> ⟨Andaman cobra⟩	
	<i>Naja samarensis</i> ⟨Peter's cobra⟩	
	<i>Naja siamensis</i> ⟨Indochinese spitting cobra⟩	
	<i>Naja sputatrix</i> ⟨Southern Indochinese spitting cobra⟩	
	<i>Naja sumatrana</i> ⟨Equatorial spitting cobra⟩	
	<i>Ophiophagus hannah</i> ⟨Hamadryad, king cobra⟩	
Loxocemidae		
	Loxocemidae spp. ⟨New World pythons⟩	
Pythonidae		
	Pythonidae spp. ⟨Pythons⟩ (Except the subspecies included in Appendix I)	
	<i>Python molurus molurus</i> ⟨Indian python⟩	

Tropidophiidae		
	Tropidophiidae spp. «Boas»	
Viperidae		
		<i>Crotalus durissus</i> «Cascabel, neotropical rattlesnake» (Honduras)
		<i>Daboia russelii</i> «Russell's viper» (India)
<i>Vipera ursinii</i> «Meadow viper» (Only the population of Europe, except the area which formerly constituted the Union of Soviet Socialist Republics; these latter populations are not included in the Appendices)		
	<i>Vipera wagneri</i> «Wagner's viper»	
TESTUDINES		
Carettochelyidae		
	<i>Carettochelys insculpta</i> «Pig- nosed turtle»	
Chelidae		
	<i>Chelodina mccordi</i> «Roti snake- necked turtle»	
<i>Pseudemydura umbrina</i> «Western short-necked turtle»		
Cheloniidae		
Cheloniidae spp. «Marine turtles, sea turtles»		
Chelydridae		
		<i>Macrochelys temminckii</i> «Alligator snapping turtle» (United States of America)
Dermatemydidae		
	<i>Dermatemys mawii</i> «Central American river turtle»	
Dermochelyidae		
<i>Dermochelys coriacea</i> «Leatherback»		
Emydidae		
	<i>Glyptemys insculpta</i> «Wood turtle»	
<i>Glyptemys muhlenbergii</i> «Bog turtle»		
		<i>Graptemys</i> spp. «Map turtle» (United States of America)
	<i>Terrapene</i> spp. «Box turtles» (Except the species included in Appendix I)	

<i>Terrapene coahuila</i> ‹Aquatic box turtle›		
Geoemydidae		
<i>Batagur baska</i> ‹Batagur›		
	<i>Callagur borneoensis</i> ‹Painted batagur›	
	<i>Cuora</i> spp. ‹Asian box turtles›	
<i>Geoclemys hamiltonii</i> ‹Black pond turtle›		
		<i>Geoemyda spengleri</i> ‹Black-breasted leaf turtle› (China)
	<i>Heosemys annandalii</i> ‹Yellow-headed temple turtle›	
	<i>Heosemys depressa</i> ‹Arakan forest turtle›	
	<i>Heosemys grandis</i> ‹Giant Asian pond turtle›	
	<i>Heosemys spinosa</i> ‹Spiny terrapin, spiny turtle›	
	<i>Kachuga</i> spp. ‹Roofed turtles›	
	<i>Leucocephalon yuwonoi</i> ‹Sulawesi forest turtle›	
	<i>Malayemys macrocephala</i> ‹Snail-eating turtle›	
	<i>Malayemys subtrijuga</i> ‹Malayan snail-eating turtle›	
	<i>Mauremys annamensis</i> ‹Annam leaf turtle›	
		<i>Mauremys iversoni</i> ‹Iverson's freshwater turtle› (China)
		<i>Mauremys megalcephala</i> ‹Chinese big-headed pond turtle› (China)
	<i>Mauremys mutica</i> ‹Yellow pond turtle›	
		<i>Mauremys nigricans</i> ‹Chinese black-necked pond turtle› (China)
		<i>Mauremys pritchardi</i> ‹Lashio pond turtle› (China)
		<i>Mauremys reevesii</i> ‹Reeves' turtle› (China)
		<i>Mauremys sinensis</i> ‹Chinese stripe-necked turtle› (China)
<i>Melanochelys tricarinata</i>		

⟨Three-keeled land tortoise⟩		
<i>Morenia ocellata</i> ⟨Bengal eyed terrapin⟩		
	<i>Notochelys platynota</i> ⟨Malayan flat-shelled turtle⟩	
		<i>Ocadia glyphistoma</i> ⟨Guangxi stripe-necked turtle⟩ (China)
		<i>Ocadia philippeni</i> ⟨Philippin's stripe-necked turtle⟩ (China)
	<i>Orlitia borneensis</i> ⟨Malayan giant turtle⟩	
	<i>Pangshura</i> spp. (Except the species included in Appendix I)	
<i>Pangshura tecta</i> ⟨Dura turtle, Indian pond turtle⟩		
		<i>Sacalia bealei</i> ⟨Eye-spotted turtle, Beal's eyed turtle⟩ (China)
		<i>Sacalia pseudocellata</i> ⟨False eye-spotted turtle⟩ (China)
		<i>Sacalia quadriocellata</i> ⟨Four eye-spotted turtle⟩ (China)
	<i>Siebenrockiella crassicollis</i> ⟨Black marsh turtle⟩	
	<i>Siebenrockiella leytensis</i> ⟨Leyte pond turtle⟩	
Platysternidae		
	<i>Platysternon megacephalum</i> ⟨Big-headed turtle⟩	
Podocnemididae		
	<i>Erymnochelys madagascariensis</i> ⟨Madagascar big-headed turtle⟩	
	<i>Peltocephalus dumerilianus</i> ⟨Big-headed Amazon River turtle⟩	
	<i>Podocnemis</i> spp. ⟨South American river turtles⟩	
Testudinidae		
	Testudinidae spp. ⟨Tortoises⟩ (Except the species included in Appendix I. A zero annual export quota has been established for <i>Geochelone sulcata</i> ⟨African spurred tortoise⟩ for specimens removed from the wild and traded for primarily commercial purposes)	

<i>Astrochelys radiata</i> ‹Radiated tortoise›		
<i>Astrochelys yniphora</i> ‹Angonoka, Madagascar tortoise›		
<i>Chelonoidis nigra</i> ‹Galapagos giant tortoise›		
<i>Gopherus flavomarginatus</i> ‹Bolson tortoise›		
<i>Psammobates geometricus</i> ‹Geometric tortoise›		
<i>Pyxis arachnoides</i> ‹Spider tortoise›		
<i>Pyxis planicauda</i> ‹Flat-backed spider tortoise›		
<i>Testudo kleinmanni</i> ‹Egyptian tortoise›		
Trionychidae		
	<i>Amyda cartilaginea</i> ‹Southeast Asian softshell turtle›	
<i>Apalone spinifera atra</i> ‹Cuatro Cienegas softshell›		
<i>Aspideretes gangeticus</i> ‹Indian softshell turtle›		
<i>Aspideretes hurum</i> ‹Indian peacock softshell turtle›		
<i>Aspideretes nigricans</i> ‹Black softshell turtle›		
	<i>Chitra</i> spp. ‹Narrow-headed softshell turtles›	
	<i>Lissemys punctata</i> ‹Indian flap-shell turtle›	
	<i>Lissemys scutata</i> ‹Burmese flap-shell turtle›	
		<i>Palea steindachneri</i> ‹Wattle-necked softshell turtle› (China)
	<i>Pelochelys</i> spp. ‹Giant softshell turtles›	
		<i>Pelodiscus axenaria</i> (China)
		<i>Pelodiscus maackii</i> (China)
		<i>Pelodiscus parviformis</i> (China)
		<i>Rafetus swinhoi</i> ‹Yangtze softshell turtle› (China)
CLASS AMPHIBIA <AMPHIBIANS>		
ANURA		

Bufonidae		
<i>Altiphrynoides</i> spp. (Ethiopian toads)		
<i>Atelopus zeteki</i> (Cerro Campana stubfoot toad, golden frog)		
<i>Bufo periglenes</i> (Alajuela toad, Monte Verde toad, golden toad)		
<i>Bufo superciliaris</i> (Cameroon toad)		
<i>Nectophrynoides</i> spp. (African viviparous toads)		
<i>Nimbaphrynoides</i> spp. (Nimba toads)		
<i>Spinophrynoides</i> spp. (Ethiopian toads)		
Dendrobatidae		
	<i>Allobates femoralis</i> (Brilliant-thighed poison frogs)	
	<i>Allobates zaparo</i> (Sanguine poison frog, Zaparo's poison frogs)	
	<i>Cryptophyllobates azureiventris</i> (Sky-blue poison frogs)	
	<i>Dendrobates</i> spp. (Poison frogs)	
	<i>Epipedobates</i> spp. (Poison frogs)	
	<i>Phyllobates</i> spp. (Poison frogs)	
Mantellidae		
	<i>Mantella</i> spp. (Golden frogs)	
Microhylidae		
<i>Dyscophus antongilii</i> (Tomato frog)		
	<i>Scaphiophryne gottlebei</i> (Burrowing frog)	
Myobatrachidae		
	<i>Rheobatrachus</i> spp. (Gastric-brooding frogs)	
Ranidae		
	<i>Euphlyctis hexadactylus</i> (Six-fingered frog)	
	<i>Hoplobatrachus tigerinus</i> (Indian bullfrog)	
CAUDATA		
Ambystomatidae		
	<i>Ambystoma dumerilii</i> (Achoque, Lake Patzcuaro salamander)	
	<i>Ambystoma mexicanum</i> (Axolotl)	
Cryptobranchidae		

<i>Andrias</i> spp. ‹Giant salamanders›		
CLASS ELASMOBRANCHII <SHARKS>		
LAMNIFORMES		
Cetorhinidae		
	<i>Cetorhinus maximus</i> ‹Basking shark›	
Lamnidae		
	<i>Carcharodon carcharias</i> ‹Great white shark›	
ORECTOLOBIFORMES		
Rhincodontidae		
	<i>Rhincodon typus</i> ‹Whale shark›	
RAJIFORMES		
Pristidae		
Pristidae spp. ‹Sawfish› (Except the species included in Appendix II)		
	<i>Pristis microdon</i> ‹Freshwater sawfish, greattooth sawfish› (For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable aquaria for primarily conservation purposes)	
CLASS ACTINOPTERYGII <FISHES>		
ACIPENSERIFORMES		
	ACIPENSERIFORMES spp. ‹Sturgeons› (Except the species included in Appendix I)	
Acipenseridae		
<i>Acipenser brevirostrum</i> ‹Shortnose sturgeon›		
<i>Acipenser sturio</i> ‹Baltic sturgeon, common sturgeon›		
ANGUILLIFORMES		
Anguillidae		
	<i>Anguilla anguilla</i> ‹Common eel, European eel›	
CYPRINIFORMES		
Catostomidae		
<i>Chasmistes cujus</i> ‹Cui-ui›		
Cyprinidae		
	<i>Caecobarbus geertsi</i> ‹African blind barb fish›	
<i>Probarbus jullieni</i> ‹Jullien's		

golden carp, Ikan temoleh		
OSTEOGLOSSIFORMES		
Osteoglossidae		
	<i>Arapaima gigas</i> (Arapaima)	
<i>Scleropages formosus</i> (Asian arowana, Asiatic bony tongue)		
PERCIFORMES		
Labridae		
	<i>Cheilinus undulatus</i> (Humphead wrasse)	
Sciaenidae		
<i>Totoaba macdonaldi</i> (MacDonald's weakfish)		
SILURIFORMES		
Pangasiidae		
<i>Pangasianodon gigas</i> (Giant catfish)		
SYNGNATHIFORMES		
Syngnathidae		
	<i>Hippocampus</i> spp. (Seahorses)	
CLASS SARCOPTERYGII <LUNGFISHES>		
CERATODONTIFORMES		
Ceratodontidae		
	<i>Neoceratodus forsteri</i> (Australian lungfish)	
COELACANTHIFORMES		
Latimeriidae		
<i>Latimeria</i> spp. (Coelacanth)		
PHYLUM ECHINODERMATA		
CLASS HOLOTHUROIDEA <SEA CUCUMBERS>		
ASPIDOCHIROTIDA		
Stichopodidae		
		<i>Isostichopus fuscus</i> (Brown sea cucumber) (Ecuador)
PHYLUM ARTHROPODA		
CLASS ARACHNIDA <SPIDERS>		
ARANEAE		
Theraphosidae		
	<i>Aphonopelma albiceps</i>	
	<i>Aphonopelma pallidum</i> (Chihuahua rose-grey tarantula)	
	<i>Brachypelma</i> spp. (Tarantulas)	
SCORPIONES		

Scorpionidae		
	<i>Pandinus dictator</i> ‹Scorpion›	
	<i>Pandinus gambiensis</i> ‹Giant Senelgalese scorpion›	
	<i>Pandinus imperator</i> ‹Emperor scorpion›	
CLASS INSECTA <INSECTS>		
COLEOPTERA		
Lucanidae		
		<i>Colophon</i> spp. ‹Cape stag beetles› (South Africa)
LEPIDOPTERA		
Papilionidae		
	<i>Atrophaneura jophon</i> ‹Sri Lankan rose›	
	<i>Atrophaneura pandiyana</i> ‹Malabar rose›	
	<i>Bhutanitis</i> spp. ‹Bhutan swallowtails›	
	<i>Ornithoptera</i> spp. ‹Birdwing butterflies› (Except the species included in Appendix I)	
<i>Ornithoptera alexandrae</i> ‹Queen Alexandra's birdwing›		
<i>Papilio chikae</i> ‹Luzon peacock swallowtail›		
<i>Papilio homerus</i> ‹Homerus swallowtail›		
<i>Papilio hospiton</i> ‹Corsican swallowtail›		
	<i>Parnassius apollo</i> ‹Apollo›	
	<i>Teinopalpus</i> spp. ‹Kaiserihinds›	
	<i>Trogonoptera</i> spp. ‹Birdwing butterflies›	
	<i>Troides</i> spp. ‹Birdwing butterflies›	
PHYLUM ANNELIDA		
CLASS HIRUDINOIDEA <LEECHES>		
ARHYNCHOBDELLIDA		
Hirudinidae		
	<i>Hirudo medicinalis</i> ‹Medicinal leech›	

PHYLUM MOLLUSCA		
CLASS BIVALVIA <CLAMS, MUSSELS>		
MYTILOIDA		
Mytilidae		
	<i>Lithophaga lithophaga</i> <Date mussel>	
UNIONOIDA		
Unionidae		
<i>Conradilla caelata</i> <Birdwing pearly mussel>		
	<i>Cyprogenia aberti</i> <Edible naiad>	
<i>Dromus dromas</i> <Dromedary pearly mussel>		
<i>Epioblasma curtisi</i> <Curtis' pearly mussel>		
<i>Epioblasma florentina</i> <Yellow-blossom pearly mussel>		
<i>Epioblasma sampsonii</i> <Sampson's pearly mussel>		
<i>Epioblasma sulcata perobliqua</i> <White Catspan pearly mussel>		
<i>Epioblasma torulosa gubernaculum</i> <Green-blossom pearly mussel>		
	<i>Epioblasma torulosa rangiana</i> <Northern riffleshell>	
<i>Epioblasma torulosa torulosa</i> <Tubercled-blossom pearly mussel>		
<i>Epioblasma turgidula</i> <Turgid-blossom pearly mussel>		
<i>Epioblasma walkeri</i> <Brown-blossom pearly mussel>		
<i>Fusconaia cuneolus</i> <Fine-rayed pigtoe pearly mussel>		
<i>Fusconaia edgariana</i> <Shiny pigtoe pearly mussel>		
<i>Lampsilis higginsii</i> <Higgin's eye pearly mussel>		
<i>Lampsilis orbiculata orbiculata</i> <Pink mucket pearly mussel>		
<i>Lampsilis satur</i> <Plain pocketbook pearly mussel>		
<i>Lampsilis virescens</i> <Alabama lamp pearly mussel>		
<i>Plethobasus cicatricosus</i> <White warty-back pearly		

mussel}		
<i>Plethobasus cooperianus</i> ⟨Orangefoot pimpleback mussel⟩		
	<i>Pleurobema clava</i> ⟨Club naiad⟩	
<i>Pleurobema plenum</i> ⟨Rough pigtoe pearly mussel⟩		
<i>Potamilus capax</i> ⟨Fat pocketbook pearly mussel⟩		
<i>Quadrula intermedia</i> ⟨Cumberland monkeyface pearly mussel⟩		
<i>Quadrula sparsa</i> ⟨Appalachian monkey-face pearly mussel⟩		
<i>Toxolasma cylindrella</i> ⟨Pale lilliput pearly mussel⟩		
<i>Unio nickliniana</i> ⟨Nicklin's pearly mussel⟩		
<i>Unio tampicoensis</i> <i>tecomatensis</i> ⟨Tampico pearly mussel⟩		
<i>Villosa trabalis</i> ⟨Cumberland bean pearly mussel⟩		
VENEROIDA		
Tridacnidae		
	Tridacnidae spp. ⟨Giant clams⟩	
CLASS GASTROPODA <SNAILS AND CONCHES>		
ARCHAEOGASTROPODA		
Haliotidae		
		<i>Haliotis midae</i> ⟨Midas ear abalone⟩ (South Africa)
MESOGASTROPODA		
Strombidae		
	<i>Strombus gigas</i> ⟨Pink conch, queen conch⟩	
STYLOMMATOPHORA		
Achatinellidae		
<i>Achatinella</i> spp. ⟨Little agate shells⟩		
Camaenidae		
	<i>Papustyla pulcherrima</i> ⟨Emerald green snail⟩	
PHYLUM CNIDARIA		
CLASS ANTHOZOA <CORALS, SEA ANEMONES>		
ANTIPATHARIA		

	ANTIPATHARIA spp. ‹Black corals›	
GORGONACEAE		
Coralliidae		
		<i>Corallium elatius</i> (China)
		<i>Corallium japonicum</i> (China)
		<i>Corallium konjoi</i> ‹White coral› (China)
		<i>Corallium secundum</i> ‹Angelskin coral, pink coral› (China)
HELIOPORACEA		
Helioporidae		
	Helioporidae spp. ‹Blue corals› (Includes only the species <i>Heliopora coerulea</i> . Fossils are not subject to the provisions of this Ordinance)	
SCLERACTINIA		
	SCLERACTINIA spp. ‹Stony corals› (Fossils are not subject to the provisions of this Ordinance)	
STOLONIFERA		
Tubiporidae		
	Tubiporidae spp. ‹Organ-pipe corals› (Fossils are not subject to the provisions of this Ordinance)	
CLASS HYDROZOA <SEA FERNS, FIRE CORALS, STINGING MEDUSAE>		
MILLEPORINA		
Milleporidae		
	Milleporidae spp. ‹Fire corals› (Fossils are not subject to the provisions of this Ordinance)	
STYLASTERINA		
Stylasteridae		
	Stylasteridae spp. ‹Lace corals› (Fossils are not subject to the provisions of this Ordinance)	

FLORA <PLANTS>		
AGAVACEAE		
<i>Agave parviflora</i> <Santa Cruz striped agave>		
	<i>Agave victoriae-reginae</i> ^{#1} <Queen agave>	
	<i>Nolina interrata</i> <Dehesa bear-grass>	
AMARYLLIDACEAE		
	<i>Galanthus</i> spp. ^{#1} <Snowdrops>	
	<i>Sternbergia</i> spp. ^{#1} <Daffodils, sternbergias>	
APOCYNACEAE		
	<i>Hoodia</i> spp. ^{#9}	
	<i>Pachypodium</i> spp. ^{#1} <Elephant's trunks> (Except the species included in Appendix I)	
<i>Pachypodium ambongense</i>		
<i>Pachypodium baronii</i>		
<i>Pachypodium decaryi</i>		
	<i>Rauvolfia serpentina</i> ^{#2} <Snake-root devil-pepper>	
ARALIACEAE		
	<i>Panax ginseng</i> ^{#3} <Ginseng> (Only the population of the Russian Federation; no other population is included in the Appendices)	
	<i>Panax quinquefolius</i> ^{#3} <American ginseng>	
ARAUCARIACEAE		
<i>Araucaria araucana</i> <Chilean pine, monkey puzzle>		
BERBERIDACEAE		
	<i>Podophyllum hexandrum</i> ^{#2} <Himalayan may-apple>	
BROMELIACEAE		
	<i>Tillandsia harrisii</i> ^{#1} <Harris' tillandsia>	
	<i>Tillandsia kammii</i> ^{#1} <Kamm's tillandsia>	
	<i>Tillandsia kautskyi</i> ^{#1} <Kautsky's tillandsia>	
	<i>Tillandsia mauryana</i> ^{#1} <Maury's tillandsia>	
	<i>Tillandsia sprengeliana</i> ^{#1} <Sprengel's tillandsia>	
	<i>Tillandsia sucrei</i> ^{#1} <Sucre tillandsia>	
	<i>Tillandsia xerographica</i> ^{#1}	

	⟨Xerographic tillandsia⟩	
CACTACEAE		
	CACTACEAE spp. ^{6#4} ⟨Cacti⟩ (Except the species included in Appendix I and except <i>Pereskia</i> spp., <i>Pereskopsis</i> spp. and <i>Quiabentia</i> spp.)	
<i>Ariocarpus</i> spp. ⟨Living rock cacti⟩		
<i>Astrophytum asterias</i> ⟨Star cactus⟩		
<i>Aztekium ritteri</i> ⟨Aztec cactus⟩		
<i>Coryphantha werdermannii</i> ⟨Jabali pincushion cactus⟩		
<i>Discocactus</i> spp. ⟨Discocacti⟩		
<i>Echinocereus ferreirianus</i> ssp. <i>lindsayi</i> ⟨Lindsay's cactus⟩		
<i>Echinocereus schmollii</i> ⟨Lamb's-tail cactus⟩		
<i>Escobaria minima</i> ⟨Nellie's cory cactus⟩		
<i>Escobaria sneedii</i> ⟨Sneed's cory cactus⟩		
<i>Mammillaria pectinifera</i>		
<i>Mammillaria solisioides</i>		
<i>Melocactus conoideus</i> ⟨Conelike Turk's-cap cactus⟩		
<i>Melocactus deinacanthus</i> ⟨Wonderfully-bristled Turk's-cap cactus⟩		
<i>Melocactus glaucescens</i> ⟨Woolly waxy-stemmed Turk's-cap cactus⟩		
<i>Melocactus paucispinus</i> ⟨Few-spined Turk's-cap cactus⟩		
<i>Obregonia denegrii</i> ⟨Artichoke cactus⟩		
<i>Pachycereus militaris</i> ⟨Grenadier's cap⟩		
<i>Pediocactus bradyi</i> ⟨Brady's pincushion cactus⟩		
<i>Pediocactus knowltonii</i> ⟨Knowlton's cactus⟩		
<i>Pediocactus paradinei</i> ⟨Park pincushion cactus⟩		
<i>Pediocactus peeblesianus</i> ⟨Peeble's Navajo cactus⟩		
<i>Pediocactus sileri</i> ⟨Siler's pincushion cactus⟩		

<i>Pelecyphora</i> spp. ‹Hatchet cacti›		
<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>		
<i>Sclerocactus erectocentrus</i>		
<i>Sclerocactus glaucus</i> ‹Uinta basin hookless cactus›		
<i>Sclerocactus mariposensis</i> ‹Lloyd's mariposa cactus›		
<i>Sclerocactus mesae-verdae</i> ‹Mesa-verde cactus›		
<i>Sclerocactus nyensis</i> ‹Tonopah fishhook cactus›		
<i>Sclerocactus papyracanthus</i> ‹Paper-spine pincushion cactus›		
<i>Sclerocactus pubispinus</i>		
<i>Sclerocactus wrightiae</i> ‹Wright's fishhook cactus›		
<i>Strombocactus</i> spp.		
<i>Turbincarpus</i> spp. ‹Turbincarps›		
<i>Uebelmannia</i> spp.		
CARYOCARACEAE		
	<i>Caryocar costaricense</i> ^{#1} ‹Costus›	
COMPOSITAE (Asteraceae)		
<i>Saussurea costus</i> ‹Costus root›		
CRASSULACEAE		
	<i>Dudleya stolonifera</i> ‹Laguna beach liveforever›	
	<i>Dudleya traskiae</i> ‹Santa Barbara Island liveforever›	
CUPRESSACEAE		
<i>Fitzroya cupressoides</i> ‹Alerce›		
<i>Pilgerodendron uviferum</i>		
CYATHEACEAE		
	<i>Cyathea</i> spp. ^{#1} ‹Tree ferns›	
CYCADACEAE		
	CYCADACEAE spp. ^{#1} ‹Cycads› (Except the species included in Appendix I)	
<i>Cycas beddomei</i>		
DICKSONIACEAE		
	<i>Cibotium barometz</i> ^{#1}	
	<i>Dicksonia</i> spp. ^{#1} ‹Tree ferns› (Only the populations of the Americas; no other population is included in the Appendices)	
DIDIEREACEAE		

	DIDIEREACEAE spp. ^{#1} 〈Didiereas〉	
DIOSCOREACEAE		
	<i>Dioscorea deltoidea</i> ^{#1} 〈Elephant's foot〉	
DROSERACEAE		
	<i>Dionaea muscipula</i> ^{#1} 〈Venus flytrap〉	
EUPHORBIACEAE		
	<i>Euphorbia</i> spp. ^{#1} 〈Euphorbias, spurges〉 (Succulent species only except the species included in Appendix I. Artificially propagated specimens of cultivars of <i>Euphorbia trigona</i> , artificially propagated specimens of crested, fan-shaped or colour mutants of <i>Euphorbia lactea</i> , when grafted on artificially propagated root stock of <i>Euphorbia nerifolia</i> , and artificially propagated specimens of cultivars of <i>Euphorbia</i> 'Mili' when they are traded in shipments of 100 or more plants and readily recognizable as artificially propagated specimens, are not subject to the provisions of this Ordinance)	
	<i>Euphorbia ambovombensis</i>	
	<i>Euphorbia capsaintemariensis</i>	
	<i>Euphorbia cremersii</i> (Includes the <i>forma viridifolia</i> and the var. <i>rakotozafyi</i>)	
	<i>Euphorbia cylindrifolia</i> (Includes the ssp. <i>tuberifera</i>)	
	<i>Euphorbia decaryi</i> (Includes the vars. <i>ampanihyensis</i> , <i>robinsonii</i> and <i>spirosticha</i>)	
	<i>Euphorbia francoisii</i>	
	<i>Euphorbia moratii</i> (Includes the vars. <i>antsingiensis</i> , <i>bemarahensis</i> and <i>multiflora</i>)	
	<i>Euphorbia parvicyathophora</i>	
	<i>Euphorbia quartziticola</i>	
	<i>Euphorbia tulearensis</i>	
FOUQUIERIACEAE		
	<i>Fouquieria columnaris</i> ^{#1} 〈Boojum tree〉	
	<i>Fouquieria fasciculata</i>	
	<i>Fouquieria purpusii</i>	

GNETACEAE		
		<i>Gnetum montanum</i> ^{#1} 〈Gnetum〉 (Nepal)
JUGLANDACEAE		
	<i>Oreomunnea pterocarpa</i> ^{#1}	
LEGUMINOSAE (Fabaceae)		
	<i>Caesalpinia echinata</i> ^{#10} 〈Brazil wood〉	
<i>Dalbergia nigra</i> 〈Brazilian rosewood〉		
		<i>Dalbergia retusa</i> ^{#5} 〈Cocobolo〉 [Population of Guatemala (Guatemala)]
		<i>Dalbergia stevensonii</i> ^{#5} 〈Rosewood〉 [Population of Guatemala (Guatemala)]
		<i>Dipteryx panamensis</i> (Costa Rica, Nicaragua)
	<i>Pericopsis elata</i> ^{#5} 〈African teak〉	
	<i>Platymiscium pleiostachyum</i> ^{#1} 〈Quira macawood〉	
	<i>Pterocarpus santalinus</i> ^{#7} 〈Red sandalwood〉	
LILIACEAE		
	<i>Aloe</i> spp. ^{#1} 〈Aloes〉 (Except the species included in Appendix I. Also excludes <i>Aloe vera</i> , also referenced as <i>Aloe barbadensis</i> which is not included in the Appendices)	
<i>Aloe albida</i>		
<i>Aloe albiflora</i>		
<i>Aloe alfredii</i>		
<i>Aloe bakeri</i>		
<i>Aloe bellatula</i>		
<i>Aloe calcairophila</i>		
<i>Aloe compressa</i> (Includes the vars. <i>paucituberculata</i> , <i>rugosquamosa</i> and <i>schistophila</i>)		
<i>Aloe delphinensis</i>		
<i>Aloe descoingsii</i>		
<i>Aloe fragilis</i>		
<i>Aloe haworthioides</i> (Includes the var. <i>aurantiaca</i>)		
<i>Aloe helenae</i>		
<i>Aloe laeta</i> (Includes the var. <i>maniaensis</i>)		
<i>Aloe parallelifolia</i>		

<i>Aloe parvula</i>		
<i>Aloe pillansii</i> ‹Bastard quiver tree›		
<i>Aloe polyphylla</i> ‹Spiral aloe›		
<i>Aloe rauhii</i>		
<i>Aloe suzannae</i>		
<i>Aloe versicolor</i>		
<i>Aloe vossii</i>		
MAGNOLIACEAE		
		<i>Magnolia liliifera</i> var. <i>obovata</i> ^{#1} (Nepal)
MELIACEAE		
		<i>Cedrela odorata</i> ^{#5} ‹West Indian cedar› [Population of Colombia (Colombia) Population of Guatemala (Guatemala) Population of Peru (Peru)]
	<i>Swietenia humilis</i> ^{#1} ‹Mexican mahogany›	
	<i>Swietenia macrophylla</i> ^{#6} ‹Big-leaf mahogany› (Populations of the Neotropics)	
	<i>Swietenia mahagoni</i> ^{#5} ‹American mahogany›	
NEPENTHACEAE		
	<i>Nepenthes</i> spp. ^{#1} ‹Pitcher plants› (Except the species included in Appendix I)	
<i>Nepenthes khasiana</i> ‹Indian pitcher plant›		
<i>Nepenthes rajah</i> ‹Kinabalu pitcher plant›		
ORCHIDACEAE		
	ORCHIDACEAE spp. ^{7#1} ‹Orchids› (Except the species included in Appendix I)	
(For all of the following Appendix I species, seedling or tissue cultures obtained <i>in vitro</i> , in solid or liquid media, transported in sterile containers are not subject to the provisions of this Ordinance)		
<i>Aerangis ellisii</i>		
<i>Dendrobium cruentum</i>		
<i>Laelia jongheana</i>		
<i>Laelia lobata</i>		

<i>Paphiopedilum</i> spp. ‹Slipper orchids›		
<i>Peristeria elata</i> ‹Holy ghost orchid›		
<i>Phragmipedium</i> spp. ‹Slipper orchids›		
<i>Renanthera imschootiana</i> ‹Red vanda orchid›		
OROBANCHACEAE		
	<i>Cistanche deserticola</i> ^{#1} ‹Desert-living cistanche›	
PALMAE (Arecaceae)		
	<i>Beccariophoenix madagascariensis</i> ^{#1}	
<i>Chrysalidocarpus decipiens</i> ‹Butterfly palm›		
	<i>Lemurophoenix halleuxii</i> ‹Red-lemur palm›	
	<i>Marojejya darianii</i>	
	<i>Neodypsis decaryi</i> ^{#1} ‹Feather palm›	
	<i>Ravenea louvelii</i>	
	<i>Ravenea rivularis</i>	
	<i>Satranala decussilvae</i>	
	<i>Voanioala gerardii</i>	
PAPAVERACEAE		
		<i>Meconopsis regia</i> ^{#1} ‹Himalayan poppy› (Nepal)
PINACEAE		
<i>Abies guatemalensis</i> ‹Guatemalan fir›		
PODOCARPACEAE		
		<i>Podocarpus neriifolius</i> ^{#1} ‹Thitmin› (Nepal)
<i>Podocarpus parlatoresi</i> ‹Parlatores's podocarp›		
PORTULACACEAE		
	<i>Anacampseros</i> spp. ^{#1} ‹Purselanes›	
	<i>Avonia</i> spp. ^{#1}	
	<i>Lewisia serrata</i> ^{#1} ‹Saw-toothed lewisia›	
PRIMULACEAE		
	<i>Cyclamen</i> spp. ^{8#1} ‹Cyclamens›	
PROTEACEAE		
	<i>Orothamnus zeyheri</i> ^{#1} ‹Marsh rose›	
	<i>Protea odorata</i> ^{#1} ‹Ground-rose›	

RANUNCULACEAE		
	<i>Adonis vernalis</i> ^{#2} ‹Spring adonis, yellow adonis›	
	<i>Hydrastis canadensis</i> ^{#8} ‹Goldenseal›	
ROSACEAE		
	<i>Prunus africana</i> ^{#1} ‹African cherry, red stinkwood›	
RUBIACEAE		
<i>Balmea stormiae</i> ‹Ayugue›		
SARRACENIACEAE		
	<i>Sarracenia</i> spp. ^{#1} ‹Pitcher plants› (Except the species included in Appendix I)	
<i>Sarracenia oreophila</i> ‹Green pitcher plant›		
<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>		
<i>Sarracenia rubra</i> ssp. <i>jonesii</i> ‹Mountain sweet pitcher plant›		
SCROPHULARIACEAE		
	<i>Picrorhiza kurroo</i> ^{#2} ‹Picrorhiza, kutki› (Excludes <i>Picrorhiza scrophulariiflora</i>)	
STANGERIACEAE		
	<i>Bowenia</i> spp. ^{#1} ‹Cycads›	
<i>Stangeria eriopus</i> ‹Hottentot's head›		
TAXACEAE		
	<i>Taxus chinensis</i> and infraspecific taxa of this species ^{#2} ‹Chinese yew›	
	<i>Taxus cuspidata</i> and infraspecific taxa of this species ^{9#2} ‹Japanese yew›	
	<i>Taxus fuana</i> and infraspecific taxa of this species ^{#2}	
	<i>Taxus sumatrana</i> and infraspecific taxa of this species ^{#2}	
	<i>Taxus wallichiana</i> ^{#2} ‹Himalayan yew›	
THYMELAEACEAE (Aquilariaceae)		
	<i>Aquilaria</i> spp. ^{#1} ‹Agarwood›	
	<i>Gonystylus</i> spp. ^{#1} ‹Ramin›	
	<i>Gyrinops</i> spp. ^{#1}	
TROCHODENDRACEAE (Tetracentraceae)		
		<i>Tetracentron sinense</i> ^{#1} ‹Tetracentron› (Nepal)
VALERIANACEAE		

	<i>Nardostachys grandiflora</i> ^{#2} 〈Jatamansi〉	
WELWITSCHIACEAE		
	<i>Welwitschia mirabilis</i> ^{#1} 〈Welwitschia〉	
ZAMIACEAE		
	ZAMIACEAE spp. ^{#1} 〈Cycads〉 (Except the species included in Appendix I)	
	<i>Ceratozamia</i> spp. 〈Cycads〉	
	<i>Chigua</i> spp. 〈Cycads〉	
	<i>Encephalartos</i> spp. 〈Bread palms〉	
	<i>Microcycas calocoma</i> 〈Palma corcho〉	
ZINGIBERACEAE		
	<i>Hedychium philippinense</i> ^{#1} 〈Philippine garland flower〉	
ZYGOPHYLLACEAE		
		<i>Bulnesia sarmientoi</i> ^{#11} 〈Holy wood〉 (Argentina)
	<i>Guaiacum</i> spp. ^{#2} 〈Lignum-vitae〉	

1. Any specimen of the population of Argentina shall be treated as a specimen of an Appendix II species only if it is imported, exported or re-exported as –
 - (a) wool sheared from live vicuñas;
 - (b) cloth made of such wool, the reverse side of which must bear the logotype adopted by the range states of the species, which are signatories to the *Convenio para la Conservación y Manejo de la Vicuña*, and the selvages the words “VICUÑA-ARGENTINA”; or
 - (c) a derived manufactured product or other handicraft artefact, and must bear a label including the logotype and the designation “VICUÑA-ARGENTINA-ARTESANÍA”.

All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

2. Any specimen of the population of Bolivia shall be treated as a specimen of an Appendix II species only if it is imported, exported or re-exported as –
- (a) wool sheared from live vicuñas;
 - (b) cloth made of such wool, the reverse side of which must bear the logotype adopted by the range states of the species, which are signatories to the *Convenio para la Conservación y Manejo de la Vicuña*, and the selvages the words “VICUÑA-BOLIVIA”; or
 - (c) an item made of such wool, including luxury handicrafts and knitted articles, and must bear a label including the logotype and the designation “VICUÑA-BOLIVIA-ARTESANÍA”.

All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

3. Any specimen of the population of Chile shall be treated as a specimen of an Appendix II species only if it is imported, exported or re-exported as –
- (a) wool sheared from live vicuñas;
 - (b) cloth made of such wool, the reverse side of which must bear the logotype adopted by the range states of the species, which are signatories to the *Convenio para la Conservación y Manejo de la Vicuña*, and the selvages the words “VICUÑA-CHILE”; or
 - (c) an item made of such wool, including luxury handicrafts and knitted articles, and must bear a label including the logotype and the designation “VICUÑA-CHILE-ARTESANÍA”.

All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

4. Any specimen of the population of Peru shall be treated as a specimen of an Appendix II species only if it is imported, exported or re-exported as –

- (a) wool sheared from live vicuñas and in the stock extant at the time of the ninth meeting of the Conference of the Parties (November 1994) of 3 249 kg of wool;
- (b) cloth made of such wool, the reverse side of which must bear the logotype adopted by the range states of the species, which are signatories to the *Convenio para la Conservación y Manejo de la Vicuña*, and the selvages the words "VICUÑA-PERÚ"; or
- (c) an item made of such wool, including luxury handicrafts and knitted articles, and must bear a label including the logotype and the designation "VICUÑA-PERÚ-ARTESANÍA".

All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

5. Any specimen of the populations of Botswana, Namibia, South Africa and Zimbabwe shall be treated as a specimen of an Appendix II species only if it is imported, exported or re-exported as –
 - (a) hunting trophies for non-commercial purposes;
 - (b) live animals to appropriate and acceptable destinations, as defined in Resolution Conf. 11.20, for Botswana and Zimbabwe and for *in situ* conservation programmes for Namibia and South Africa;
 - (c) hides;
 - (d) hair;
 - (e) leather goods for commercial or non-commercial purposes for Botswana, Namibia and South Africa and for non-commercial purposes for Zimbabwe;
 - (f) individually marked and certified ekipa incorporated in finished jewellery for non-commercial purposes for Namibia and ivory carvings for non-commercial purposes for Zimbabwe; or
 - (g) registered raw ivory (whole tusks and pieces) subject to the following –

- (i) only registered government-owned stocks, originating in the state (excluding seized ivory and ivory of unknown origin);
- (ii) only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee under the Convention, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf. 10.10 (Rev. CoP14) concerning domestic manufacturing and trade;
- (iii) not before the Secretariat has verified the prospective importing countries, and the registered government-owned stocks;
- (iv) raw ivory pursuant to the conditional sale of registered government-owned ivory stocks agreed at CoP12, which are 20 000 kg (Botswana), 10 000 kg (Namibia) and 30 000 kg (South Africa);
- (v) in addition to the quantities agreed at CoP12, government-owned ivory from Botswana, Namibia, South Africa and Zimbabwe registered by 31 January 2007 and verified by the Secretariat may be traded and despatched, with the ivory in subparagraph (iv), in a single sale per destination under strict supervision of the Secretariat;
- (vi) the proceeds of the trade are used exclusively for elephant conservation and community conservation and development programmes within or adjacent to the elephant range; and
- (vii) the additional quantities specified in subparagraph (v) shall be traded only after the Standing Committee under

the Convention has agreed that the above conditions have been met.

On a proposal from the Secretariat, the Standing Committee under the Convention can decide to cause this trade to cease partially or completely in the event of non-compliance by the place of import or export, or in the case of proven detrimental impacts of the trade on other elephant populations.

All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

6. Artificially propagated specimens of the following hybrids and/or cultivars are not subject to the provisions of this Ordinance –

- *Hatiora x graeseri*
- *Schlumbergera x buckleyi*
- *Schlumbergera russelliana x Schlumbergera truncata*
- *Schlumbergera orssichiana x Schlumbergera truncata*
- *Schlumbergera opuntioides x Schlumbergera truncata*
- *Schlumbergera truncata* (cultivars)
- Cactaceae spp. colour mutants lacking chlorophyll, grafted on the following grafting stocks: *Harrisia* 'Jusbertii', *Hylocereus trigonus* or *Hylocereus undatus*
- *Opuntia microdasys* (cultivars).

7. Artificially propagated specimens of hybrids of the genera *Cymbidium*, *Dendrobium*, *Phalaenopsis* and *Vanda* are not subject to the provisions of this Ordinance when –

- (a) the specimens are readily recognizable as artificially propagated and do not show any signs of having been collected in the wild such as mechanical damage or strong dehydration resulting from collection, irregular growth and heterogeneous size and shape


within a taxon and shipment, algae or other epiphyllous organisms adhering to leaves, or damage by insects or other pests; and

- (b) (i) the specimens are shipped in non-flowering state, the specimens must be traded in shipments consisting of individual containers (such as cartons, boxes, crates or individual shelves of CC-containers) each containing 20 or more plants of the same hybrid; the plants within each container must exhibit a high degree of uniformity and healthiness; and the shipment must be accompanied by documentation, such as an invoice, which clearly states the number of plants of each hybrid; or
- (ii) the specimens are shipped in flowering state, with at least one fully open flower per specimen, no minimum number of specimens per shipment is required but specimens must be professionally processed for commercial retail sale, e.g. labelled with printed labels or packaged with printed packages indicating the name of the hybrid and the place of final processing. This should be clearly visible and allow easy verification.

Plants not clearly meeting the above criteria must be accompanied by appropriate Convention certifying documents.

8. Unless imported, exported or re-exported as dormant tubers, artificially propagated specimens of cultivars of *Cyclamen persicum* are not subject to the provisions of this Ordinance.
9. Artificially propagated hybrids and cultivars of *Taxus cuspidata*, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text

“artificially propagated”, are not subject to the provisions of this Ordinance.”.



Acting

Secretary for the Environment

2 January 2009

Explanatory Note

This Order amends Schedule 1 to the Protection of Endangered Species of Animals and Plants Ordinance (Cap. 586) to give effect to the changes made in June 2007 to the listings of endangered species in the Appendices to the Convention on International Trade in Endangered Species of Wild Fauna and Flora.

**PROTECTION OF ENDANGERED SPECIES OF
ANIMALS AND PLANTS (EXEMPTION FOR
APPENDICES II AND III SPECIES)
(AMENDMENT) ORDER 2009**

(Made by the Secretary for the Environment under section 47(2) of the
Protection of Endangered Species of Animals and Plants Ordinance
(Cap. 586))

1. Commencement

This Order comes into operation on 13 March 2009.

2. Species referred to in section 5

The Schedule to the Protection of Endangered Species of Animals and
Plants (Exemption for Appendices II and III Species) Order (Cap. 586 sub. leg.
B) is amended, in item 1, by repealing "250" and substituting "125".



Acting

Secretary for the Environment

2 January 2009

Explanatory Note

This Order amends the Schedule to the Protection of Endangered Species
of Animals and Plants (Exemption for Appendices II and III Species) Order (Cap.
586 sub. leg. B) in order to change the quantitative limitation of caviar of
personal and household effects.

《公約》第十四屆締約國大會附錄 I 及 II 和註釋的修訂
Amendments to CITES Appendices I and II and Annotations in CoP14

	物種 Species	俗稱 Common Name
A.	<u>列入附錄 I</u> <u>Include in Appendix I</u>	
	Pristidae spp. (<i>Pristis microdon</i> 除外 Except <i>Pristis microdon</i>)	鋸鰩 Sawfish
B.	<u>由附錄 II 轉入附錄 I</u> <u>Transfer from Appendix II to Appendix I</u>	
	<i>Nycticebus</i> spp.	懶猴 Slow lorises
	<i>Heloderma horridum charlesbogerti</i>	珠毒蜥危地馬拉亞種 Guatemalan beaded lizard
C.	<u>由附錄 III 轉入附錄 I</u> <u>Transfer from Appendix III to Appendix I</u>	
	<i>Gazella cuvieri</i>	卡氏羚 Cuvier's gazelle
	<i>Gazella leptoceros</i>	細角羚 Slender-horned gazelle
D.	<u>從附錄 I 中刪除</u> <u>Delete from Appendix I</u>	
	<i>Agave arizonica</i>	亞利桑那龍舌蘭 Arizona agave
E.	<u>列入附錄 II</u> <u>Include in Appendix II</u>	
	<i>Pristis microdon</i> (只容許以自然保育為主要目的而往適當和可接受的水族館的活體動物的國際貿易 For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable aquaria for primarily conservation purposes)	小齒鋸鰩 Freshwater sawfish
	<i>Anguilla anguilla</i>	歐洲鰻鱺 European eel
	<i>Caesalpinia echinata</i> (原木、鋸材、面板，包括用作製造絃樂器的琴弓而未完成的木件 Logs, sawn wood, veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments)	巴西蘇木 Brazil wood
F.	<u>由附錄 I 轉入附錄 II</u> <u>Transfer from Appendix I to Appendix II</u>	

	<i>Melanosuchus niger</i> (巴西種群 Population of Brazil)	亞馬遜鱷 Black caiman	
	<i>Nolina interrata</i>	間型酒瓶蘭 Dehesa bear-grass	
G. 從附錄 II 中刪除 <u>Delete from Appendix II</u>			
	<i>Pereskia</i> spp. and <i>Quiabentia</i> spp.	葉仙人掌及頂花麒麟掌 Leaf cacti	
	<i>Pereskiopsis</i> spp.	麒麟掌 Cacti	
	<i>Shortia galacifolia</i>	灰葉岩扇 Oconee bells	
H. 修改註釋 <u>Revision of Annotation</u>			
	物種 Species	俗稱 Common Name	修訂 Amendments
	<i>Loxodonta africana</i>	非洲象 African elephant	對博茨瓦納、納米比亞、南非及津巴布韋，容許已登記的政府擁有的象牙存貨一次性出售給指定的貿易夥伴，之後九年內不會再有容許象牙貿易的其他建議。此外，也稍為放寬了皮張及皮製品的貿易。For Botswana, Namibia, South Africa and Zimbabwe, allow the trade in registered government-owned ivory stocks in a single sale to designated trading partners and no further proposals to allow trade in ivory for a period of 9 years. In addition, the trade in elephant hides and leather products is slightly relaxed.
	<i>Vicugna vicugna</i> (玻利維亞種群 Population of Bolivia)	小羊駝 Vicuna	容許剪自玻利維亞所有種群的小羊駝的羊毛的貿易。Allow trade in wool sheared from all vicuna populations within Bolivia.
	Orchidaceae spp.	蘭花 Orchids	合併及修訂註釋。Merge and amend annotations.
	加有註釋#1、#2、#3、#7、#8 及#10 的所有分類單元 Taxa annotated with annotation #1, #2, #3, #7, #8 and #10.	藥用植物 Medicinal plants	簡化註釋，並釐清哪些部分或哪些衍生物免受《公約》管制。Simplify the annotations and clarify the parts or derivatives that are excluded from CITES control.
	<i>Taxus chinensis</i> , <i>T. fuana</i> , <i>T.</i>	紅豆杉、喜馬拉雅	刪除 <i>Taxus chinensis</i> , <i>T. fuana</i> and <i>T.</i>

	<i>sumatrana</i> and <i>T. cuspidata</i>	密葉紅豆杉、蘇門答臘紅豆杉及東北紅豆杉 Chinese Yew, Japanese Yew	<i>sumatrana</i> 的註釋; 豁免 <i>T. cuspidata</i> 的人工培植雜交種及栽培種的管制。 Delete the annotation of <i>Taxus chinensis</i> , <i>T. fauna</i> and <i>T. sumatrana</i> ; exclude artificially propagated hybrids and cultivars of <i>T. cuspidata</i> .
--	--	---	---

列入附錄 III Addition to Appendix III

物種 Species	俗稱 Common Name	提出將物種列入的締約國 Party submitting the species for inclusion
<i>Gazella dorcas</i>	鹿羚 Dorcas gazelle	阿爾及利亞 Algeria
<i>Cervus elaphus barbarus</i>	馬鹿巴巴厘亞種 Barbary deer	阿爾及利亞 Algeria
<i>Macrochelys temminckii</i>	大鱷龜 Alligator snapping turtle	美國 United States of America
<i>Graptemys</i> spp.	圖龜屬所有種 Map turtle	美國 United States of America
<i>Haliotis midae</i>	南非鮑 Abalone	南非 South Africa
<i>Corallium elatius</i>	瘦長紅珊瑚 Pink coral	中國 China
<i>Corallium japonicum</i>	日本紅珊瑚 Pink coral	中國 China
<i>Corallium konjoi</i>	皮滑紅珊瑚 White coral	中國 China
<i>Corallium secundum</i>	巧紅珊瑚 Angelskin coral	中國 China
<i>Dalbergia retusa</i> (原木、鋸材和面板 Logs, sawn wood and veneer sheets) [危地馬拉種群 Population of Guatemala]	微凹黃檀 Cocobolo	危地馬拉 Guatemala
<i>Dalbergia stevensonii</i> (原木、鋸材和面板 Logs, sawn wood and veneer sheets) [危地馬拉種群 Population of Guatemala]	伯利茲黃檀 Rosewood	危地馬拉 Guatemala
<i>Dipteryx panamensis</i>	巴拿馬天蓬樹 Almendro	尼加拉瓜 Nicaragua
<i>Cedrela odorata</i> (原木、鋸材和面板 Logs, sawn wood and veneer sheets)	煙洋椿 West Indian cedar	危地馬拉 Guatemala
<i>Bulnesia sarmientoi</i> (原木、鋸材、面板、膠合板、粉末和萃取物 Logs, sawn wood, veneer sheets, plywood, powder and extracts)	玉檀木 Holy wood	阿根廷 Argentina

從附錄 III 中刪除原先由加納列入的所有物種
Deletion of all species previously listed in Appendix III by Ghana

物種 Species	俗稱 Common Name
<i>Epixerus ebii</i>	非洲棕櫚松鼠 Ebian's palm squirrel, Temminck's giant squirrel
<i>Anomalurus beecrofti</i>	西非鱗尾松鼠 Beecroft's flying squirrel
<i>Anomalurus derbianus</i>	鱗尾松鼠 Lord Derby's flying squirrel
<i>Anomalurus pelii</i>	佩氏鱗尾松鼠 Pel's flying squirrel
<i>Idiurus macrotis</i>	長耳鱗尾松鼠 Longeared flying squirrel
<i>Hystrix cristata</i>	非洲冕豪豬 Crested porcupine
<i>Mellivora capensis</i> ¹	蜜獾 Honey badger
<i>Hyemoschus aquaticus</i>	水獴鹿 Water chevrotain
<i>Damaliscus lunatus</i>	南非大羚羊 Tsessebe
<i>Tragelaphus eurycerus</i>	肯尼亞林羚 Bongo
<i>Tragelaphus spekii</i>	林羚 Marshbuck, sitatunga
<i>Ardea goliath</i>	巨鷺 Goliath heron
<i>Bubulcus ibis</i>	牛背鷺 Cattle egret
<i>Casmerodius albus</i>	大白鷺 Great egret
<i>Egretta garzetta</i>	小白鷺 Little egret
<i>Ephippiorhynchus senegalensis</i>	凹嘴鶴 Saddlebill stork
<i>Leptoptilos crumeniferus</i>	非洲禿鶴 Marabou stork
<i>Bostrychia hagedash</i>	鳳頭鸚 Hadada ibis
<i>Bostrychia rara</i>	點胸鸚 Spotbreasted ibis
<i>Threskiornis aethiopicus</i>	聖鸚 Sacred ibis
<i>Alopochen aegyptiacus</i>	埃及雁 Egyptian goose
<i>Anas acuta</i>	針尾鴨 Common pintail
<i>Anas capensis</i>	綠翅灰斑鴨 Cape teal, Cape wigeon
<i>Anas clypeata</i>	琵琶嘴鴨 Northern shoveler
<i>Anas crecca</i>	綠翅鴨 Common teal, green-winged teal
<i>Anas penelope</i>	赤頸鴨 Eurasian wigeon
<i>Anas querquedula</i>	白眉鴨 Garganey

¹ *Mellivora capensis* (博茨瓦納)保留在附錄III *Mellivora capensis* (Botswana) remains in Appendix III

<i>Aythya nyroca</i>	白眼潛鴨 Ferruginous duck, white-eyed pochard
<i>Dendrocygna bicolor</i> ²	草黃樹鴨 Fulvous tree-duck
<i>Dendrocygna viduata</i>	白臉樹鴨 White-faced treeduck
<i>Nettapus auritus</i>	厚嘴棉鳧 African pygmygoose
<i>Plectropterus gambensis</i>	距翅雁 Spur-winged goose
<i>Pteronetta hartlaubii</i>	藍翅棲鴨 Hartlaub's duck
<i>Agelastes meleagrides</i>	白胸珠雞 White-breasted guineafowl
<i>Columba guinea</i>	點斑鴿 Speckled pigeon
<i>Columba iriditorques</i>	銅頸鴿 Western bronze-naped pigeon
<i>Columba livia</i>	原鴿 Rock dove
<i>Columba unicincta</i>	鱗斑灰鴿 Afep pigeon, grey wood-pigeon
<i>Oena capensis</i>	小長尾鳩 Longtailed dove, Namaqua dove
<i>Streptopelia decipiens</i>	哀斑鳩 African mourning dove
<i>Streptopelia roseogrisea</i>	粉頭斑鳩 African collared-dove, pink-headed dove
<i>Streptopelia semitorquata</i>	紅眼斑鳩 Redeyed dove
<i>Streptopelia senegalensis</i>	棕斑鳩 Laughing dove
<i>Streptopelia turtur</i>	歐斑鳩 European turtle-dove, turtle dove
<i>Streptopelia vinacea</i>	酒紅斑鳩 Vinaceous dove
<i>Treron calva</i>	非洲綠鳩 African green-pigeon
<i>Treron waalia</i>	黃腹綠鳩 Bruce's green pigeon
<i>Turtur abyssinicus</i>	黑嘴森鳩 Black-billed wood-dove
<i>Turtur afer</i>	藍斑森鳩 Bluespotted wood-dove
<i>Turtur brehmeri</i>	藍頭森鳩 Blueheaded dove
<i>Turtur tympanistris</i>	白胸森鳩 Tambourine dove
<i>Psittacula krameri</i>	紅額綠鸚鵡 Ring-necked parakeet, rose-ringed parakeet
<i>Corythaeola cristata</i>	藍蕉鵡 Blue plantain-eater, great blue turaco
<i>Crinifer piscator</i>	灰蕉鵡 Grey plantain-eater
<i>Musophaga violacea</i>	紫蕉鵡 Violet plantain-eater, violet turaco
<i>Serinus canicapillus</i>	灰冠絲雀 West African seedeater
<i>Serinus leucopygius</i>	白腰絲雀 Grey singing finch, white-rumped seedeater
<i>Serinus mozambicus</i>	黃額絲雀 Green singing finch, yellow-fronted canary
<i>Amadina fasciata</i>	環喉雀 Cutthroat
<i>Amandava subflava</i>	橙腹紅梅花雀 Golden-breasted waxbill, zebra waxbill

² *Dendrocygna bicolor* (洪都拉斯)保留在附錄III *Dendrocygna bicolor* (Honduras) remains in Appendix III

<i>Estrilda astrild</i>	橫斑梅花雀 Common waxbill
<i>Estrilda caerulescens</i>	淡藍梅花雀 Lavender firefinch, lavender waxbill
<i>Estrilda melpoda</i>	橙頰梅花雀 Orange-cheeked waxbill
<i>Estrilda troglodytes</i>	黑腰梅花雀 Black-rumped waxbill
<i>Lagonosticta rara</i>	黑腹火雀 Black-bellied firefinch
<i>Lagonosticta rubricata</i>	灰頂火雀 African firefinch
<i>Lagonosticta rufopicta</i>	斑胸火雀 Bar-breasted firefinch
<i>Lagonosticta senegala</i>	紅嘴火雀 Red-billed firefinch
<i>Lagonosticta vinacea</i>	酒紅火雀 Black-faced firefinch
<i>Lonchura bicolor</i>	黑白文鳥 Black-and-white mannikin
<i>Lonchura cantans</i>	銀嘴文鳥 African silverbill
<i>Lonchura cucullata</i>	古銅色文鳥 Bronze mannikin
<i>Lonchura fringilloides</i>	鵲色文鳥 Magpie mannikin
<i>Mandingoa nitidula</i>	綠背點斑雀 Green twinspace
<i>Nesocharis capistrata</i>	白頰橄欖背織布鳥 Grey-headed oliveback, white-cheeked olive weaver
<i>Nigrita bicolor</i>	栗胸黑梅花雀 Chestnut-breasted negrofinch
<i>Nigrita canicapilla</i>	灰頭黑梅花雀 Grey-headed negrofinch
<i>Nigrita fusconota</i>	白胸黑梅花雀 White-breasted negrofinch
<i>Nigrita luteifrons</i>	淡額黑梅花雀 Palefronted negrofinch
<i>Ortygospiza atricollis</i>	黑頰鶉雀 African quailfinch
<i>Parmoptila rubrifrons</i>	剛果紅額蟻雀 Jameson's antpecker, red-fronted antpecker
<i>Pholidornis rushiae</i>	雀織鶯 Tit-hylia
<i>Pyrenestes ostrinus</i>	黑腹嗑籽雀 Black-bellied seedcracker
<i>Pytilia hypogrammica</i>	黃翅斑腹雀 Red-faced pytilia, yellow-winged pytilia
<i>Pytilia phoenicoptera</i>	紅翅斑腹雀 Aurora finch, redwinged pytilia
<i>Spermophaga haematina</i>	紅胸藍嘴雀 Blue-billed weaver
<i>Uraeginthus bengalus</i>	紅頰藍飾雀 Cordonbleu, redcheeked cordonbleu
<i>Amblyospiza albifrons</i>	厚嘴織布鳥 Grosbeak weaver
<i>Anaplectes rubriceps</i>	紅頭織布鳥 Red-headed weaver
<i>Anomalospiza imberbis</i>	寄生織布鳥 Cuckoo weaver, parasitic weaver
<i>Bubalornis albirostris</i>	牛文鳥 White-billed buffalo weaver
<i>Euplectes afer</i>	黃頂寡婦鳥 Golden bishop, yellow-crowned bishop
<i>Euplectes ardens</i>	紅領寡婦鳥 Redcollared whydah, redcollared widowbird
<i>Euplectes franciscanus</i>	西非紅色寡婦鳥 Orange bishop

<i>Euplectes hordeaceus</i>	黑翅紅色寡婦鳥 Black-winged bishop
<i>Euplectes macrourus</i>	黃肩寡婦鳥 Yellow-backed whydah, yellowmantled widowbird
<i>Malimbus cassini</i>	卡辛氏馬利布鳥 Black-throated malimbe
<i>Malimbus malimbicus</i>	冠馬利布鳥 Crested malimbe
<i>Malimbus nitens</i>	藍嘴馬利布鳥 Bluebilled malimbe
<i>Malimbus rubricollis</i>	紅頸馬利布鳥 Red-headed malimbe
<i>Malimbus scutatus</i>	紅臀馬利布鳥 Red-vented malimbe
<i>Pachyphantes superciliosus</i>	褐翅織布鳥 Compact weaver
<i>Passer griseus</i>	灰頭麻雀 Greyheaded sparrow
<i>Petronia dentata</i>	灌叢石雀 Bush petronia
<i>Plocepasser superciliosus</i>	栗頂雀織鳥 Chestnutcrowned sparrowweaver
<i>Ploceus albinucha</i>	白頸黑織布鳥 Maxwell's black weaver, white-naped weaver
<i>Ploceus aurantius</i>	橙色織布鳥 Orange weaver
<i>Ploceus cucullatus</i>	黑頭群棲織布鳥 Layard's blackheaded weaver
<i>Ploceus heuglini</i>	綠腰織布鳥 Heuglin's maskedweaver
<i>Ploceus luteolus</i>	小織布鳥 Little weaver
<i>Ploceus melanocephalus</i>	黑頭黃背織布鳥 Black-headed weaver, yellow-backed weaver
<i>Ploceus nigerrimus</i>	大黑織布鳥 Vieillot's black weaver
<i>Ploceus nigricollis</i>	黑頸織布鳥 Black-necked weaver
<i>Ploceus pelzelni</i>	細嘴織布鳥 Slender-billed weaver
<i>Ploceus preussi</i>	金背織布鳥 Golden-backed weaver
<i>Ploceus tricolor</i>	黃肩織布鳥 Yellow-mantled weaver
<i>Ploceus vitellinus</i>	黃面織布鳥 Vitelline maskedweaver
<i>Quelea erythrops</i>	紅頭奎利亞雀 Redheaded dioch, redheaded quelea
<i>Sporopipes frontalis</i>	點額織布鳥 Scaly-fronted weaver
<i>Vidua chalybeata</i>	靛藍維達鳥 Green indigobird
<i>Vidua interjecta</i>	中非維達鳥 Longtailed paradisewhydah
<i>Vidua larvaticola</i>	隱居維達鳥 Baka indigobird
<i>Vidua macroura</i>	針尾維達鳥 Pintailed whydah
<i>Vidua orientalis</i>	寬尾樂園維達鳥 Northern paradisewhydah
<i>Vidua raricola</i>	寡居維達鳥 Jambandu indigobird
<i>Vidua togoensis</i>	多哥維達鳥 Togo paradise-whydah
<i>Vidua wilsoni</i>	淡翅維達鳥 Palewinged indigobird, Wilson's indigobird

<i>Trionyx triunguis</i>	非洲鱉 African softshell turtle, Nile softshell turtle
<i>Pelomedusa subrufa</i>	盔側頸龜 African helmeted turtle, helmeted turtle
<i>Pelusios adansonii</i>	安氏非洲側頸龜 Adanson's mud turtle, white-breasted sidenecked turtle
<i>Pelusios castaneus</i>	西非側頸龜 Chestnut terrapin, West African mud turtle
<i>Pelusios gabonensis</i>	非洲森林側頸龜 African forest turtle, stripe-backed sidenecked turtle
<i>Pelusios niger</i>	非洲黑側頸龜 African black terrapin, black side-necked turtle

IMPLICATIONS OF THE LEGISLATIVE AMENDMENTS

Economic Implications

The changes to be made to the list of controlled species under the Ordinance are not to have any appreciable effect on Hong Kong's trade, as trade in the species concerned will still be allowed with valid licences. The proposed lowering of the quantitative limit of caviar for import, export or re-export as personal or household effects may bring some inconvenience to some members of the public, but such members (if considered necessary) may apply for a licence for the import, export or re-export of caviar exceeding the quantitative limit.