Panel on Development

List of follow-up actions

(Position as at 24 February 2012)

Subject (Responsible Bureau/Office)		Date of meeting	Follow-up actions required	Administration's response	
1. Fee pro Town (Amend Ordinan	posal under the Planning ment)		 The Administration was requested to (a) provide the details of the basis for determining the various fee items under the fee proposal; (b) reconsider extension of fee waiver to all applications relating to "public causes", "public proposes" or "public interest" as a matter of policy; (c) investigate whether there was any definition for "public interest" in law; (d) provide the estimated costs incurred by the 	Administration's response awaited	
			Government in processing various types of planning applications each year; and		

	Subject (Responsible Bureau/Office)	Date of meeting	Follow-up actions required	Administration's response	
			(e) consult Heung Yee Kuk on the fee proposal with particular regard to fee items applicable to small house applications.		
2.	PWP Item No. 5737CL dredging, management and capping of contaminated sediment disposal facility to the south of The Brothers	29.3.2011	The Administration was requested to (a) consider consulting interested parties in the fisheries industry and concerned District Councils (including Tsuen Wan and Tuen Mun District Councils) on the proposed contaminated sediment disposal facility to the south of The Brothers ("the proposed disposal facility"); and (b) provide further information about the environmental and ecological impacts of the construction and operation of the proposed disposal facility, including the impact on water quality in terms of dissolved oxygen, etc.	Administration's response awaited	
3.	Energizing Kowloon East	19.12.2011	Members opined that the Administration should formulate a long-term strategic plan for supply of office land in various districts in Hong Kong. In this connection, the Administration was	Administration's response awaited.	

	Subject (Responsible Date of mee Bureau/Office)		Follow-up actions required	Administration's response	
			requested to provide an analysis of demand and supply of office space by district in the past 10 years and, as far as possible, a projection of the same in the next five years.		
4	Issues relating to water supply system in new buildings arising from the recent detection of Legionella bacteria in the Central Government Offices and the Legislative Council Complex	16.1.2012	Noting that the concerned government departments would be meeting with experts at the meeting of the Prevention of Legionnaire Disease Committee ("PLDC") (預防退伍軍人病症委員會) on 8 February 2012 on enhancement measures to prevent recurrence of similar incidents, the Administration was requested to reflect members' views and concerns expressed at the Panel meeting to PLDC, and to report outcome of the meeting to the Panel.	members vide LC Paper No. CB(1)1160/11-12(01)	
5	PWP Item No. 4152CD Drainage improvement works in upper Lam Tsuen River, She Shan River, Upper Tai Po River, Ping Kong and Kwun Hang	16.1.2012	At the request of members, the Administration was requested to provide drawings and plans showing the proposed designs and the greening works of the drainage project for the concerned rivers in its submission to the Public Works Subcommittee ("PWSC") for funding support to increase the approved project estimate.	provided information on typical landscaping design of the proposed channel works and the local tree	

Subject (Responsible Bureau/Office)	Date of meeting	Follow-up actions required	Administration's response		
			submitted	for	PWSC
			meeting		on
			8 February 2012.		

Council Business Division 1
Legislative Council Secretariat
24 February 2012