

Panel on Transport**List of follow-up actions**

(position as at 13 December 2012)

Subject	Date of meeting	Follow-up action required	Latest position / Administration's response
1. Central Kowloon Route ("CKR") - Progress update	27 February 2009	<p>The Administration was requested to provide the following information to the Panel –</p> <p>(a) A paper detailing the measures to be taken to mitigate the air and noise impacts that might be caused by the Western Tunnel Portal of CKR to local residents; and</p> <p>(b) A paper on the estimated noise impacts in terms of decibels as a result of construction of the CKR project, the noise pollution level at the Ferry Street Flyover (FSF) sections fronting Prosperous Garden, explanation of the technical difficulties in retrofitting these sections with noise barriers and why those difficulties could not be overcome, as well as details of the alternative mitigation measures under contemplation and the estimated mitigation effect expected to be achieved in terms of reduced</p>	The Administration would update members on the overall development of the CKR project in due course.

Subject	Date of meeting	Follow-up action required	Latest position / Administration's response
		<p>decibels. The paper should also address the point that CKR might increase traffic flow on these sections of FSF and aggravate the noise problem, so that mitigation measures such as the installation of double-glazed windows and air-conditioning for the affected residents should be considered.</p>	
<p>2. Reversing video device on new goods vehicles and tow truck accident in Eastern Street</p>	<p>24 May 2012</p>	<p>The Administration was requested to provide details of the territory-wide safety measures on steep roads in Hong Kong.</p>	<p>Information from the Administration is awaited</p>
<p>3. Universal Accessibility ("UA") Programme - Provision of barrier-free access facilities at public footbridges, elevated walkways and subways</p>	<p>16 November 2012</p>	<p>The Administration was requested to provide the following information to the Panel –</p> <p>(a) locations of existing public walkways suggested by the public for installation of lifts received by the Administration under the UA Programme with highlight on proposals which are located near a hospital; and</p> <p>(b) locations of the 24 barrier-free access facility retrofitting project items, which are planned for</p>	<p>The supplementary information provided by the Administration was issued vide LC Paper No. CB(1)307/12-13 on 13 December 2012.</p>

Subject	Date of meeting	Follow-up action required	Latest position / Administration's response
		commencement in 2012-2013.	
4. Bus-bus interchanges on Tuen Mun Road	16 November 2012	The Administration was requested to provide information on the number of buses with low-floor platform which would be using the interchange facility.	The supplementary information provided by the Administration was issued vide LC Paper No. CB(1)295/12-13 on 11 December 2012.
5. Traffic improvements to Tuen Mun Road Town Centre Section	16 November 2012	The Administration was requested to provide information on the vertical and roof greening cost of the project, including its percentage of the project sum, in the paper to be submitted to the Public Works Subcommittee ("PWSC").	The PWSC paper [LC Paper No. PWSC(2012-13)41] was issued vide LC Paper No. PWSC12/12-13 on 10 December 2012.