

**Panel on Environmental Affairs****List of follow-up actions**

(position as at 19 March 2018)

<b>Subject</b>	<b>Date of meeting</b>	<b>Follow-up action required</b>	<b>Administration's response</b>
1. Briefing by the Secretary for the Environment on the Chief Executive's 2017 Policy Address	30.10.2017	The Administration to provide information on the timetable and details for increasing the charging speed of about 1 700 electric vehicles chargers available for public use in Hong Kong.	Administration's written response awaited.
2. Expansion of Sha Tau Kok Sewage Treatment Works and provision of village sewerage in Tong To, Lei Yue Mun Village and Peng Chau	27.11.2017	<p>The Administration to provide information on:</p> <p>(a) the results of the environmental impact assessment in relation to the proposed sewage treatment works (4392DS – Expansion of Sha Tau Kok Sewage Treatment Works – Phase 1), including the level of pollutants (e.g. Escherichia coli) and their concentrations in the Starling Inlet catchment area before and after the proposed works; and</p> <p>(b) the additional cost arising from Mr CHAN Hak-kan's proposal of further extending the length of the submarine outfall by 1 km, taking into account the views of local fishermen, and assessment on the impact of such proposal on improving the water quality.</p>	Administration to provide relevant information to the Public Works Subcommittee.

<b>Subject</b>	<b>Date of meeting</b>	<b>Follow-up action required</b>	<b>Administration's response</b>
3.1 Setting up the Countryside Conservation Office	19.12.2017	The Administration to provide information to address members' concerns regarding the coordination work of the Countryside Conservation Office to strengthen actions among various bureaux/departments and the collaboration with other funding schemes.	Administration to provide relevant information to the Establishment Subcommittee.
3.2 Improving the water quality in Hong Kong	19.12.2017	The Administration to provide supplementary information on the progress of treatment for riverbed sediments in Shing Mun River.	Administration's written response awaited.
4. Retrofitting of noise barriers on Tai Po Road (Sha Tin Section)	22.1.2018	<p>The Administration to provide information on:</p> <ul style="list-style-type: none"> <li>(a) the distribution of dwellings upon project completion, with breakdown by the respective traffic noise levels before and after the proposed works;</li> <li>(b) (i) justifications for the relatively high capital cost of \$851.8 million (in money-of-the-day prices) and the long timeframe of about five years for completion of the project, (ii) measures, if any, to reduce the capital costs and shorten the project timeframe, and (iii) the expected service life of the proposed noise barriers and enclosures; and</li> <li>(c) the management and disposal of the trees to be felled under the project.</li> </ul>	Administration to provide relevant information to the Public Works Subcommittee.

<b>Subject</b>	<b>Date of meeting</b>	<b>Follow-up action required</b>	<b>Administration's response</b>
5.1 Promoting the use of electric vehicles	26.2.2018	The Administration to provide details of its current review of the policies and measures on promoting the use of electric vehicles, including the bureaux/departments involved, issues covered, and expected time of completion of the review.	Administration's written response awaited.
5.2 Upgrading of sewage pumping stations and sewerage along Ting Kok Road	26.2.2018	<p>The Administration to provide information on:</p> <p>(a) a detailed breakdown of the total capital cost and a detailed implementation timetable of the proposed works, including the capital costs and expected completion dates of the three new sewage pumping stations along Ting Kok Road (Ting Kok Road Sewage Pumping Station ("TKRSPS") Nos. 5, 7 and 8) respectively;</p> <p>(b) assessment of the traffic and environmental impacts arising from the proposed works, including (i) the odour and noise impacts on the Tai Po East Fire Station adjacent to the site of TKRSPS No. 5, (ii) the impact on the existing cycle track along Ting Kok Road (such as any changes in the alignment and width of the cycle track), and (iii) the number of affected parking spaces in the public car park at Tai Mei Tuk neighbouring TKRSPS No. 8, and the relevant mitigation measures; and</p>	Administration to provide relevant information to the Public Works Subcommittee.

<b>Subject</b>	<b>Date of meeting</b>	<b>Follow-up action required</b>	<b>Administration's response</b>
		(c) (i) methodology and parameters for projecting an increase in the ultimate population of the "Shuen Wan and Tai Mei Tuk areas" to 64 000 and hence the increase in the capacity of the existing sewerage system serving these areas to 22 000 m <sup>3</sup> per day by 2036, and (ii) the delineation or geographical coverage of the "Shuen Wan and Tai Mei Tuk areas" to be served by TKRSPS Nos. 5 – 8, with details of the potential developments in the areas contributing to the projected population growth.	