

Number of expired blood units in public hospitals in 1994-95

- Note: (1) Of all Hospital Authority hospitals, 23 hospitals have established blood banks.
 (2) Due to the higher number of patients requiring blood transfusion, major hospitals have been able to adopt a universal compatibility matching procedure (that is, a pool of blood units is allocated to a large number of patients requiring transfusion instead of reserving a number of blood units to individual patient) to improve the utilization of donated blood units.
 (3) *No blood units were received from the Hong Kong Red Cross Blood Transfusion Service (HKRCBTS)
 (4) () No. of expired blood units as a percentage of total no. of blood units received from the HKRCBTS

<i>Hospital</i>	<i>April</i>	<i>May</i>	<i>June</i>	<i>July</i>	<i>August</i>	<i>September</i>	<i>October</i>	<i>November</i>	<i>December</i>	<i>January</i>	<i>February</i>	<i>March</i>	<i>Total</i>
QMH	48 (2.3%)	31 (1.7%)	7 (0.3%)	0 (0.0%)	6 (0.2%)	0 (0.0%)	0 (0.0%)	11 (0.6%)	15 (0.7%)	0 (0.0%)	20 (1.0%)	3 (0.1%)	141 (0.6%)
TYH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
TWH	2 (2.0%)	0 (0.0%)	0 (0.0%)	2 (1.8%)	2 (1.1%)	3 (2.5%)	0 (0.0%)	16 (12.8%)	7 (5.0%)	15 (11.8%)	4 (3.3%)	4 (3.5%)	55 (3.8%)
DKCH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	3 (7.3%)	0 (0.0%)	0 (0.0%)	3 (0.8%)
PYNEH	1 (0.3%)	1 (0.2%)	11 (3.1%)	3 (0.7%)	4 (0.8%)	3 (0.7%)	11 (2.1%)	5 (0.9%)	4 (1.1%)	7 (1.5%)	0 (0.0%)	0 (0.0%)	50 (0.9%)
RH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	3 (1.5%)	6 (2.0%)	0 (0.0%)	0 (0.0%)	9 (0.4%)
TWEH	4 (6.8%)	3 (5.2%)	9 (10.1%)	5 (6.5%)	4 (5.2%)	6 (11.8%)	5 (7.1%)	7 (5.4%)	9 (10.5%)	13 (12.7%)	4 (6.7%)	0 (0.0%)	69 (7.3%)
TSKH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (20.0%)	0 (0.0%)	1 (14.3%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	3 (4.1%)
QEH	3 (0.2%)	0 (0.0%)	4 (0.2%)	1 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	11 (0.5%)	25 (1.0%)	28 (1.2%)	0 (0.0%)	0 (0.0%)	72 (0.3%)
KH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
BH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
KWH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (0.2%)	6 (0.6%)	3 (0.3%)	0 (0.0%)	1 (0.0%)	12 (0.0%)
OLMH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
UCH	0 (0.0%)	0 (0.0%)	12 (2.2%)	7 (0.9%)	0 (0.0%)	0 (0.0%)	6 (0.9%)	27 (3.4%)	22 (2.7%)	29 (3.2%)	21 (2.8%)	0 (0.0%)	124 (1.4%)
HHH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
PWH	14 (0.8%)	2 (0.1%)	24 (1.5%)	4 (0.2%)	0 (0.0%)	0 (0.0%)	10 (0.6%)	19 (1.1%)	28 (1.5%)	20 (1.0%)	36 (2.3%)	7 (0.4%)	164 (0.8%)
TMH	0 (0.0%)	1 (0.1%)	2 (0.2%)	8 (0.8%)	5 (0.5%)	9 (0.9%)	2 (0.2%)	37 (2.7%)	8 (0.8%)	1 (0.1%)	1 (0.1%)	0 (0.0%)	74 (0.5%)
POH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
PMH	6 (0.6%)	5 (0.5%)	31 (3.5%)	27 (2.7%)	26 (2.5%)	18 (1.7%)	16 (1.9%)	1 (0.1%)	1 (0.1%)	11 (1.3%)	7 (0.4%)	4 (0.4%)	153 (1.2%)
CMC	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
YCH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
GH	25 (5.7%)	5 (2.3%)	8 (3.3%)	7 (3.3%)	4 (1.5%)	1 (0.3%)	3 (0.8%)	5 (1.4%)	0 (0.0%)	10 (3.8%)	5 (1.4%)	0 (0.0%)	73 (1.9%)
NLH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
TOTAL	103 (0.9%)	48 (0.4%)	108 (1.0%)	64 (0.5%)	51 (0.4%)	42 (0.3%)	53 (0.4%)	142 (1.1%)	128 (1.0%)	146 (1.1%)	98 (0.8%)	19 (0.1%)	1 002 (0.6%)

Number of expired blood units in public hospitals in 1995-96

- Note: (1) Of all Hospital Authority hospitals, 23 hospitals have established blood banks.
 (2) Due to the higher number of patients requiring blood transfusion, major hospitals have been able to adopt a universal compatibility matching procedure (that is, a pool of blood units is allocated to a large number of patients requiring transfusion instead of reserving a number of blood units to individual patient) to improve the utilization of donated blood units.
 (3) * No blood units were received from the Hong Kong Red Cross Blood Transfusion Service (HKRCBTS)
 (4) () No. of expired blood units as a percentage of total no. of blood units received from the HKRCBTS

<i>Hospital</i>	<i>April</i>	<i>May</i>	<i>June</i>	<i>July</i>	<i>August</i>	<i>September</i>	<i>October</i>	<i>November</i>	<i>December</i>	<i>January</i>	<i>February</i>	<i>March</i>	<i>Total</i>
QMH	6 (0.3%)	13 (0.6%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	3 (0.2%)	14 (0.8%)	15 (0.7%)	4 (0.2%)	5 (0.3%)	1 (0.1%)	6 (0.2%)	67 (0.2%)
TYH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
TWH	6 (5.8%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	5 (5.4%)	10 (11.2%)	5 (6.0%)	5 (5.6%)	11 (10.7%)	1 (1.3%)	9 (10.0%)	52 (4.0%)
DKCH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (2.9)	0 (0.0%)	0 (0.0%)	4 (8.5%)	0 (0.0%)	0 (0.0%)	5 (1.1%)
PYNEH	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (0.2%)	0 (0.0%)	21 (3.4%)	10 (1.5%)	1 (0.1%)	2 (0.3%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	35 (0.4%)
RH	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (1.0%)	5 (2.3%)	0 (0.0%)	3 (1.2%)	7 (2.5%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	17 (0.6%)
TWEH	5 (7.8%)	2 (1.7%)	0 (0.0%)	1 (1.0%)	1 (1.3%)	11 (16.4%)	11 (14.7%)	3 (6.1%)	10 (16.4%)	0 (0.0%)	10 (23.3%)	5 (8.6%)	59 (7.3%)
TSKH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
QEH	6 (0.3%)	0 (0.0%)	2 (0.1%)	0 (0.0%)	0 (0.0%)	6 (0.3%)	13 (0.5%)	4 (0.2%)	12 (0.5%)	8 (0.4%)	2 (0.1%)	3 (0.1%)	56 (0.2%)
KH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	7 (38.9%)	1 (2.8%)	5 (9.1%)	3 (7.9%)	4 (12.5%)	0 (0.0%)	1 (3.0%)	21 (4.4%)
BH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
KWH	1 (0.1%)	0 (0.0%)	3 (0.3%)	1 (0.1%)	5 (0.5%)	6 (0.7%)	0 (0.0%)	3 (0.3%)	2 (0.2%)	1 (0.1%)	0 (0.0%)	1 (0.1%)	23 (0.2%)
OLMH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	9 (7.8%)	1 (0.8%)	1 (0.9%)	13 (0.8%)	0 (0.0%)	0 (0.0%)	11 (11.5%)	35 (2.2%)
UCH	28 (4.1%)	0 (0.0%)	62 (8.6%)	43 (5.4%)	19 (2.6%)	46 (5.4%)	31 (4.3%)	25 (3.6%)	35 (3.6%)	18 (2.5%)	13 (1.7%)	8(1.0%)	328 (3.6%)
HHH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (3.8%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	3 (16.1%)	1 (2.4%)	0 (0.0%)	6 (0.9%)
PWH	29(1.5%)	15 (0.8%)	32 (1.6%)	51 (2.8%)	13 (0.7%)	32 (1.5%)	48 (2.4%)	77 (3.8%)	51 (2.4%)	34 (1.7%)	30 (1.5%)	4 (0.2%)	416 (1.7%)
TMH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	8 (0.6%)	20 (1.6%)	13 (1.0%)	8 (0.7%)	3 (0.2%)	2 (0.2%)	1 (0.1%)	55 (0.4%)
POH	3 (4.9%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	4 (5.7%)	4 (20.0%)	10 (13.9%)	11 (21.2%)	9 (20.9%)	4 (5.2%)	24 (35.8%)	8 (15.4%)	77 (11.4%)
PMH	5 (0.5%)	15 (1.5%)	10 (1.1%)	34 (3.8%)	13 (1.6%)	8 (0.9%)	20 (2.3%)	20 (1.8%)	38 (4.2%)	25 (2.4%)	25 (2.5%)	31 (3.4%)	244 (2.1%)
CMC	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (0.2%)	0 (0.0%)	0 (0.0%)	1 (0.0%)
YCH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	9 (3.9%)	2 (0.5%)	14 (5.7%)	7 (12.1%)	2 (0.6%)	2 (0.6%)	0 (0.0%)	36 (1.1%)
GH	3 (0.9%)	5 (1.5%)	82 (20.6%)	13 (3.3%)	14 (3.5%)	4 (1.1%)	23 (6.6%)	12 (2.9%)	14 (3.8%)	12 (3.3%)	11 (3.6%)	30 (10.3%)	223 (5.2%)
NLH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
TOTAL	92 (0.8%)	50 (0.4%)	191 (1.5%)	146 (1.2%)	74 (0.6%)	181 (1.4%)	218 (1.8%)	216 (1.7%)	213 (1.6%)	135 (1.1%)	122 (1.0%)	118 (0.8%)	1 756 (1.1%)

Number of expired blood units in public hospitals in 1996-97

- Note: (1) Of all Hospital Authority's hospitals, 23 hospitals have established blood banks.
 (2) Due to the higher number of patients requiring blood transfusion, major hospitals have been able to adopt a universal compatibility matching procedure (that is, a pool of blood units is allocated to a large number of patients requiring transfusion instead of reserving a number of blood units to individual patient) to improve the utilization of donated blood units.
 (3) *No blood units were received from the Hong Kong Red Cross Blood Transfusion Service (HKRCBTS)
 (4) () No. of expired blood units as a percentage of total no. of blood units received from the HKRCBTS

<i>Hospital</i>	<i>April</i>	<i>May</i>	<i>June</i>	<i>July</i>	<i>August</i>	<i>September</i>	<i>October</i>	<i>November</i>	<i>December</i>	<i>January</i>	<i>February</i>	<i>March</i>	<i>Total</i>
QMH	1 (0.1%)	1 (0.0%)	0 (0.0%)	7 (0.3%)	0 (0.0%)	0 (0.0%)	11 (0.5%)	4 (0.2%)	8 (0.3%)	24 (1.0%)	3 (0.1%)	5 (0.2%)	64 (0.3%)
TYH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
TWH	8 (10.4%)	5 (3.8%)	3 (2.8%)	7 (6.3%)	12 (13.2%)	6 (8.2%)	10 (10.5%)	20 (29.9%)	16 (32.0%)	10 (14.1%)	5 (10.0%)	2 (2.0%)	104 (10.2%)
DKCH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
PYNEH	2 (0.4%)	0 (0.0%)	5 (0.8%)	0 (0.0%)	0 (0.0%)	37 (5.0%)	19 (2.2%)	21 (2.6%)	12 (1.2%)	18 (2.0%)	5 (0.7%)	24 (2.9%)	143 (1.5%)
RH	2 (1.0%)	0 (0.0%)	1 (0.3%)	0 (0.0%)	1 (0.4%)	8 (3.8%)	17 (7.4%)	0 (0.0%)	4 (1.8%)	18 (8.2%)	8 (3.3%)	4 (1.6%)	63 (2.2%)
TWEH	20 (28.6%)	11 (16.4%)	10 (27.8%)	16 (18.2%)	19 (47.5%)	8 (14.8%)	15 (22.7%)	0 (0.0%)	18 (37.5%)	25 (43.9%)	15 (60.0%)	0 (0.0%)	157 (25.6%)
TSKH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
QEH	15 (0.7%)	6 (0.3%)	8 (0.4%)	6 (0.3%)	12 (0.5%)	7 (0.3%)	6 (0.2%)	8 (0.3%)	21 (0.8%)	12 (0.4%)	0 (0.0%)	17 (0.8%)	118 (0.4%)
KH	0 (0.0%)	2 (5.4%)	6 (20.7%)	1 (2.4%)	3 (7.9%)	5 (17.9%)	2 (10.5%)	1 (4.5%)	3 (13.6%)	1 (2.3%)	6 (19.4%)	2 (7.7%)	32 (8.4%)
BH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
KWH	0 (0.0%)	5 (0.5%)	1 (0.1%)	6 (0.7%)	0 (0.0%)	3 (0.4%)	22 (2.6%)	3 (0.4%)	0 (0.0%)	13 (1.3%)	1 (0.1%)	0 (0.0%)	54 (0.6%)
OLMH	3 (3.1%)	0 (0.0%)	3 (3.1%)	1 (0.8%)	12 (8.5%)	11 (14.3%)	4 (2.9%)	5 (4.8%)	18 (12.8%)	32 (39.5%)	12 (11.2%)	12 (*)	113 (8.9%)
UCH	21 (3.1%)	20 (2.4%)	19 (2.6%)	20 (2.4%)	30 (4.1%)	23 (2.9%)	14 (1.7%)	18 (2.0%)	41 (4.3%)	44 (5.0%)	3 (0.4%)	16 (1.8%)	269 (2.7%)
HHH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
PWH	17 (0.8%)	8 (0.4%)	55 (3.0%)	14 (0.7%)	13 (0.6%)	17 (0.9%)	20 (1.0%)	20 (0.9%)	18 (0.8%)	130 (6.1%)	14 (0.7%)	33 (1.5%)	359 (1.5%)
TMH	3 (0.2%)	4 (0.3%)	10 (0.9%)	5 (0.4%)	8 (0.7%)	12 (1.0%)	3 (0.2%)	6 (0.5%)	8 (0.7%)	27 (2.1%)	1 (0.1%)	1 (0.1%)	88 (0.6%)
POH	12 (36.4%)	10 (13.7%)	9 (29.0%)	2 (1.8%)	2 (2.6%)	6 (11.8%)	0 (0.0%)	6 (9.8%)	8 (15.7%)	6 (8.9%)	12 (35.3%)	8 (*)	81 (12.7%)
PMH	25 (2.8%)	28 (2.8%)	25 (3.0%)	39 (4.5%)	11 (1.1%)	21 (2.2%)	15 (1.4%)	46 (4.8%)	24 (2.5%)	43 (10.6%)	32 (9.4%)	18 (4.8%)	327 (3.4%)
CMC	0 (0.0%)	4 (0.7%)	18 (4.0%)	6 (1.0%)	3 (0.5%)	8 (1.7%)	8 (1.7%)	5 (0.9%)	27 (5.7%)	56 (11.0%)	10 (2.2%)	10 (2.0%)	155 (2.6%)
YCH	0 (0.0%)	0 (0.0%)	0 (0.0%)	3 (0.7%)	3 (0.7%)	2 (0.4%)	2 (0.5%)	18 (5.0%)	22 (4.6%)	41 (9.9%)	8 (1.9%)	27 (7.1%)	126 (2.4%)
GH	30 (10.3%)	13 (3.3%)	31 (11.7%)	18 (4.8%)	13 (4.9%)	23 (7.8%)	22 (7.6%)	3 (0.9%)	19 (6.7%)	8 (3.0%)	0 (0.0%)	0 (0.0%)	180 (5.9%)
NLH	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
TOTAL	159 (1.3%)	117 (0.8%)	204 (1.7%)	151 (1.1%)	142 (1.1%)	197 (1.6%)	190 (1.4%)	184 (1.4%)	267 (1.9%)	508 (3.8%)	135 (1.1%)	179 (1.6%)	2 433 (1.6%)

QMH	Queen Mary Hospital
TYH	Tsan Yuk Hospital
TWH	Tung Wah Hospital
DKCH	Duchess of Kent Children's Hospital
PYNEH	Pamela Youde Nethersole Eastern Hospital
RH	Ruttonjee Hospital
TWEH	Tung Wah Eastern Hospital
TSKH	Tang Shiu Kin Hospital
QEH	Queen Elizabeth Hospital
KH	Kowllon Hospital
BH	Buddhist Hospital
KWH	Kwong Wah Hospital
OLMH	Our Lady of Maryknoll Hospital
UCH	United Christian Hospital
HHH	Haven of Hope Hospital
PWH	Prince of Wales Hospital
THM	Tuen Mun Hospital
POH	Pok Oi Hospital
PMH	Princess Margaret Hospital
CMC	Caritas Medical Centre
YCH	Yan Chai Hospital
GH	Grantham Hospital
NLH	Name Long Hospital